# ALCOHOL PREP- isopropyl alcohol swab Dynarex Corporation

-----

1113, 1114, 1116, 1113UB-24, 1113UB-10, 1113-50 Sterile Alcohol Prep Pads

# **Active Ingredient**

Isopropyl Alcohol 70%

## **Purpose**

**Antiseptic** 

### Use(s)

- First aid to help prevent infection in minor cuts, scrapes, and burns
- For preparation of the skin prior to an injection

# Warnings

# For External Use only

Flammable. Keep away from fire or flame.

### Do not use

- In the eyes or over large areas of the body
- Longer than 1 week unless directed by a doctor
- With electrocautery procedures

# Ask a doctor before use if you have

Deep or puncture wounds, animal bites, or serious burns.

# Stop use and ask a doctor if

Condition persists for more than 72 hours or gets worse.

# Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

### **Directions**

- When used for first aid: Clean the affected area. Apply a small amount of this product on the area 1 to 3 times daily. May be covered with a sterile bandage. If bandaged, let dry first.
- When used to prepare an injection site: Apply product to the injection site prior to injection.

# Other Information

- Store at room temperature
- Avoid excessive heat

# Inactive Ingredient

Water

Label

# **Drug Facts** Active Ingredient Isopropyl Alcohol 70%

Purpose

### Uses

- First aid to help prevent infection in minor cuts, scrapes and burns
- For preparation of the skin prior to an injection

### Warnings

For external use only

### Flammable. Keep away from fire or flame.

### Do not use

- in the eyes or over large areas of the body
   longer than 1 week unless directed by a doctor
- with electrocautery procedures

Ask a doctor before use if you have deep or puncture wounds, animal bites, or serious burns

Stop use and ask a doctor if condition persists for more than 72 hours or gets worse

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

- When used for first aid: Clean the affected area. Apply a small amount of this product on the area 1 to 3 times daily. May be covered with a sterile bandage. If bandaged, let dry first.
- When used to prepare an injection site: Apply product to the injection site prior to injection.

### Other Information

■ Store at room temperature ■ Avoid excessive heat

Inactive Ingredient

### Reorder No. 1113



# Sterile Alcohol Prep Pads

Apply topically as needed Sterile Solution



# **Drug Facts**

Active ingredient Isopropyl Alcohol 70%. ..

Purpose

- First aid to help prevent infection in minor cuts, scrapes and burns
- For preparation of the skin prior to an injection

Warnings For External Use Only

Flammable. Keep away from fire or flame. Do not use

- in the eyes or over large areas of the body
- longer than 1 week unless directed by a doctor
- with electrocautery procedures

Ask a doctor before use if you have deep or puncture wounds, animal bites, or serious burns

Stop use and ask a doctor if condition persists for more than 72 hours or gets worse

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

- When used for first aid: Clean the affected area. Apply a small amount of this product on the area 1 to 3 times daily. May be covered with a sterile bandage. If bandaged, let
- When used to prepare an injection site: Apply product to the injection site prior to injection.

### Other information

- Store at room temperature
- Avoid excessive heat

Inactive ingredients

Reorder No. 1114



# Sterile Alcohol Prep Pads

Apply topically as needed Sterile Solution



# **Drug Facts**

Active ingredient Isopropyl Alcohol 70%...

Purpose .... Antiseptic

- First aid to help prevent infection in minor cuts, scrapes and burns
- For preparation of the skin prior to an injection

Warnings For External Use Only

Flammable. Keep away from fire or flame.

### Do not use

- in the eyes or over large areas of the body
- longer than 1 week unless directed by a doctor
- with electrocautery procedures

Ask a doctor before use if you have deep or puncture wounds, animal bites, or serious burns

Stop use and ask a doctor if condition persists for more than 72 hours or gets worse

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

- When used for first aid: Clean the affected area. Apply a small amount of this product on the area 1 to 3 times daily. May be covered with a sterile bandage. If bandaged, let
- When used to prepare an injection site: Apply product to the injection site prior to injection.

### Other information

- Store at room temperature
- Avoid excessive heat

### Inactive ingredients

Reorder No. 1116



# Sterile Alcohol Prep Pads

Apply topically as needed Sterile Solution





1113-50

### Label 1113UB-24



1113UB-24

### Label 1113UB-10



### 1113UB-10

# **ALCOHOL PREP**

isopropyl alcohol swab

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67777-121
Route of Administration	TOPICAL		

	Active Ingredient/Active Moiety			
	Ingredient Name	Basis of Strength	Strength	
l	ISOPROPYL ALCOHOL (LINII: ND2M416302) (ISOPROPYL ALCOHOL -	ISOPROPYI	0.7 ml	

ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL -<br/>UNII:ND2M416302)ISOPROPYL<br/>ALCOHOL0.7 mL<br/>in 1 mL

# Inactive Ingredients Ingredient Name Strength WATER (UNII: 059QF0KO0R)

Product Characteristics				
Color		Score		
Shape	RECTANGLE	Size		
Flavor		Imprint Code		
Contains				

Packagin	9		
		Maulcatina Ctart	Markatina Cod

#	Item Code	Package Description	Marketing Start Date	магкетіng End Date
1	NDC:67777-121- 20	20000 in 1 CASE	07/01/2010	
1	NDC:67777-121- 19	100 in 1 BOX		
1	NDC:67777-121- 14	0.55 mL in 1 POUCH; Type 0: Not a Combination Product		
2	NDC:67777-121- 18	1000 in 1 CASE	07/01/2010	
2	NDC:67777-121- 17	100 in 1 BOX		
2	NDC:67777-121- 16	0.7 mL in 1 POUCH; Type 0: Not a Combination Product		
3	NDC:67777-121- 12	2000 in 1 CASE	07/01/2010	
3	NDC:67777-121- 11	200 in 1 BOX		
3	NDC:67777-121- 13	0.55 mL in 1 POUCH; Type 0: Not a Combination Product		
4	NDC:67777-121- 26	1000 in 1 CASE	07/01/2010	
4	NDC:67777-121- 27	50 in 1 BOX		
4		0.55 mL in 1 POUCH; Type 0: Not a Combination Product		
5	NDC:67777-121- 22	480 in 1 CASE	07/01/2010	
5	NDC:67777-121- 21	24 in 1 BOX		
5		0.55 mL in 1 POUCH; Type 0: Not a Combination Product		
6	NDC:67777-121- 24	1000 in 1 CASE	07/01/2010	
6	NDC:67777-121- 23	10 in 1 BOX		
6		0.55 mL in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	07/01/2010	

# Labeler - Dynarex Corporation (008124539)

Revised: 2/2024 Dynarex Corporation