

ASPIRIN LOW DOSE- aspirin tablet, chewable
L.N.K. International, Inc.

Quality Plus 44-218

Active ingredient (in each chewable tablet)

Aspirin 81 mg (NSAID)*

*nonsteroidal anti-inflammatory drug

Purpose

Pain reliever

Uses

for the temporary relief of minor aches and pains or as recommended by your doctor

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Aspirin may cause a severe allergic reaction, which may include:

- hives
- facial swelling
- shock
- asthma (wheezing)

Stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you

- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs [aspirin, ibuprofen, naproxen, or others]
- have 3 or more alcoholic drinks every day while using this product
- are age 60 or older
- take more or for a longer time than directed
- have had stomach ulcers or bleeding problems

Do not use

- if you are allergic to aspirin or any other pain reliever/fever reducer
- for at least 7 days after tonsillectomy or oral surgery unless directed by a doctor
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if

- stomach bleeding warning applies to you
- you have a history of stomach problems, such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease
- you have asthma
- you are taking a diuretic

Ask a doctor or pharmacist before use if you are

taking a prescription drug for

- gout
- diabetes
- arthritis

Stop use and ask a doctor if

- an allergic reaction occurs. Seek medical help right away.
- you experience any of the following signs of stomach bleeding:
 - vomit blood
 - have bloody or black stools
 - feel faint
 - have stomach pain that does not get better
- ringing in the ears or a loss of hearing occurs
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use. It is especially important not to use aspirin at 20 weeks or later in pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- **do not take more than directed**
- drink a full glass of water with each dose
- chew or crush tablets completely before swallowing; do not swallow tablets whole
- adults and children 12 years and over: take 4 to 8 chewable tablets every 4 hours not to exceed 48 chewable tablets in 24 hours unless directed by a doctor
- children under 12 years: do not use unless directed by a doctor

Other information

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

corn starch, dextrans hydrated, FD&C yellow #6 aluminum lake, flavor, maltodextrin, sucralose

Questions or comments?

1-800-426-9391

Principal Display Panel

QUALITY

+PLUS

NDC 50844-218-07

†Compare to active ingredient in
Bayer® Chewable Low Dose Aspirin

LOW DOSE

ASPIRIN

CHEWABLE

TABLETS 81 mg

PAIN RELIEVER

(NSAID)

**Chew or
crush tablets
completely
before
swallowing.**

- ASPIRIN REGIMEN
- ORANGE FLAVORED

ACTUAL SIZE

36

Chewable Tablets

Talk to your doctor or other healthcare provider
before using this product for your heart.

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

†This product is not manufactured or distributed
by Bayer AG, owner of the registered trademark
Bayer® Chewable Low Dose Aspirin.

50844 REV0122B21807

Distributed by

LNK INTERNATIONAL, INC.
 60 Arkay Drive, Hauppauge, NY 11788
 USA

	<p>Drug Facts (continued)</p> <ul style="list-style-type: none"> have had stomach ulcers or bleeding problems <p>Do not use</p> <ul style="list-style-type: none"> if you are allergic to aspirin or any other pain reliever/fever reducer for at least 7 days after tonsillectomy or oral surgery unless directed by a doctor if you have ever had an allergic reaction to this product or any of its ingredients <p>Ask a doctor before use if</p> <ul style="list-style-type: none"> stomach bleeding warning applies to you you have a history of stomach problems, such as heartburn you have high blood pressure, heart disease, liver cirrhosis, or kidney disease you have asthma you are taking a diuretic <p>Ask a doctor or pharmacist before use if you are taking a prescription drug for</p> <ul style="list-style-type: none"> gout diabetes arthritis <p>Stop use and ask a doctor if</p> <ul style="list-style-type: none"> an allergic reaction occurs. Seek medical help right away. you experience any of the following signs of stomach bleeding: <ul style="list-style-type: none"> vomit blood have bloody or black stools feel faint have stomach pain that does not get better ringing in the ears or a loss of hearing occurs pain gets worse or lasts more than 10 days fever gets worse or lasts more than 3 days redness or swelling is present new symptoms occur <p>These could be signs of a serious condition.</p>	
	<p>KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION</p> <p>Drug Facts</p> <p>Active ingredient (in each chewable tablet)</p> <p>Aspirin 81 mg (NSAID) Pain reliever *nonsteroidal anti-inflammatory drug</p> <p>Uses for the temporary relief of minor aches and pains or as recommended by your doctor</p> <p>Warnings</p> <p>Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.</p> <p>Allergy alert: Aspirin may cause a severe allergic reaction, which may include:</p> <ul style="list-style-type: none"> facial swelling hives shock asthma (wheezing) <p>Stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you</p> <ul style="list-style-type: none"> take a blood thinner (anticoagulant) or steroid drug take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others) have 3 or more alcoholic drinks every day while using this product are age 60 or older take more or for a longer time than directed 	<p>B-1603-218A-07-R REV0122B21807</p>
<p>*This product is not manufactured or distributed by Bayer AG, owner of the registered trademark Bayer® Chewable Low Dose Aspirin. 50844 REV0122B21807 Distributed by LNK INTERNATIONAL, INC. 60 Arkay Drive, Hauppauge, NY 11788 USA</p>	<p>QUALITY PLUS</p> <p>LOW DOSE</p> <p>ASPIRIN CHEWABLE TABLETS 81 mg</p> <p>PAIN RELIEVER (NSAID)</p> <p>36 Chewable Tablets</p> <p>Talk to your doctor or other healthcare provider before using this product for your heart.</p> <p>ACTUAL SIZE</p> <p>ASPIRIN REGIMEN</p> <p>ORANGE FLAVORED</p> <p>Chew or crush tablets completely before swallowing.</p> <p>NDC 50844-218-07</p> <p>¹Compare to active ingredient in Bayer® Chewable Low Dose Aspirin</p>	<p>TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING</p> <p>3 5084421807 0</p> <p>No Print Area Lot no. & Exp. Date</p>
	<p>Drug Facts (continued)</p> <p>If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin at 20 weeks or later in pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.</p> <p>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.</p> <p>Directions</p> <ul style="list-style-type: none"> do not take more than directed drink a full glass of water with each dose chew or crush tablets completely before swallowing; do not swallow tablets whole adults and children 12 years and over: take 4 to 8 chewable tablets every 4 hours not to exceed 48 chewable tablets in 24 hours unless directed by a doctor children under 12 years: do not use unless directed by a doctor <p>Other information</p> <ul style="list-style-type: none"> store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) see end flap for expiration date and lot number <p>Inactive ingredients corn starch, dextrates hydrated, FD&C yellow #6 aluminum lake, flavor, maltodextrin, sucralose</p> <p>Questions or comments? 1-800-426-9391</p>	

Quality Plus 44-218

ASPIRIN LOW DOSE

aspirin tablet, chewable

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:50844-218

Route of Administration	ORAL
--------------------------------	------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	81 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
DEXTROSE MONOHYDRATE (UNII: LX22YL083G)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Product Characteristics

Color	orange (light)	Score	no score
Shape	ROUND	Size	8mm
Flavor	ORANGE	Imprint Code	44;218
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50844-218-07	1 in 1 CARTON	09/12/1990	
1		36 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	09/12/1990	

Labeler - L.N.K. International, Inc. (038154464)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(50844-218)

Establishment

Name	Address	ID/FEI	Business Operations
------	---------	--------	---------------------

LNK International, Inc.		832867837	manufacture(50844-218)
-------------------------	--	-----------	------------------------

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	manufacture(50844-218)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(50844-218)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(50844-218)

Revised: 11/2023

L.N.K. International, Inc.