5283 SUNSCREEN- avobenzone, homosalate, octocrylene, octisalate lotion Innovation Specialties

5283 Sunscreen

Drug Facts

Active ingredients

Avobenzone 3% Homosalate 10% Octocrylene 10% Octisalate 5%

Purpose

Sunscreen

Uses

• helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product swallowed, get medical help or contact a Poison Control Center right away.

Directions

• Apply liberally 15 minutes exposure. • reapply: • after 40 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours.

Sun Protection Measure. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.-2 p.m. • wear long-sleeve shirts, pants, hats and sunglasses • children under 6 months: Ask a doctor.

Inactive ingredients

Water, Glycerin, Caprylic/Capric Triglyceride, Potassium Cetyl Phosphate, Cetearyl Alcohol, Dimethicone, Caprylyl Glycol, Phenoxyethanol, Glyceryl Stearate, VP/Hexadecene Copolyrner, Bisabolol, Carbomer, Fragrance, Triethanolamine, Disodium EDTA

Other information

Protect this product from excessive heat and direct sun

Questions or Comments?

Call:1-855-755-5346

Broad Spectrum SPF30 Sunscreen Lotion

Made in China for Innovation Line Culver City, CA 90230

Packaging

Broad Spectrum SPF30 Sunscreen Lotion (Net/M1FLOZ/30ML

Drug Facts

Active ingredients Purpose
Avobenzone 3%

Avobenzone 3% Homosalate 10% Octocrylene 10% Octisalate 5%

Uses • helps prevent sunburn
• if used as directed with
other sun protection
measures (see Directions),
decreases the risk of skin
cancer and early skin aging
caused by the sun.

Peel here for continued drug facts ▼

Drug Facts (continued)

Warnings

For external use only

Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with

water to remove.

Stop use and ask a doctor if

rash occurs.

Keep out of reach of children.
If product swallowed, get medical
help or contact a Poison Control
Center right away.

Directions

 Apply liberally 15 minutes exposure. •reapply: •after 40 minutes of swimming or sweating •immediately after towel drying •at least every 2 hours.

Sun Protection Measure.

Spending time in the sun increases your risk of skin cancer and early skin aging To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 higher and other sun protection measures including: *limit time in the sun, especially from 10 a.m-2 p.m. *wear long-sleeve shirts, pants, hats and sunglasses *children under 6 months: Ask a docter.

Peel here for continued drug facts ▼

Drug Facts (continued)

Inactive ingredients

Water, Glycerin, Caprylic/Capric Triglyceride, Potassium Cetyl Phosphate, Cetearyl Alcohol, Dimethicone, Caprylyl Glycol, Phenoxyethanol, Glyceryl Stearate, VP/Hexadecene Copolymer, Bisabolol, Carbomer, Fragrance, Triethanolamine, Disodium EDTA

Other information • Protect this product from excessive heat and direct sun

1FL OZ (30ML) Product # 5283 Made in China for Innovation Line Culver City ,CA 90230 Questions or Comments? Call:1-855-755-5346

5283 SUNSCREEN

avobenzone, homosalate, octocrylene, octisalate lotion

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:76138-222

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII: V06SV4M95S)	HOMOSALATE	10 g in 100 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	10 g in 100 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 mL

Inactive Ingredients		
Ingredient Name	Strength	
WATER (UNII: 059QF0KO0R)		
GLYCERIN (UNII: PDC6A3C0OX)		
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)		
POTASSIUM CETYL PHOSPHATE (UNII: 03KCY6P7UT)		
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)		
DIMETHICONE (UNII: 92RU3N3Y10)		
CAPRYLYL GLYCOL (UNII: 00YIU5438U)		
PHENOXYETHANOL (UNII: HIE492ZZ3T)		
GLYCERYL MONOSTEARATE (UNII: 2300U9XXE4)		
VINYLPYRROLIDONE/HEXADECENE COPOLYMER (UNII: KFR5QEN0N9)		
LEVOMENOL (UNII: 24WE03BX2T)		
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)		
TROLAMINE (UNII: 903K93S3TK)		
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)		

l	P	Packaging					
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
	1	NDC:76138- 222-01	30 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	10/31/2023			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M020	10/31/2023		

Labeler - Innovation Specialties (030837314)

Revised: 10/2023 Innovation Specialties