

**GOOD NEIGHBOR MAXIMUM STRENGTH URINARY PAIN RELIEF-
phenazopyridine hydrochloride tablet
AmerisourceBergen Drug Corp**

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

DRUG FACTS

Active ingredient (in each tablet)

Phenazopyridine Hydrochloride 99.5 mg .

Purpose

Urinary Analgesic

Warnings

Do not exceed recommended dosage

Ask doctor before use if you have

- kidney disease
- allergies to food, preservatives or dyes
- had a hypersensitive reaction to phenazopyridine

When using this product

- stomach upset may occur, taking this product with or after meals may reduce stomach upset
- your urine will become reddish-orange in color. This is not harmful, but care should be taken to avoid staining clothing or other items.

Stop use and ask doctor if

- your symptoms last for more than 2 days
- you suspect you are having an adverse reaction to the medication

If pregnant or breast feeding,

Ask a health professional before use.

Keep out of reach of children

In case of an overdose, get medical help or contact a Poison Control Center right away.

Use

Fast relief from urinary pain, burning, urgency and frequency associated with urinary tract infections.

Inactive ingredients

Lactose, magnesium silicate, magnesium stearate, microcrystalline cellulose, pharmaceutical glaze, and sodium starch glycolate.

Directions

Urinary Pain Relief
Phenazopyridine Hydrochloride 99.5 mg

Maximum Strength

Fast relief for urinary pain, burning & urgency.
Strongest UTI pain reliever available without prescription!
Even higher dose for maximum relief †
Targets the source of pain

24 Tablets actual size

Compare to AZO Urinary Pain Relief® Maximum Strength active ingredient*
NDC 46122-628-62

GOOD NEIGHBOR PHARMACY®

Urinary Pain Relief
Phenazopyridine Hydrochloride 99.5 mg
Urinary Tract Analgesic

Phenazopyridine Hydrochloride 99.5 mg

TAMPER EVIDENT: TABLETS SEALED IN BLISTER. DO NOT USE IF BLISTER IS OPENED OR DAMAGED.

Drug Facts

Active ingredient (in each tablet)	Purpose
Phenazopyridine Hydrochloride 99.5 mg	Urinary Tract Analgesic

Use Fast relief from urinary pain, burning, urgency and frequency associated with urinary tract infections. Treatment should not exceed 2 days; see Directions

Warnings
Do not exceed recommended dosage
Do not use if you have Glucose-6-Phosphate Dehydrogenase (G6PD) deficiency unless approved by your physician

Ask a doctor before use if you have

- allergies to foods, preservatives or dyes
- kidney disease
- stomach upset may occur, taking this product with or after meals may reduce stomach upset
- your urine will become reddish-orange in color. This is not harmful, but care should be taken to avoid staining clothing or other items.
- your symptoms last for more than 2 days
- you suspect you are having an adverse reaction to the medication

When using this product

- Long-term administration of phenazopyridine hydrochloride has induced neoplasia in rats (large intestine) and mice (liver). Although no association between phenazopyridine hydrochloride and human neoplasia has been reported, adequate epidemiological studies along these lines have not been conducted.

Stop use and ask a doctor if

- pregnant or breast feeding, ask a health professional before use. Keep out of reach of children. In case of an overdose, get medical help or contact a Poison Control Center right away 1-800-222-1222.

Directions

- adults and children 12 years and over: take 2 tablets 3 times daily with a full glass of water, with or after meals as needed
- Do not use for more than 2 days (12 tablets) without consulting a doctor
- children under 12 years: consult a doctor

Other information

- this product may stain contact lenses
- this product can interfere with laboratory tests including urine, glucose (sugar), and ketones tests
- store at room temperature 15°-30°C (59°-86°F) in a dry place and protect from light

Inactive Ingredients corn starch, croscarmellose sodium, hypromellose, lactose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinylpyrrolidone, pregelatinized starch, silicon dioxide, sodium starch glycolate, talc and triacetin.

REV. 6/23 5MAX0240N

Other information

- This product is not manufactured or distributed by DSM - P. Assets B.V., owner of the registered trademark AZO Urinary Pain Relief® Maximum Strength.

PG

PARAGRAPHS
330.493.3074 para-inc.com

ABCF 19062174
0 87701 43425 9

- adults and children 12 years and over:
take 2 tablets 3 times daily with a full glass of water, with or after meals as needed
- children under 12 years: consult a doctor
- Do not use for more than 2 days (12 tablets) without consulting a doctor



GOOD NEIGHBOR MAXIMUM STRENGTH URINARY PAIN RELIEF

phenazopyridine hydrochloride tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:46122-628
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PHENAZOPYRIDINE HYDROCHLORIDE (UNII: 0EWG668W17) (PHENAZOPYRIDINE - UNII:K2J09EMJ52)	PHENAZOPYRIDINE HYDROCHLORIDE	99.5 mg

Inactive Ingredients

Ingredient Name	Strength
LACTOSE (UNII: J2B2A4N98G)	
MAGNESIUM SILICATE (UNII: 9B9691B2N9)	

Product Characteristics

Color	brown	Score	no score
Shape	OVAL	Size	9mm
Flavor		Imprint Code	p99
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46122-628-53	1 in 1 CARTON	07/02/2020	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:46122-628-62	1 in 1 CARTON	07/02/2020	
2		24 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		07/02/2020	

Labeler - AmerisourceBergen Drug Corp (007914906)

Registrant - Reese Pharmaceutical Co (004172052)