

ACID REDUCER COMPLETE- famotidine, calcium carbonate and magnesium hydroxide tablet, chewable
Walgreen Company

Walgreen Co. Acid Reducer Complete Drug Facts

Active ingredients (in each chewable tablet)

Famotidine 10 mg

Calcium carbonate 800 mg

Magnesium hydroxide 165 mg

Purposes

Acid reducer

Antacid

Use

relieves heartburn associated with acid indigestion and sour stomach

Warnings

Allergy alert: Do not use if you are allergic to famotidine or other acid reducers

Do not use

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers

Ask a doctor before use if you have

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with **lightheadedness, sweating, or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- kidney disease

Ask a doctor or pharmacist before use if you are

taking a prescription drug. Antacids and acid reducers may interact with certain prescription drugs.

Stop use and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- adults and children 12 years and over:
- **do not swallow tablet whole: chew completely**
- to relieve symptoms, **chew** 1 tablet before swallowing
- do not use more than 2 chewable tablets in 24 hours
- children under 12 years: ask a doctor

Other information

- **each tablet contains:** calcium 330 mg; magnesium 80 mg
- Phenylketonurics: Contains Phenylalanine 2 mg per tablet
- read the directions and warnings before use
- read the bottle. It contains important information.
- store at 20-25°C (68-77°F)
- protect from moisture

Inactive ingredients

anhydrous lactose, artificial berry flavor, aspartame, D&C red no. 7 calcium lake, dextrans, FD&C blue no. 1 aluminum lake, FD&C red no. 40 aluminum lake, glyceryl monostearate, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyacrylate dispersion, polysorbate 80, povidone, pregelatinized starch, sodium starch glycolate, talc

Questions or comments?

1-800-719-9260

Principal Display Panel

Walgreens

WALGREENS PHARMACIST RECOMMENDED

Compare to the active ingredients in Pepcid Complete®

Acid Reducer Complete

FAMOTIDINE 10 mg/CALCIUM CARBONATE 800 mg/MAGNESIUM HYDROXIDE 165 mg TABLETS (CHEWABLE)

ACID REDUCER + ANTACID

Dual Action

Chewable

• Just one tablet relieves heartburn due to acid indigestion

50 CHEWABLE TABLETS

ACTUAL SIZE

Berry flavor

SEE NEW WARNINGS

Walgreens NDC 0363-0511-71
Compare to the active ingredients in Pepcid Complete®
Acid Reducer Complete
FAMOTIDINE 10 mg/CALCIUM CARBONATE 800 mg/
MAGNESIUM HYDROXIDE 165 mg TABLETS (CHEWABLE)
ACID REDUCER + ANTACID
Dual Action Chewable
• Just one tablet relieves heartburn due to acid indigestion
50 CHEWABLE TABLETS
ACTUAL SIZE
Berry flavor
SEE NEW WARNINGS

Drug Facts
DO NOT USE IF PRINTED FOIL UNDER CAP IS BROKEN OR MISSING
Active ingredients (in each chewable tablet)
Famotidine 10 mg... Acid reducer
Calcium carbonate 800 mg... Antacid
Magnesium hydroxide 165 mg... Antacid
Purposes
Acid reducer
Antacid
Antacid
Use relieves heartburn associated with acid indigestion and sour stomach
Warnings
Allergy alert: Do not use if you are allergic to famotidine or other acid reducers
Do not use
• if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
• with other acid reducers
Ask a doctor before use if you have
• had heartburn over 3 months. This may be a sign of a more serious condition.
• heartburn with **lightheadedness, sweating, or dizziness**
• chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
• frequent chest pain • frequent wheezing, particularly with heartburn
• unexplained weight loss • nausea or vomiting
• stomach pain • kidney disease
Ask a doctor or pharmacist before use if you are taking a prescription drug. Antacids and acid reducers may interact with certain prescription drugs.

Tips for Managing Heartburn
• Do not lie flat or bend over after eating
• Do not wear tight-fitting clothing around the stomach
• Do not eat before bedtime
• Raise the head of your bed
• Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol, and certain fruits and vegetables
• Eat slowly and avoid big meals
• If overweight, lose weight
• Quit smoking

Drug Facts (continued)
Stop use and ask a doctor if
• your heartburn continues or worsens
• you need to take this product for more than 14 days
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)
Directions
• adults and children 12 years and over:
• **do not swallow tablet whole: chew completely**
• to relieve symptoms, **chew 1 tablet** before swallowing
• do not use more than 2 chewable tablets in 24 hours
• children under 12 years: ask a doctor
Other information
• each tablet contains: calcium 330 mg; magnesium 80 mg
• Phenylethanolamine: Contains Phenylethanolamine 2 mg per tablet
• read the directions and warnings before use
• read the bottle. It contains important information.
• store at 20-25°C (68-77°F) • protect from moisture

Drug Facts (continued)
Inactive ingredients anhydrous lactose, artificial berry flavor, aspartame, D6C red no. 7 calcium lake, dextrates, FD&C blue no. 1 aluminum lake, FD&C red no. 40 aluminum lake, glyceryl monostearate, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyacrylate dispersion, polyorbital 80, povidone, pregelatinized starch, sodium starch glycolate, talc
Questions or comments? 1-800-719-9200
Gluten Free
U.S. Pat. No. D801,175
Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.
*This product is not manufactured or distributed by Johnson & Johnson Consumer Inc., distributor of Pepcid Complete®.
DISTRIBUTED BY: WALGREEN CO.
200 WILMOT RD., DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
walgreens.com ©2021 Walgreen Co.

ACID REDUCER COMPLETE

famotidine, calcium carbonate and magnesium hydroxide tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-0511
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
FAMOTIDINE (UNII: 5QZO15J2Z8) (FAMOTIDINE - UNII:5QZO15J2Z8)	FAMOTIDINE	10 mg
CALCIUM CARBONATE (UNII: H0G9379FGK) (CARBONATE ION - UNII:7UJQ5OPE7D, CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM CARBONATE	800 mg
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	165 mg

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)	
ASPARTAME (UNII: Z0H242BBR1)	
D&C RED NO. 7 (UNII: ECW0LZ41X8)	
DEXTRATES (UNII: G263MI44RU)	
FD&C BLUE NO. 1 ALUMINUM LAKE (UNII: J9EQA3S2JM)	
FD&C RED NO. 40 ALUMINUM LAKE (UNII: 6T47AS764T)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
SODIUM STARCH GLYCOLATE TYPE A (UNII: H8AV0SQX4D)	
TALC (UNII: 7SEV7J4R1U)	

Product Characteristics

Color	PINK (mottled)	Score	no score
Shape	ROUND (bi-layered)	Size	17mm
Flavor	BERRY	Imprint Code	L321
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0511-63	25 in 1 BOTTLE; Type 0: Not a Combination Product	01/29/2016	07/31/2020
2	NDC:0363-0511-71	50 in 1 BOTTLE; Type 0: Not a Combination Product	01/29/2016	
3	NDC:0363-0511-33	60 in 1 BOTTLE; Type 0: Not a Combination Product	11/19/2018	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA077355	01/29/2016	

Labeler - Walgreen Company (008965063)

Revised: 7/2025

Walgreen Company