

CD2-HD ACTIVATOR- lactic acid spray, metered
Wausau Chemical

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Disposal:

Unused teat dip may be diluted with water and flushed down drain. Do not reuse containers. Empty containers should be thoroughly rinsed with water and taken to a recycling center.

Material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

First Aid:

IF SWALLOWED: drink large quantities of water and get medical attention.

IF IN EYES: flush eyes with large quantities of water and get medical attention if irritation occurs..

Handling Instructions:

For external use only. Not for use in sanitizing dairy equipment. Avoid contact with eyes. Avoid contact with food.

Storage & Handling:

Do not mix with any other teat dip or other product. Store at room temperature and out of direct sunlight.

Avoid freezing - If product is exposed to freezing temperatures, components must be mixed thoroughly prior to use.

DIRECTIONS:

Measure equal volumes of CD2 Base and CD2-HD Activator into a clean dip cup/container and mix until the color is uniform throughout. Do not dilute. Mix only enough product for one milking of the herd. Dip cups should be washed after each milking.

APPLICATION:

Pre-Milking: If teats are visibly dirty, wash and dry teats with a single service towel prior to dipping. Before each cow is milked, dip the teats as far up as possible. Leave CD2 teat dip on teats for at least 15-30 seconds. Wipe teats dry using a single service towel before milking.

Post-Milking: Immediately after milking, dip teats at least 2/3 of their length in CD2 teat dip. Allow to air dry. DO NOT WIPE. CD2 teat dip can be used as a post-dip alone, or as a pre- and post-milking teat dip.

Always use freshly mixed, full strength CD2 teat dip. If product in dip cup becomes visibly dirty, discard contents and fill with fresh CD2 teat dip. CD2 teat dip may be diluted with water and safely flushed down the drain.

Note 1: If teat irritation occurs, discontinue use until irritation subsides. Consult your veterinarian and milking equipment service personnel if irritation persists.

Note 2: CD2 should be used with a compatible pre-dip or udder wash.

Active Ingredient:

Lactic Acid.....2.5%

Inactive Ingredients:

Glycerin.....10.0%

Surfactants, water.....87.5%

Wausau Chemical Corporation

2001 N River Drive

Wausau, WI 54403

800-950-6656

CD2-HD Activator



PRE- & POST-MILKING TEAT DIP FOR USE ONLY WITH CD2X BASE

Active Ingredient: 2.5% Lactic Acid

Contains: 10% Glycerin

Hazards:

Material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

CAUTION:

For external use only. Not for use in sanitizing dairy equipment. Do not mix with any other teat dip or other product. Avoid contact with food. Store at room temperature and out of direct sunlight. Avoid contact with eyes.

FIRST AID:

If swallowed: drink large quantities of water, and get medical attention. If in eyes: flush eyes with large quantities of water, and get medical attention if irritation occurs.

DISPOSAL:

Unused teat dip may be diluted with water and flushed down drain. Do not reuse containers. Empty containers should be thoroughly rinsed with water and taken to a recycling center.

STORAGE:

Avoid Freezing – If product is exposed to freezing temperatures, components must be mixed thoroughly prior to use.

DIRECTIONS FOR USE:

Measure equal volumes of CD2 Base and CD2-HD Activator into a clean dip cup/container and mix until the color is uniform throughout. Do not dilute. Mix only enough product for one milking of the herd. Dip cups should be washed after each milking.

APPLICATION:

Pre-Milking: If teats are visibly dirty, wash and dry teats with a single service towel prior to dipping. Before each cow is milked, dip the teats as far up as possible. Leave CD2 teat dip on teats for at least 15-30 seconds. Wipe teats dry using a single service towel before milking.

Post-Milking: Immediately after milking, dip teats at least 2/3 of their length in CD2 teat dip. Allow to air dry. **DO NOT WIPE.** CD2 teat dip can be used as a post-dip alone, or as a pre- and post-milking teat dip.

Always use freshly mixed, full strength CD2 teat dip. If product in dip cup becomes visibly dirty, discard contents and fill with fresh CD2 teat dip. CD2 teat dip may be dilute with water and safely flushed down the drain.

Note 1: If teat irritation occurs, discontinue use until irritation subsides. Consult your veterinarian and milking equipment service personnel if irritation persists.

Note 2: CD2 should be used with a compatible pre-dip or udder wash.

| | | |
|--|--|---|
|  <p>WAUSAU CHEMICAL CORPORATION 2001 N RIVER DRIVE WAUSAU, WI 54403 800-950-6656</p> | <p>Contents:</p> <input type="checkbox"/> 15 Gallons (64892-025-17) <input type="checkbox"/> 55 Gallons (64892-025-21) <input type="checkbox"/> 275 Gallons (64892-025-88) | <p>Mfg Code: 200106 Exp. Date: MMDDYY</p> |
|--|--|---|

CD2-HD ACTIVATOR

lactic acid spray, metered

Product Information

| | | | |
|--------------------------------|-----------------|---------------------------|---------------|
| Product Type | OTC ANIMAL DRUG | Item Code (Source) | NDC:64892-025 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|--------------|
| LACTIC ACID (UNII: 33X04XA5AT) (LACTIC ACID - UNII:33X04XA5AT) | LACTIC ACID | 25 mg in 1 L |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:64892-025-17 | 56.78 L in 1 CONTAINER | | |
| 2 | NDC:64892-025-21 | 208.2 L in 1 DRUM | | |
| 3 | NDC:64892-025-88 | 1040 L in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-----------------------|--|----------------------|--------------------|
| unapproved drug other | | 01/06/2020 | |

Labeler - Wausau Chemical (006136220)

Registrant - Wausau Chemical (006136220)

Establishment

| Name | Address | ID/FEI | Business Operations |
|-----------------|---------|-----------|------------------------------|
| Wausau Chemical | | 006136220 | manufacture, api manufacture |

Revised: 1/2020

Wausau Chemical