

DIPHENHYDRAMINE HCL- diphenhydramine hcl capsule
Preferred Pharmaceuticals, Inc.

Drug Facts

Active Ingredient (in each capsule)

Diphenhydramine HCL 25 mg
Diphenhydramine HCL 50 mg

Purpose

Antihistamine

Uses:

- Temporarily relieves these symptoms associated with the common cold, hay fever, or other respiratory allergies.
- Sneezing.
- Nasal congestion.
- Runny nose.
- Itchy, watery eyes.

Warnings:

Do not use

- With any other product containing Diphenhydramine HCL, including one applied topically.

Ask a doctor or pharmacist before use

If you have

- Trouble urinating due to enlarged prostate gland
- A breathing problem such as emphysema or chronic bronchitis
- Glaucoma
- If you are taking sedatives or tranquilizers

When using this product

- Avoid alcoholic drinks.
- Marked drowsiness may occur.
- Excitability may occur, especially in children.
- Alcohol, sedatives and tranquilizers may increase drowsiness.

- Be careful when driving a motor vehicle or operating machinery.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions:

- Take every 4-6 hours
- Do not take more than 6 doses in 24 hours.

Adults and children 12 years or over	1 to 2 capsule
Children 6 to under 12 years	1 capsule
Children under 6 years	ask a doctor

Other information:

- Store at room temperature 15-30 degrees C (59-86 degrees F)
- Protect from excessive moisture

Inactive ingredients: Black Iron Oxide, D & C Red #28, FD & C Blue #1, FD & C Red #40, Gelatin, Lactose Monohydrate, Magnesium Stearate, Silicon Dioxid, Sodium Lauryl Sulfate

Principal Display Panel

<p>Diphenhydramine HCL Capsules, USP 25mg Generic for Benadryl Active ingredient(in each capsule): Diphenhydramine HCL 25mg...Antihistamine Pkg Size: Exp Date: Lot#: _____ Batch#: _____ Ins: _____ Mfg: SDA Laboratories, Inc.; Greenwich, CT Prod#: _____ Warning <small>Store at room temperature 15°- 30°C (59°- 86°F). Protect from excessive moisture. Do not use with any other product containing Diphenhydramine HCL, including one applied topically. Ask a doctor before use if you have glaucoma, trouble urinating due to an enlarged prostate gland, a breathing problem such as emphysema or chronic bronchitis, or if you are taking sedatives or tranquilizers. Keep this and all medication out of the reach of children. If pregnant or breast-feeding, ask a health professional before use. Capsule is pink, imprinted with 841014</small></p>	<p>PREFERRED Pharmaceuticals, Inc. Anaheim, CA 92807</p>  <p>Directions English Take _____ capsule(s) every _____ hours. May cause drowsiness. Do not drink alcohol taking this medicine</p>	<p>CAUTION: Federal law PROHIBITS transfer of this drug to any person other than the patient for whom it was prescribed</p>  <p>Instrucciones Espanol: Toma _____ capsula(s) cada _____ horas. Puede causar somnolencia. No tome bebidas alcoholicas mientras toma esta medicina.</p>	<p>Diphenhydramine HCL Capsules, USP 25mg Qty: Ins: Lot#: Bat#: Prod# (NDC): Diphenhydramine HCL Capsules, USP 25mg Qty: Ins: Lot#: Bat#: Prod# (NDC): Diphenhydramine HCL Capsules, USP 25mg Insurance NDC: Lot#: Bat#: Diphenhydramine HCL Capsules, USP 25mg Qty: Ins: Lot#: Bat#: Prod# (NDC):</p>	<p>Log Chart Billing Patient</p>
---	---	---	--	---

Principal Display Panel

Diphenhydramine HCL Capsules, USP 50mg

Generic for Benadryl

Each capsule contains: Diphenhydramine HCL 50mg

Pkg Size: Exp Date:

Lot#:

Batch#:

Ins:

Mfg: SDA Laboratories, Inc.; Greenwich, CT

Prod#:

Warning

Store at room temperature 15°-30°C (59°-86°F). Protect from excessive moisture. Do not use with any other product containing Diphenhydramine HCL, including one applied topically. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Capsule is pink, imprinted with PH013



CAUTION: Federal law PROHIBITS transfer of this drug to any person other than the patient for whom it was prescribed

Diphenhydramine HCL Capsules, USP 50mg
Qty: Ins:
Lot#: Bat#:

Prod# (NDC):

Diphenhydramine HCL Capsules, USP 50mg
Qty: Ins:
Lot#: Bat#:
Prod# (NDC):

Diphenhydramine HCL Capsules, USP 50mg
Qty:
Insurance NDC:
Lot#: Bat#:

Diphenhydramine HCL Capsules, USP 50mg
Qty: Ins:
Lot#: Bat#:
Prod# (NDC):



Directions English

May cause drowsiness.
Do not drink alcohol taking this medicine
Take ___ capsule(s) every ___ hours.



Instrucciones Espanol:

Puede causar somnolencia.
No tome bebidas alcoholicas mientras toma esta medicina.
Toma ___ capsula(s) cada ___ horas.

Log

Chart

Billing

Patient

DIPHENHYDRAMINE HCL

diphenhydramine hcl capsule

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68788-9687(NDC:66424-020)
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	
D&C RED NO. 28 (UNII: 767IP0Y5NH)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	

Product Characteristics

Color	pink	Score	no score
Shape	CAPSULE	Size	14mm
Flavor		Imprint Code	PH014

Contains**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68788-9687-0	10 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/27/2013	
2	NDC:68788-9687-1	15 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/27/2013	
3	NDC:68788-9687-3	30 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/27/2013	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	341	03/27/2013	

DIPHENHYDRAMINE HCL

diphenhydramine hcl capsule

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68788-9688(NDC:66424-021)
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	50 mg

Inactive Ingredients

Ingredient Name	Strength
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
D&C RED NO. 28 (UNII: 767IP0Y5NH)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	

Product Characteristics

Color	PINK	Score	no score
Shape	CAPSULE	Size	14mm
Flavor		Imprint Code	PH013
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68788-9688-1	15 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	01/27/2010	
2	NDC:68788-9688-3	30 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	01/27/2010	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	341	01/27/2010	

Labeler - Preferred Pharmaceuticals, Inc. (791119022)

Registrant - Preferred Pharmaceuticals, Inc. (791119022)

Establishment

Name	Address	ID/FEI	Business Operations
Preferred Pharmaceuticals, Inc.		791119022	REPACK(68788-9687, 68788-9688)

Revised: 4/2024

Preferred Pharmaceuticals, Inc.