# NUMB MASTER- lidocaine cream Clinical Resolution Laboratory, Inc.

-----

**Numb Master** 

### **DRUG FACTS**

# **Active Ingredient**

Lidocaine 5%

## **Purpose**

Local Anesthetic

#### Uses

for the temporary relief of local and anorectal dicomfort associated with anorectal discomfort or inflammation.

# Warnings

(For external use only)

# Do not use this product if

- Pregnant or breast-feeding, ask a health professional before use.
- In case of accidental overdose, contact a doctor or Poison Control Center immediately.
- Tamper Evident "Warranty Void...Seal...label atop the container is broken."

# When using this product

- Do not exceed the recommended daily dosage unless directed by a doctor.
- Certain persons can develop allergic reactions to ingredients in this product.
- Do not put this product into the rectum by using fingers or any medical device or applicator.

# Stop use and ask a doctor if

The symptom being treated does not subside or if redness, irritation, swellinh, pain, or other symptoms develop or increase.

# Keep out of reach of children

In case of accidental ingestion, seek medical attention immediately.

#### **Directions**

• Adults: When practical, cleanse the affected area with mild soap and warm water and

rinse thoroughly. Gently dry by patting or blotting with toilet tissue or a soft cloth before application of this product.

- Apply up to 6 times a day.
- Children under 12 years of age: consult a doctor.

### Other Information

- Keep away from direct sunlight or heat
- Store in room temperature (59-86 <sup>0</sup>F / 15-30 <sup>0</sup>C)

# **Inactive Ingredients**

Water, Triethanolamine, Carbomer, Propylene Glycol, Benzyl Alcohol, Ehtoxydiglycol, Lecithin, Neopentyl Glycol Dicarprylate/Dicarpate, Sodiuym Polyacrylate, Hydrogenated Polydecene, Trideceth-10, Cholesterol, Allantoin

### **Directions**

- Adults: When practical, cleanse the affected area with mild soap and warm water and rinse thoroughly. Gently dry by patting or blotting with toilet tissue or a soft cloth before application of this product.
- Apply up to 6 times a day.
- Children under 12 years of age: consult a doctor.


### Other Information

- Keep away from direct sunlinght or heat
- Store in room temperature (59-86°F / 15-30°C)

# Inactive Ingredients

Water, Triethanolamine, Carbomer, Propylene Glycol, Benzyl Alcohol, Ethoxydiglycol, Lecithin, Neopentyl Glycol Dicaprylate/Dicaprate, Sodium Polyacrylate, Hydrogenated Polydecene, Trideceth-10, Cholesterol, Allantoin

Package Labeling - 28.53g



**DRUG FACTS** 

Active Ingredient Lidocaine 5%

**Purpose** 

Local Anesthetic

**Uses** for the temporary relief of local and anorectal discomfort associated with anorectal discomfort or inflammation

#### Warnings (For external use only)

Do not use this product if

- Pregnant or breast-feeding, ask a health professional before use In case of accidental overdose, contact a doctor or Poison Control Center immediately.
- Tamper Evident "Warranty Void ...Seal...label atop the container is broken."

- When using this product

  Do not exceed the recommended daily dosage unless
- directed by a doctor.

  Certain persons can develop allergic reactions to ingredients in this product.
- Do not put this product into the rectum by using fingers or any mechanical device or applicator.

Stop use and ask a doctor if
The symptom being treated does not subside or if redness, irritation, swelling, pain, or other symptoms develop or increase

#### **DRUG FACTS** (Continued)

Keep out of reach of children.
In case of accidental ingestion, seek medical attention immediately

#### **Directions**

- Adults: When practical, cleanse the affected area with mild soap and warm water and rinse thoroughly. Gently dry by patting or blotting with toilet tissue or a soft cloth before application of this product.
- Apply up to 6 times a day.
- Children under 12 years of age: consult a doctor.


#### Other Information

- Keep away from direct sunlight or heat
- Store in room temperature (59-86°F / 15-30°C)

#### **Inactive Ingredients**

Water, Triethanolamine, Carbomer, Propylene Glycol, Benzyl Alcohol, Ethoxydiglycol, Lecithin, Neopentyl Glycol Dicaprylate/ Dicaprate, Sodium Polyacrylate, Hydrogenated Polydecene, Trideceth-10, Cholesterol, Allantoin

## Package Labeling - 118g





CLINICAL RESOLUTION ( )

CLINICAL RESOLUTION LABORATORY, INC.

Manufactured by

Brea, CA 92821

Made in U.S.A.

Topical Anesthetic Cream

Net Wt 4 oz / 118g

#### **DRUG FACTS**

Active Ingredient

Purpose

**Uses** for the temporary relief of local and anorectal discomfort associated with anorectal discomfort or inflammatic

## Warnings (For external use only)

Do not use this product if

- Pregnant or breast-leeding, ask a health professional before use
  In case of accidental overdose, contact a doctor or Poison
  Control Center immediately.

  Tamper Evident "Warranty Vold ...Seal...label atop the
- container is broken

- container is broken.

  When using this product

  Do not exceed the recommended daily dosage unless directed by a doctor.

  German person can develop allergic reactions to ingredients in this product.

  Do not put this product into the rectum by using fingers or any mechanical device or applicator.
- Stop use and ask a doctor if
- The symptom being treated does not subside or if redness irritation, swelling, pain, or other symptoms develop or increase

#### DRUG FACTS (Continued)

Keep out of reach of children. In case of accidental ingestion, seek medical attention immediately

#### Directions

- Adults: When practical, cleanse the affected area with mild soap and warm water and rinse thoroughly. Gently dry by patting or blotting with toilet tissue or a soft cloth before application of this product.
- Apply up to 6 times a day.

### Other Informations

- Keep away from direct sunlight or heat
- Store in room temperature (59-86°F / 15-30°C)

#### Inactive Ingredients

Water, Triethanolamine, Carbomer, Propylene Slycol, Benzyl Alcohol, Ethoxydiglycol, Lecithin, Neopenyl Glycol Dicaprylatei Dicaprate, Sodium Polyacrylate, Hydrogenated Polydecene, Tridecath-10, Cholesterol, Allantoin

Do Not Use if Seal is Broken Do Not Use if Seal is Broken Do Not Use if Seal is Broken

CLINICAL RESOLUTION (\*)

MICRONEEDLE THERAPY SYSTEM

# **NUMB MASTER**

lidocaine cream

#### **Product Information**

**Product Type HUMAN OTC DRUG** Item Code (Source) NDC:63742-001

**Route of Administration** 

**TOPICAL** 

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	5 mg in 1 g	

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
TROLAMINE (UNII: 903K93S3TK)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
DIETHYLENE GLYCOL MONOETHYL ETHER (UNII: A1A1I8X02B)	
NEOPENTYL GLYCOL DICAPRATE (UNII: 77T908SE82)	
TRIDECETH-10 (UNII: G624N6MSBA)	
CHOLESTEROL (UNII: 97C5T2UQ7J)	
ALLANTOIN (UNII: 344S277G0Z)	

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:63742-001- 01	1 in 1 PACKAGE	12/18/2015		
1		28.53 g in 1 BOTTLE; Type 0: Not a Combination Product			
2	NDC:63742-001- 00	118 g in 1 BOTTLE; Type 0: Not a Combination Product	04/24/2014		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M015	04/24/2014		

# **Labeler -** Clinical Resolution Laboratory, Inc. (825047942)

Establishment				
Name	Address	ID/FEI	<b>Business Operations</b>	
Clinical Resolution Laboratory, Inc.		825047942	manufacture(63742-001)	

Revised: 12/2023 Clinical Resolution Laboratory, Inc.