DAYTIME COLD, NIGHTTIME COLD MULTI-SYMPTOM- acetaminophen, chlorpheniramine maleate, dextromethorphan hbr, phenylephrine hcl United Natural Foods, Inc. dba UNFI

Equaline 44-470C473C

Active ingredients (in each caplet) (Daytime Cold Multi-Symptom)

Acetaminophen 325 mg
Dextromethorphan HBr 10 mg
Phenylephrine HCl 5 mg

Purpose

Pain reliever/fever reducer Cough suppressant Nasal decongestant

Active ingredients (in each caplet) (Nighttime Cold Multi-Symptom)

Acetaminophen 325 mg Chlorpheniramine maleate 2 mg Dextromethorphan HBr 10 mg Phenylephrine HCl 5 mg

Purpose

Pain reliever/fever reducer Antihistamine Cough suppressant Nasal decongestant

Uses

- temporarily relieves these common cold and flu symptoms:
 - cough
 - sore throat
 - headache
 - nasal congestion
 - minor aches and pains
 - sinus congestion and pressure
 - sneezing and runny nose (Nighttime only)
- helps clear nasal passages
- relieves cough to help you sleep
- promotes nasal and sinus drainage
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- liver disease
- diabetes
- thyroid disease
- heart disease
- glaucoma (Nighttime only)
- cough that occurs with too much phlegm (mucus)
- high blood pressure
- persistent or chronic cough such as occurs with smoking, asthma, or emphysema
- difficulty in urination due to enlargement of the prostate gland
- a breathing problem such as emphysema or chronic bronchitis (Nighttime only)

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers (Nighttime only)

When using this product

- do not exceed recommended dosage
- excitability may occur, especially in children (Nighttime only)

- marked drowsiness may occur (Nighttime only)
- avoid alcoholic beverages (Nighttime only)
- use caution when driving a motor vehicle or operating machinery (Nighttime only)
- alcohol, sedatives, and tranquilizers may increase drowsiness (Nighttime only)

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- pain, nasal congestion, or cough gets worse or lasts more than 7 days
- new symptoms occur
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- cough comes back or occurs with rash or headache that lasts. These could be signs
 of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Do not take DAYTIME and NIGHTTIME products at the same time.

Directions

- do not take more than directed
- adults and children 12 years and over
 - take 2 caplets every 4 hours
 - swallow whole do not crush, chew, or dissolve
 - do not take more than 10 caplets in 24 hours
- children under 12 years: ask a doctor

Other information

- each caplet contains: sodium 3 mg (Nighttime only)
- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients (Daytime only)

corn starch, croscarmellose sodium, crospovidone, flavor, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, silicon dioxide, stearic acid, sucralose, talc, titanium dioxide

Inactive ingredients (Nighttime only)

corn starch, crospovidone, FD&C blue #1 aluminum lake, FD&C blue #2 aluminum lake, flavor, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, silicon dioxide, sodium starch glycolate, stearic acid, sucralose, talc, titanium dioxide

Questions or comments?

1-855-423-2630

Principal Display Panel

EQUALINE®

NDC 41163-529-08

multi-symptom
daytime
cold
acetaminophen

(pain reliever/fever reducer) dextromethorphan HBr (cough suppressant) phenylephrine HCl (nasal decongestant) relieves:

- fever/headache/sore throat
- cough
- nasal congestion
 PSEUDOEPHEDRINE FREE

multi-symptom nighttime cold acetaminophen

(pain reliever/fever reducer) chlorpheniramine maleate (antihistamine) dextromethorphan HBr (cough suppressant) phenylephrine HCl (nasal decongestant) relieves:

- fever/headache/sore throat
- runny nose
- cough
- nasal congestion

PSEUDOEPHEDRINE FREE

actual size

24 caplets with cool blast flavor = **12** daytime + **12** nighttime

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

PARENTS:

Learn about teen medicine abuse www.StopMedicineAbuse.org

Do Not Take
Daytime and
Nighttime
Products at the

Same Time.

DISTRIBUTED BY UNFI PROVIDENCE, RI 02908 USA

855-423-2630

50844 REV1122H47047308



Equaline 44-470C473C

DAYTIME COLD, NIGHTTIME COLD MULTI-SYMPTOM

acetaminophen, chlorpheniramine maleate, dextromethorphan hbr, phenylephrine hcl kit

Product Information

D

Product Type HUMAN OTC DRUG Item Code (Source) NDC:41163-529

ı	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	1	NDC:41163-529- 08	1 in 1 CARTON; Type 0: Not a Combination Product	07/21/2005	

Quantity of	of Parts	
Part #	Package Quantity	Total Product Quantity

Part 1	1 BLISTER PACK	12
Part 2	1 BLISTER PACK	12

Part 1 of 2

DAYTIME COLD MULTI-SYMPTOM

acetaminophen, dextromethorphan hbr, phenylephrine hcl tablet, film coated

Product Information

Route of Administration ORAL

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	325 mg		
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg		
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg		

Inactive Ingredients			
Ingredient Name	Strength		
STARCH, CORN (UNII: O8232NY3SJ)			
CROSCARMELLOSE SODIUM (UNII: M280L1HH48)			
CROSPOVIDONE, UNSPECIFIED (UNII: 2S7830E561)			
MAGNESIUM STEARATE (UNII: 70097M6I30)			
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)			
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)			
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)			
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)			
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)			
STEARIC ACID (UNII: 4ELV7Z65AP)			
SUCRALOSE (UNII: 96K6UQ3ZD4)			
TALC (UNII: 7SEV7J4R1U)			
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)			

Product Characteristics			
ColorwhiteScoreno score		no score	
Shape	OVAL	Size	17mm
Flavor	MENTHOL	Imprint Code	44;470
Contains			

Packaging

#	ltem Code	Package Description	Marketing Start Date	Marketing End Date
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M012	07/15/2005		

Part 2 of 2

NIGHTTIME COLD MULTI-SYMPTOM

acetaminophen, chlorpheniramine maleate, dextromethorphan hbr, phenylephrine hcl tablet, film coated

Product Information

Route of Administration ORAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	325 mg	
CHLORPHENIRAMINE MALEATE (UNII: V1Q0090J9Z) (CHLORPHENIRAMINE - UNII: 3U6I01965U)	CHLORPHENIRAMINE MALEATE	2 mg	
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg	
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS 297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg	

Inactive Ingredients			
Ingredient Name	Strength		
STARCH, CORN (UNII: O8232NY3SJ)			
CROSPOVIDONE, UNSPECIFIED (UNII: 2S7830E561)			
FD&C BLUE NO. 1 ALUMINUM LAKE (UNII: J9EQA3S2JM)			
FD&C BLUE NO. 2 ALUMINUM LAKE (UNII: 4AQJ3LG584)			
MAGNESIUM STEARATE (UNII: 70097M6I30)			
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)			
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)			
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)			
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)			
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)			
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)			
STEARIC ACID (UNII: 4ELV7Z65AP)			
SUCRALOSE (UNII: 96K6UQ3ZD4)			

TALC (UNII: 7SEV7J4R1U)

TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

Product Characteristics			
	Color	blue	Score

 Shape
 OVAL
 Size
 17mm

 Flavor
 MENTHOL
 Imprint Code
 44;473

Contains

Packaging

Item Code Package Description Marketing Start Date Marketing End Date

12 in 1 BLISTER PACK; Type 0: Not a Combination

no score

Marketing Information

Product

Marketing
CategoryApplication Number or Monograph
CitationMarketing Start
DateMarketing End
DateOTC Monograph DrugM01207/21/2005

Marketing Information

Marketing Category Citation Number or Monograph Date

OTC Monograph Drug

Mo12

Application Number or Monograph Date

Marketing Start Date

O7/21/2005

Labeler - United Natural Foods, Inc. dba UNFI (943556183)

Establishment

Name Address ID/FEI Business Operations
LNK International, Inc. 832867837 manufacture(41163-529), pack(41163-529)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(41163-529)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(41163-529)

Revised: 8/2023 United Natural Foods, Inc. dba UNFI