

**FAK CARE4 BUS AND SCHOOL YELLOW ORM D- bacitracin zinc, neomycin sulfate, polymyxin b sulfate, benzalkonium chloride, lidocaine hydrochloride, isopropyl alcohol, benzocaine, alcohol
GFA Production (Xiamen) Co., Ltd.**

FAK Care4 Bus and School Yellow Kit ORM-D

First Aid Antibiotic Ointment, 0.9g (50814-007-01) Drug Facts

Active ingredients (in each gram)

Bacitracin zinc (bacitracin 400 units)

Neomycin sulfate (neomycin 3.5 mg)

Polymyxin B sulfate (polymyxin B 5,000 units)

Purpose

First aid antibiotic

Use

- First aid to help prevent infection in minor cuts, scrapes, and burns.

Warnings

For external use only.

Do not use

- Do not use • in the eyes • over large areas of the body • if you are allergic to any of the ingredients
- longer than 1 week unless directed by a doctor.

Ask a doctor before use if you have

- deep or puncture wounds • animal bites • serious burns.

Stop use and ask a doctor if

- the condition persists or gets worse • a rash or other allergic reaction develops.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Clean the affected area.
- Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily.
- May be covered with a sterile bandage.

Other information

Store at room temperature

Inactive ingredients

Mineral Oil, petrolatum, purified water

First Aid Antiseptic Pain Relieving Cream, 0.9g (50814-009-01) Drug Facts

Active ingredients

Benzalkonium chloride 0.13%

Lidocaine hydrochloride 0.5

Purpose

First aid antiseptic

Pain relieving cream

Uses

- First aid to help prevent infection in minor cuts, scrapes, and burns.
- For the temporary relief of pain and itching associated with minor burns, minor cuts, and scrapes.

Warnings

For external use only.

Do not use

- in the eyes
- over large areas of the body
- in large quantities
- over raw surfaces or blistered areas
- longer than 1 week unless directed by a doctor

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns.

Stop use and ask a doctor if

- the condition persists or gets worse
- symptoms persist for more than 7 days or clear up and occur again within a few days

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Clean the affected area
- Adults and children 2 years of age and older: Apply a small amount of this product to affected area not more than 3 times daily
- Children under 2 years of age: consult a doctor
- May be covered with a sterile bandage

☐ *Other information*

Store at room temperature

Inactive ingredients

glycerin monostearate, glycerol, purified water

Alcohol Cleansing Pad (50814-001-01) DRUG FACTS

Active ingredient:

Isopropyl Alcohol, 70% v/v

Purpose

Antiseptic

Use:

For preparation of the skin before injection.

Warnings:

For external use only.

Flammable: keep away from fire or flame.

Do not use:

with electrocautery, in the eyes

Stop use

if irritation and redness develop. if condition persists for more than 72 hours, consult your doctor.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions:

Wipe injection site vigorously and discard.

Other information

Store at room temperature 15°-30° C (59°-86° F)

Inactive ingredient:

Purified water.

Antiseptic Towelette (50814-002-01) DRUG FACTS

Active Ingredient:

Benzalkonium Chloride 0.13%

Purpose:

First Aid Antiseptic

Use:

For Professional and Hospital use. Helps prevent infection. Antiseptic cleansing of face, hands and body without soap and water.

Warnings:

For external use only.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away. If unusual redness, swelling or other symptoms occur, consult a physician immediately.

Do not use:

In the eyes, or over large areas of the body.

Directions:

Tear open packet, unfold towelette and use to cleanse desired skin area. Discard towelette appropriately after single use.

Inactive ingredient:

Purified water.

Insect Sting Relief Pad (52124-0008-1) DRUG FACTS**Active Ingredient:**

Benzocaine, 6% w/v

SD alcohol, 60% w/v

Purpose

Topical Anesthetic Antiseptic

Use:

For the temporary relief of pain and itching associated with minor burns, scrapes and insect bites.

Warnings:

For external use only.

Do not use:

In eyes, on broken skin, deep puncture wounds. If unusual redness, swelling, irritation or other symptoms occur, consult a physician immediately.

Keep out of reach of children.


If swallowed, get medical help or contact a Poison Control Center right away.

Flammable - keep away from fire or flame. Avoid contact with eyes. If this happens, rinse thoroughly with water.

Inactive Ingredients:

Purified water.

Package Labeling:

Pull **4** instant access to care for cuts and scrapes.   

C4+RE™

FIRST AID

by DayMark®

THIS KIT MEETS **OSHA** REQUIREMENTS

BUS & CLASSROOM


CONTAINS **58** PIECES

FIRST AID







BUS & CLASSROOM

Contents:

30 Blue Adhesive Bandages Metal Detectable Fabric (3" x 1")	1 Instant Cold Compress
5 Butterfly Closures	2 Triple Antibiotic Ointment (0.9g)
1 First Aid Tape Roll (1/2" x 2.5 yds.)	2 Packages Burn Cream
1 Package Cotton Tips (3")	2 Alcohol Cleansing Pads
1 Emergency First Aid Guide	2 Insect Sting Relief Pad
1 Sterile Non-woven Sponge (2" x 2")	2 Antiseptic Towelettes
1 Sterile Non-woven sponge (4" x 4")	1 Scissors (4.5" length)
1 Roller Gauze Bandage (2" x 4.1 yds.)	1 Easy Access Pocket System
1 Pair Medical Grade Nitrile Gloves	

083491353244
IT118410

Cuts & Scrapes	Major Injury	Instrument
<h3>Cuts & Scrapes</h3> <ul style="list-style-type: none"> Clean wounds free of dirt and debris with antiseptic towelette. 1 Apply antibiotic ointment and cover with adhesive bandage.  <p></p>	<h3>Major Injury</h3> <ul style="list-style-type: none"> Rest the joint to prevent further damage. Apply ice for 20 minutes on, 20 minutes off until swelling is reduced. 2 With gloves on, use sterile gauze pad and apply direct pressure to wound until bleeding stops. Once bleeding has stopped, clean wound, apply dressing and secure with tape or bandage.  <p></p>	<h3>Instrument</h3> <ul style="list-style-type: none"> EMERGENCY FIRST AID GUIDE SCISSORS COTTON TIP APPLICATORS 3 <h1>C4+RE™</h1> <h2>FIRST AID</h2> <p>by DayMark®</p> <p>THIS KIT MEETS OSHA REQUIREMENTS</p> <h3>BUS & CLASSROOM</h3> <p> </p> <p>IT118426 0 8349135330 1</p> <p>Patent No. US 8,302,775 B2</p>

First Aid Antibiotic Ointment, 0.9g

Reorder TAO-001

**First Aid Antibiotic
Ointment Bacitracin
Zinc, Neomycin Sulfate,
Polymyxin B Sulfate**

**First aid to help prevent infection
in minor cuts, scrapes, and burns**



Net Wt. 1/32 oz (0.9 g)



MANUFACTURER:
GFA PRODUCTION XIAMEN CO., LTD
NO. 20 HULI INDUSTRIAL PARK, MEIXI ROAD,
TONG'AN, XIAMEN, FUJIAN, CHINA 361100
MADE IN CHINA

Drug Facts

<i>Active ingredients (in each gram)</i>	<i>Purpose</i>
Bacitracin zinc (bacitracin 400 units) Neomycin sulfate (neomycin 3.5 mg) Polymyxin B sulfate (polymyxin B 5,000 units)	}.....First aid antibiotic

Use

■ First aid to help prevent infection in minor cuts, scrapes, and burns.

Warnings

For external use only.

Do not use ■ in the eyes ■ over large areas of the body
■ if you are allergic to any of the ingredients ■ longer than 1 week
unless directed by a doctor.

Ask a doctor before use if you have ■ deep or puncture wounds
■ animal bites ■ serious burns.

Stop use and ask a doctor if ■ the condition persists or gets worse
■ a rash or other allergic reaction develops.

Keep out of reach of children. If swallowed, get medical help or contact
a Poison Control Center right away.

Directions

■ Clean the affected area. ■ Apply a small amount of this product
(an amount equal to the surface area of the tip of a finger) on the area
1 to 3 times daily. ■ May be covered with a sterile bandage.

Other information

Store at room temperature

Inactive ingredients

Mineral oil, petrolatum, purified water

TO REPORT A SERIOUS ADVERSE EVENT, CONTACT (800) 258-4696

DATE OF MANUFACTURE:

LOT NO:

First Aid Antiseptic Pain Relieving Cream, 0.9g

Reorder BC-001

**First Aid Antiseptic
Pain Relieving Cream
Benzalkonium Chloride
Lidocaine Hydrochloride**



Net Wt. 1/32 oz (0.9 g)



MANUFACTURER:
GFA PRODUCTION XIAMEN CO., LTD
NO. 20 HULI INDUSTRIAL PARK, MEIXI ROAD,
TONG'AN, XIAMEN, FUJIAN, CHINA 361100
MADE IN CHINA

Drug Facts

Active ingredients	Purpose
Benzalkonium chloride 0.13%	First aid antiseptic
Lidocaine hydrochloride 0.5%	Pain relieving cream

Uses

- First aid to help prevent infection in minor cuts, scrapes, and burns.
- For the temporary relief of pain and itching associated with minor burns, minor cuts, and scrapes

Warnings

For external use only.

- Do not use**
- in the eyes
 - over large areas of the body
 - in large quantities
 - over raw surfaces or blistered areas
 - longer than 1 week unless directed by a doctor

- Ask a doctor before use if you have**
- deep or puncture wounds
 - animal bites
 - serious burns.

- Stop use and ask a doctor if**
- the condition persists or gets worse
 - symptoms persist for more than 7 days or clear up and occur again within a few days

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Clean the affected area
- Adults and children 2 years of age and older: Apply a small amount of this product to affected area not more than 3 times daily
- Children under 2 years of age: consult a doctor
- May be covered with a sterile bandage

Other information

Store at room temperature

Inactive ingredients

glycerin monostearate, glycerol, purified water

TO REPORT A SERIOUS ADVERSE EVENT CONTACT (800) 258-4696

DATE OF MANUFACTURE:

LOT NO:

Alcohol Cleansing Pad

DRUG FACTS - Alcohol Cleansing Pad

Active Ingredient: Isopropyl Alcohol, 70% v/v **Purpose:** Antiseptic

Use: For preparation of the skin before injection.

Warnings: For external use only.

Flammable - keep away from fire or flame.

Do not use: with electrocautery, in the eyes

Stop use if irritation and redness develop.

If condition persists for more than 72 hours, consult your doctor.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions: Wipe injection site vigorously and discard.

Other information: Store at room temperature 15°-30° C (59°-86° F)

Inactive ingredient: Purified water.

LOT/EXP:

TEAR HERE

REORDER ACP-001

Alcohol Cleansing Pad

Toallitas Húmedas con Alcohol



GFA Production Xiamen Co., Ltd
www.gfaproduction.com



GFA Production Xiamen Co., Ltd
No. 20 Huli Industrial Park, Meixi Road,
Tong'an, Xiamen, Fujian, China 361100

Wellkang Ltd
Suite B, 29 Harley Street
LONDON W1G 9QR, England, United Kingdom



Antiseptic Towelette

DRUG FACTS - Antiseptic Towelette

Active Ingredient: Benzalkonium Chloride 0.13%.. **Purpose:** First Aid Antiseptic

Use: For Professional and Hospital use. Helps prevent infection. Antiseptic cleansing of face, hands and body without soap and water.

Warnings: For external use only. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. If unusual redness, swelling or other symptoms occur, consult a physician immediately.

Do not use: In the eyes, or over large areas of the body.

Directions: Tear open packet, unfold towelette and use to cleanse desired skin area. Discard towelette appropriately after single use.

Inactive ingredient: Purified water.

LOT/EXP:

TEAR HERE

REORDER AST-001

Antiseptic Towelette
Toallitas Antisépticas



GFA Production Xiamen Co., Ltd
www.gfaproduction.com




GFA Production Xiamen Co., Ltd
No. 20 Huli Industrial Park, Meixi Road,
Tong'an, Xiamen, Fujian, China 361100

Wellkang Ltd
Suite B, 29 Harley Street
LONDON W1G 9QR, England, United Kingdom



Insect Sting Relief Pad

GFA Production Xiamen Co., Ltd
No. 20 Huli Industrial Park, Meixi Road,
Tong'an, Xiamen, Fujian, China 361100
Wellkang Ltd va Wellkang Tech Consulting
Suite B, 29 Harley Street
LONDON W1G 9QR, England, United Kingdom





GFA Production Xiamen Co., Ltd
www.gfaproduction.com



Insect Sting Relief Pad Toallitas para Picaduras de Insectos

REORDER ISRP-001

DRUG FACTS - Insect Sting Relief Pad

Active Ingredient:

Purpose:

Benzocaine, 6% w/v Topical Anesthetic
SD alcohol, 60% w/v Antiseptic

Use: For the temporary relief of pain and itching associated with minor burns, scrapes and insect bites.

Warnings: For external use only.

Do not use: In eyes, on broken skin, deep puncture wounds. If unusual redness, swelling, irritation or other symptoms occur, consult a physician immediately.

IR HERE - - - -

TEA

Inactive Ingredients: Purified water.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Flammable - keep away from fire or flame. Avoid contact with eyes. If this happens, rinse thoroughly with water.

LOT/EXP:

FAK CARE4 BUS AND SCHOOL YELLOW ORM D

bacitracin zinc, neomycin sulfate, polymyxin b sulfate, benzalkonium chloride, lidocaine hydrochloride, isopropyl alcohol, benzocaine, alcohol kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50814-042
---------------------	----------------	---------------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50814-042-01	1 in 1 KIT	02/08/2018	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 BAG	0.9 g
Part 2	1 PACKAGE	0.9 g
Part 3	1 BAG	0.45 g
Part 4	1 POUCH	0.45 g
Part 5	1 POUCH	0.53 mL

Part 1 of 5

FIRST AID ANTIBIOTIC

bacitracin zinc, neomycin sulfate, polymyxin b sulfate ointment

Product Information

Item Code (Source)	NDC:50814-007
---------------------------	---------------

Route of Administration	TOPICAL
--------------------------------	---------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	400 [iU] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	5000 [iU] in 1 g

Inactive Ingredients

Ingredient Name	Strength
MINERAL OIL (UNII: T5L8T28FGP)	
PETROLATUM (UNII: 4T6H12BN9U)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		2 in 1 KIT		
1	NDC:50814-007-01	0.9 g in 1 BAG; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	02/08/2018	

Part 2 of 5

FIRST AID ANTISEPTIC PAIN RELIEVING

benzalkonium chloride, lidocaine hydrochloride cream

Product Information

Item Code (Source)	NDC:50814-009
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	1.3 mg in 1 g
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE -	LIDOCAINE HYDROCHLORIDE	5 mg

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		2 in 1 KIT		
1	NDC:50814-009-01	0.9 g in 1 PACKAGE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	02/08/2018	

Part 3 of 5**ALCOHOL CLEANSING**

isopropyl alcohol swab

Product Information

Item Code (Source)	NDC:50814-039
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	700 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		2 in 1 KIT		
1	NDC:50814-039-01	1 in 1 BOX		
1		0.45 g in 1 BAG; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	02/08/2018	

Part 4 of 5

ANTISEPTIC TOWELETTE

benzalkonium chloride swab

Product Information

Item Code (Source)	NDC:50814-002
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII: 7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		2 in 1 KIT		
1	NDC:50814-002-01	1 in 1 BOX		
1		0.45 g in 1 POUCH; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	02/08/2018	

Part 5 of 5

INSECT STING RELIEF

benzocaine, alcohol swab

Product Information

Item Code (Source) NDC:50814-041

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	60 mg in 1 mL
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	600 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		2 in 1 KIT		
1	NDC:50814-041-02	0.53 mL in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	06/29/2018	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	02/08/2018	

Labeler - GFA Production (Xiamen) Co., Ltd. (421256261)

Establishment

Name	Address	ID/FEI	Business Operations
GFA Production (Xiamen) Co., Ltd.		421256261	manufacture(50814-042, 50814-007, 50814-009, 50814-039, 50814-002, 50814-041)

Revised: 10/2023

GFA Production (Xiamen) Co., Ltd.