

**PREMIER VALUE- bismuth subsalicylate tablet, chewable  
CHAIN DRUG CONSORTIUM,LLC**

-----  
**Premier Value Bismuth Subsalicylate 30 Chewable Tablets**

**Active ingredient (in each tablet)**

Bismuth subsalicylate 262 mg

**Purpose**

Anti-diarrheal/ upset stomach reliever

**Uses**

relieves:

- travelers' diarrhea
- diarrhea
- upset stomach due to overindulgence in food and drink, including:
- heartburn
- indigestion
- nausea
- gas
- belching
- fullness

**Warnings**

**Reye's syndrome:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

**Allergy alert: Contains salicylate. Do not take if you are**

- allergic to salicylates (including aspirin)
- taking other salicylate products

**Do not use if you have**

- an ulcer
- a bleeding problem
- bloody or black stool

**Ask a doctor before use if you have**

- fever

- mucus in the stool

**Ask a doctor or pharmacist before use if you are** taking any drug for

- anticoagulation (thinning of the blood)
- diabetes
- gout
- arthritis

#### **When using this product**

a temporary, but harmless, darkening of the stool and/or tongue may occur.

#### **Stop use and ask a doctor if**

- symptoms get worse or last more than 2 days
- ringing in the ears or loss of hearing occurs
- diarrhea lasts more than 2 days

**If pregnant or breast-feeding,** ask a health professional before use.

#### **Keep Out of Reach of Children**

In case of overdose, get medical help or contact a Poison Control Center immediately at 1-800-222-1222

#### **Directions**

- chew completely or dissolve tablets in mouth. Do not swallow tablets whole.
- **adults and children 12 years and older:**
- 2 tablets (1 dose) every 1/2 hour or 4 tablets (2 doses) every hour as needed for diarrhea
- 2 tablets (1 dose) every 1/2 hour as needed for overindulgence (upset stomach, heartburn, indigestion, nausea)
- do not exceed 8 doses (16 tablets) in 24 hours
- use until diarrhea stops but not more than 2 days
- **children under 12 years:** ask a doctor
- drink plenty of clear fluids to help prevent dehydration caused by diarrhea.

#### **Other information**

- **each tablet contains:** salicylate 102 mg
- store at room temperature.
- avoid excessive heat

**TAMPER EVIDENT: Do not use if printed inner wrap is broken or missing.**

#### **Inactive ingredients**

D&C Red No. 27 lake, flavor, magnesium stearate, maltodextrin, microcrystalline cellulose, sorbitol, sucralose.

**Questions or comments?**

**1-866-467-2748**

**Principal Display**

Premier Value®

**NDC# 68016-124-30**

**COMPARE TO THE ACTIVE INGREDIENT PEPTO-BISMOL®**

PINK BISMUTH

**Bismuth Subsalicylate 262 mg**

Provides soothing Relief for:

- Upset stomach
- Indigestion
- Nausea
- Heartburn
- Diarrhea

**30 CHEWABLE TABLETS**

**Manufactured For Your Military Exchanges**

**Distributed By:**

Pharmacy Value Alliance, LLC

407 East Lancaster Avenue,

Wayne, PA 19087

**\*This product is not manufactured or distributed by The Procter & Gamble Inc., owner of the registered trademark Pepto-Bismol®.**

**If any reason you are not satisfied with this product, please return it to the store where purchased for a full refund.**



## PREMIER VALUE

bismuth subsalicylate tablet, chewable

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:68016-124
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BISMUTH SUBSALICYLATE</b> (UNII: 62TEY51RR1) (SALICYLIC ACID - UNII:O414PZ4LPZ)	BISMUTH SUBSALICYLATE	262 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>D&amp;C RED NO. 27</b> (UNII: 2LRS185U6K)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	

<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	

### Product Characteristics

<b>Color</b>	PINK	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	17mm
<b>Flavor</b>		<b>Imprint Code</b>	RP124
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68016-124-30	1 in 1 CARTON	05/22/2019	
1		30 in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M008	05/22/2019	

**Labeler** - CHAIN DRUG CONSORTIUM,LLC (101668460)

Revised: 11/2023

CHAIN DRUG CONSORTIUM,LLC