

**TOPWIN SPEEDY ENEMA- glycerin enema**  
**Health Chemical Pharmaceutical Co., Ltd**

-----  
**Health Chemical Pharmaceutical Co., Ltd**

**Active Ingredient**

Glycerin 3g

**Purpose**

Glycerin Hyperosmotic Laxative

**Uses**

For relief of occasional constipation

**Warnings**

For rectal use only

**Do not use**

when rectal irritation, abdominal pain, nausea, fever, or vomiting are present unless directed by a doctor.

**Ask a doctor before using any laxative if you have**

- a sudden change in bowel habits lasting more than 2 weeks
- already used a laxative for more than 1 week

**Stop using and ask a doctor if you have**

- rectal discomfort
- burning sensation
- rectal bleeding
- no bowel movement within 1 hour of using this product

**Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Single Daily Usage (per 24 hours)
- Adults and children, 6 years and over: 20 ml / 3g Glycerin or as directed by a doctor

- Children 3-6 years: 10 ml / 1.5g Glycerin or as directed by a doctor
- Knee-chest / Upright position: Lubricate anus with petroleum jelly first, gently insert tip of the enema applicator into the rectum with a single side to side movement to prevent damage to the rectal wall, allow 15 minutes to 1 hour to produce bowel movement. Discard unit after use. No left fluid should be re-used.

## Other Information

Store below 77°F (25 °C) in a cool dry place and protected from sunlight. Do not use if cap is broken.

## Inactive Ingredients


Methylparaben, Sodium Chloride, Sodium Benzoate, Water

## Questions?

Manufactured by Health Chemical Pharmaceutical Co, Ltd  
Made in Taiwan

U.S. Importer: Larkin Inc. dba Asia Company  
1695 Jerrold Avenue, San Francisco, CA 94124  
Email: info@larkin-us.com  
Phone: (415)285-8888

## Topwin Speedy Enema NDC 73513-323-20



**TOPWIN SPEEDY ENEMA**  
glycerin enema

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:73513-323
<b>Route of Administration</b>	RECTAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>GLYCERIN</b> (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)	GLYCERIN	3 g in 100 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>WATER</b> (UNII: 059QF0KO0R)	

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:73513-323-20	5 in 1 BOX	05/28/2020	
1		2 in 1 PACKET		
1		20 mL in 1 APPLICATOR; Type 0: Not a Combination Product		

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M007	05/28/2020	

**Labeler** - Health Chemical Pharmaceutical Co., Ltd (656344421)**Registrant** - Health Chemical Pharmaceutical Co., Ltd (656344421)**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Health Chemical Pharmaceutical Co., Ltd		656344421	manufacture(73513-323)