

NIGHT-TIME COUGH RELIEF- dextromethorphan hydrobromide, doxylamine succinate liquid
Discount Drug Mart

Drug Facts

Active ingredients (in each 30 mL dose cup)

Dextromethorphan HBr 30 mg

Doxylamine Succinate 12.5 mg

Purpose

Cough suppressant

Antihistamine

Keep out of reach of children

Keep out of reach of children.

Uses

temporarily relieves cold symptoms:

- runny nose and sneezing
- cough

Warnings

DO NOT USE IF IMPRINTED SHRINK BRAND IS MISSING OR BROKEN

Failure to follow these warnings could result in serious consequences.

Do not use

- if you are now taking a prescription monamine oxidase inhibitor (MAOI) (certain drugs for depression psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- to make a child sleepy

Ask a doctor before use if you have

- a sodium restricted diet
- glaucoma
- cough that occurs with too much phlegm (mucus)
- a breathing problem or chronic cough that lasts or as occurs with smoking, asthma,

chronic bronchitis or emphysema

- trouble urinating due to enlarged prostate gland

Ask a doctor or pharmacist before use

- if you are taking sedatives or tranquilizers

When using this product

- **do not use more than directed**
- avoid alcoholic drinks
- excitability may occur, especially in children
- marked drowsiness may occur
- be careful when driving a motor vehicle or operating machinery
- alcohol, sedatives, and tranquilizers may increase drowsiness

Stop use and ask a doctor if

- cough lasts more than 7 days, comes back, or occurs with fever, rash, or headache that lasts. These could be signs of a serious condition.

If pregnant or breast feeding,

ask a health professional before use.

Directions

- Use dose cup or tablespoon (TBSP)
- do not exceed 4 doses per 24 hours
- When using Day Time and Night Time products, carefully read each label to ensure

adults and children 12 years and over	30 mL (2 TBSP) every 6 hours
children 4 to under 12 years	ask a doctor
children under 4 years	do not use

Other information

- **each 30 mL dose cup contains:** sodium 45 mg
- store at room temperature

Inactive ingredients

citric acid, FD and C Blue No. 1, FD and C Red No. 40, flavor, glycerin, polyethylene glycol, propylene glycol, purified water, saccharin sodium, sodium benzoate, sodium citrate, sucrose

Questions ?

Call weekdays from 9:30 am to 4:30 pm EST.

1-877-798-5944.

DISCOUNT drug mart
FOOD FAIR
Cherry
Night-Time
COUGH REFIEF product label

*COMPARE TO THE INGREDIENTS IN VICKS® NYQUIL® COUGH

DISCOUNT
drug mart
FOOD FAIR
Cherry
Night-Time
COUGH RELIEF

Dextromethorphan HBr Cough Suppressant

Doxylamine Succinate Antihistamine

- Cough
- Sneezing
- Runny Nose

12 FL OZ (354 mL)

* This product is not manufactured or distributed by Proctor and Gamble owner of the registered trademark Vicks® Nyquil® Cough

LR-067

SATISFACTION GUARANTEED

IF DISSATISFIED, RETURN UNUSED PORTION AND PACKAGE TO THE STORE WHERE PURCHASED. IF UNABLE TO RETURN TO THE STORE, SEND REASON FOR DISSATISFACTION , NAME, ADDRESS AND EMPTY PACKAGE TO: DISCOUNT DRUG MART, 211 COMMERCE DRIVE MEDINNA, OHIO 44256

Drug Facts (continued)
 If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.

Directions • Use dose cup or tablespoon (Tbsp)
 • do not exceed 4 doses per 24 hours
 • When using Day Time and Night Time products, carefully read each label to ensure correct dosing.

adults & children 12 years and over	30 mL (2 TBSP) every 6 hours
children 4 to under 12 years	ask a doctor
children under 4 years	do not use

Other information • each 30 mL dose cup contains: sodium 45 mg • store at room temperature

Inactive ingredients citric acid, FD&C Blue No. 1, FD&C Red No. 40, flavor, glycerin, polyethylene glycol, propylene glycol, purified water, saccharin sodium, sodium benzoate, sodium citrate, sucrose

Questions? Call weekdays from 9:30 am to 4:30 pm EST. 1-877-798-5944.
 *This product is not manufactured or distributed by Procter & Gamble owner of the registered trademark Vicks® NyQuil® Cough

SATISFACTION GUARANTEED
 IF DISSATISFIED, RETURN UNUSED PORTION AND PACKAGE TO STORE WHERE PURCHASED. IF UNABLE TO RETURN TO STORE, SEND REASON FOR DISSATISFACTION, NAME, ADDRESS AND EMPTY PACKAGE TO: DISCOUNT DRUG MART, 211 COMMERCE DRIVE, MEDINA, OHIO 44256

LR-067



DISCOUNT drug mart FOOD FAIR

*COMPARE TO THE ACTIVE INGREDIENTS IN VICKS® NYQUIL® COUGH

Cherry Night-Time

COUGH RELIEF

Dextromethorphan HBr..... Cough Suppressant
 Doxylamine Succinate.....Antihistamine

- Cough
- Sneezing
- Runny Nose

12 FL OZ (354 mL)

DO NOT USE IF IMPRINTED SHRINK BAND IS MISSING OR BROKEN Failure to follow these warnings could result in serious consequences

Drug Facts

Active ingredients (in each 30 mL dose cup) Purpose
 Dextromethorphan HBr 30 mg Cough suppressant
 Doxylamine Succinate 12.5 mg Antihistamine

Uses temporarily relieves cold symptoms:
 • runny nose and sneezing • cough

Warnings
Do not use • if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
 • to make a child sleepy

Ask a doctor before use if you have
 • a sodium restricted diet
 • glaucoma • cough that occurs with too much phlegm (mucus)
 • a breathing problem or chronic cough that lasts or as occurs with smoking, asthma, chronic bronchitis or emphysema
 • trouble urinating due to enlarged prostate gland.

Ask a doctor or pharmacist before use
 • if you are taking sedatives or tranquilizers

When using this product
do not use more than directed.
 • avoid alcoholic drinks
 • excitability may occur, especially in children
 • marked drowsiness may occur
 • be careful when driving a motor vehicle or operating machinery
 • alcohol, sedatives, and tranquilizers may increase drowsiness

Stop use and ask a doctor if
 • cough lasts more than 7 days, comes back, or occurs with fever, rash, or headache that lasts. These could be signs of a serious condition.

res

Drug Facts (continued)
 If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.

Directions • Use dose cup or tablespoon (Tbsp)
 • do not exceed 4 doses per 24 hours
 • When using Day Time and Night Time products, carefully read each label to ensure correct dosing.

adults & children 12 years and over	30 mL (2 TBSP) every 6 hours
children 4 to under 12 years	ask a doctor
children under 4 years	do not use

Other information • each 30 mL dose cup contains: sodium 45 mg • store at room temperature

Inactive ingredients citric acid, FD&C Blue No. 1, FD&C Red No. 40, flavor, glycerin, polyethylene glycol, propylene glycol, purified water, saccharin sodium, sodium benzoate, sodium citrate, sucrose

Questions? Call weekdays from 9:30 am to 4:30 pm EST. 1-877-798-5944.
 *This product is not manufactured or distributed by Procter & Gamble owner of the registered trademark Vicks® NyQuil® Cough

SATISFACTION GUARANTEED
 IF DISSATISFIED, RETURN UNUSED PORTION AND PACKAGE TO STORE WHERE PURCHASED. IF UNABLE TO RETURN TO STORE, SEND REASON FOR DISSATISFACTION, NAME, ADDRESS AND EMPTY PACKAGE TO: DISCOUNT DRUG MART, 211 COMMERCE DRIVE, MEDINA, OHIO 44256

LR-067



DISCOUNT drug mart FOOD FAIR

*COMPARE TO THE ACTIVE INGREDIENTS IN VICKS® NYQUIL® COUGH

Cherry Night-Time

COUGH RELIEF

Dextromethorphan HBr..... Cough Suppressant
 Doxylamine Succinate.....Antihistamine

- Cough
- Sneezing
- Runny Nose

12 FL OZ (354 mL)

DO NOT USE IF IMPRINTED SHRINK BAND IS MISSING OR BROKEN Failure to follow these warnings could result in serious consequences

Drug Facts

Active ingredients (in each 30 mL dose cup) Purpose
 Dextromethorphan HBr 30 mg Cough suppressant
 Doxylamine Succinate 12.5 mg Antihistamine

Uses temporarily relieves cold symptoms:
 • runny nose and sneezing • cough

Warnings
Do not use • if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
 • to make a child sleepy

Ask a doctor before use if you have
 • a sodium restricted diet
 • glaucoma • cough that occurs with too much phlegm (mucus)
 • a breathing problem or chronic cough that lasts or as occurs with smoking, asthma, chronic bronchitis or emphysema
 • trouble urinating due to enlarged prostate gland.

Ask a doctor or pharmacist before use
 • if you are taking sedatives or tranquilizers

When using this product
do not use more than directed.
 • avoid alcoholic drinks
 • excitability may occur, especially in children
 • marked drowsiness may occur
 • be careful when driving a motor vehicle or operating machinery
 • alcohol, sedatives, and tranquilizers may increase drowsiness

Stop use and ask a doctor if
 • cough lasts more than 7 days, comes back, or occurs with fever, rash, or headache that lasts. These could be signs of a serious condition.

NIGHT-TIME COUGH RELIEF

dextromethorphan hydrobromide, doxylamine succinate liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53943-508
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	30 mg in 30 mL
DOXYLAMINE SUCCINATE (UNII: V9B19B5Y12) (DOXYLAMINE - UNII:95QB77JKPL)	DOXYLAMINE SUCCINATE	12.5 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 4 (UNII: X3W0AM1JLX)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	CHERRY (CHERRY)	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53943-508-28	354 mL in 1 BOTTLE; Type 0: Not a Combination Product	10/27/2014	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	10/27/2014	

Labeler - Discount Drug Mart (047741335)