

GAS RELIEF- simethicone tablet, chewable
STRATEGIC SOURCING SERVICES LLC

sunmark 791-36

Active ingredient (in each tablet)

Simethicone 80 mg

Purpose

Anti-Gas

Uses

relieves pressure, bloating, and fullness commonly referred to as gas

Warnings

If pregnant or breast feeding, ask a health professional before use.

Keep out of reach of children.

Directions

- chew or crush tablet completely before swallowing
- adults and children 12 years and over: take 1-2 tablets as needed after meals and at bedtime.

Do not exceed 6 tablets in 24 hours except under the advice and supervision of a doctor.

- children under 12 years: ask a doctor

Other information

- **each tablet contains:** calcium 65 mg
- store at room temperature, 15°C - 30°C (59°F - 86°F)
- protect from moisture

Inactive ingredients

cellulose, corn starch, crospovidone, dextrates hydrated, flavor, magnesium stearate, silica, sucralose, calcium phosphate.

Questions or comments?

1-800-540-3765

package label



gas relief
Regular Strength

SIMETHICONE 80 mg
36 CHEWABLE TABLETS



COMPARE TO GAS-X® REGULAR STRENGTH CHEWABLE TABLETS ACTIVE INGREDIENT*
NDC 49348-147-07

gas relief

Regular Strength



Soothing relief for pressure, bloating and gas symptoms
SIMETHICONE 80 mg
PEPPERMINT FLAVOR
36 CHEWABLE TABLETS



gas relief
Regular Strength

SIMETHICONE 80 mg
36 CHEWABLE TABLETS



COMPARE TO GAS-X® REGULAR STRENGTH CHEWABLE TABLETS ACTIVE INGREDIENT*
NDC 49348-147-07

gas relief

Regular Strength



Soothing relief for pressure, bloating and gas symptoms
SIMETHICONE 80 mg
PEPPERMINT FLAVOR
36 CHEWABLE TABLETS

Drug Facts SAVE CARTON FOR COMPLETE DRUG FACTS

Active ingredient (in each tablet)	Purpose
Simethicone 80 mg.....	Anti-Gas

Uses relieves pressure, bloating, and fullness commonly referred to as gas

Warnings
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children.

Directions

- chew or crush tablet completely before swallowing
- adults and children 12 years and over: take 1-2 tablets as needed after meals and at bedtime. Do not exceed 6 tablets in 24 hours except under the advice and supervision of a doctor.
- children under 12 years: ask a doctor

Drug Facts (continued)

Other information

- each tablet contains: calcium 65 mg
- store at room temperature, 15°C-30°C (59°F-86°F)
- protect from moisture

Inactive ingredients cellulose, corn starch, crospovidone, dextrates hydrated, flavor, magnesium stearate, silica, sucralose, calcium phosphate.

Questions or comments? 1-800-540-3765

Tamper Evident: Do not use if imprinted seal under cap is missing or broken.

REV GC791-1220L



0 10939 79344 17

*This product is not manufactured or distributed by the owner of the registered trademark Gas-X®.

McKesson Another Quality Product Distributed by McKesson
One Post Street, San Francisco, CA 94104
Money Back Guarantee
Please visit us at www.sunmarkbrand.com

simethicone tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49348-147
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	80 mg

Inactive Ingredients

Ingredient Name	Strength
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
DEXTRATES (UNII: G263MI44RU)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
STARCH, CORN (UNII: O8232NY3SJ)	
CROSPVIDONE (UNII: 2S7830E561)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
CALCIUM PHOSPHATE (UNII: 97Z1W3NDX)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	13mm
Flavor	PEPPERMINT	Imprint Code	44;137
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49348-147-07	1 in 1 CARTON	04/01/2016	
1		36 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M002	04/01/2016	

Labeler - STRATEGIC SOURCING SERVICES LLC (116956644)

