

**V-BELLA- boric acid suppository**  
**U.S. PHARMACEUTICAL CORPORATION**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

**Active Ingredient**

Boricum Acidum 3X\* HPUS\*\*

\*X is a homeopathic dilution. \*\*The letters HPUS indicates that this ingredient is officially monographed in the Homeopathic Pharmacopoeia of the United States.

**Purpose**

Restores vaginal pH and relieves vaginal itching, burning and irritation.

**Uses**

- treats and relieves symptoms of vaginal and urinary infections.
- rebalances vaginal pH and restores normal vaginal health.
- helps relieve symptoms of external and internal vaginal burning, itching, irritation and dryness.
- helps reduce vaginal odor due to vaginal infections.

**Warnings**

For vaginal use only

**Do not use**

Do not use if you have never had a vaginal yeast infection diagnosed by a doctor.

**Ask a doctor before use if you have**

- **vaginal itching and discomfort for the first time**
- **lower abdominal, back or shoulder pain, fever, chills, nausea, vomiting, or foul-smelling vaginal discharge. You may have a more serious condition.**
- vaginal yeast infection often (such as once a month or 3 in 6 months). You could be pregnant or a serious underlying medical cause for your symptoms, including diabetes or a weakened immune system.
- been exposed to human immunodeficiency virus (HIV) that causes AIDS.

**Ask a doctor or pharmacist before use if you are** taking prescription blood thinning medicine warfarin, because bleeding or bruising may occur.

**When using this product**

- do not use tampons, douches, spermicides or other vaginal products. Condoms and

diaphragms may be damaged and fail to prevent pregnancy or sexual transmitted disease (STDs).

- do not have vaginal intercourse
- mild increase in vaginal burning, itching or irritation may occur
- if you do not get complete relief ask a doctor before using another product

### **Stop use and ask a doctor if**

- symptoms do not get better in 3 days
- symptoms last more than 7 days
- you get a rash or hives, abdominal pain, fever, chills, nausea, vomiting, or foul-smelling vaginal discharge.

**If pregnant or breast-feeding**, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1- 800-222-1222) right away.

### **How supplied, storage and handling**

V-Bella™ is supplied in a clear natural plantcap capsule in three (3) individual foil packets of one (1) capsule each, NDC # 52747-0155-03 with three (3) disposable vaginal applicators in each carton.

Avoid sunlight and store unopened pouches at 15° to 30° C (59° to 86° F)

### **Other information**

V-Bella™ is not a contraceptive and should not be used to prevent pregnancy or to prevent or treat sexually transmitted diseases (STDs).

- do not use if suppository pouch seal is compromised
- do not use if seal over applicator has been punctured
- do not purchase if carton is open

### **Directions**

- before using this product, read all consumer information provided on carton and insert,
- **Adults and children 12 years of age and over:**
- place vaginal capsule suppository in applicator and gently insert into the vagina.
- for acute infection, use one (1) capsule suppository a day for three (3) days
- for chronic infection, use an additional package of three (3) vaginal capsule suppositories
- throw applicator away after each use

**Children under 12 years of age: ask a doctor**

### **Other information**

- Store between 15-30C (59-86F)
- Avoid freezing and excessive heat above 40C (104F)

### **Inactive ingredients**

Maltodextrin, Antioxidants-Vitamin E (DL-Alpha-Tocopheryl Acetate) & Vitamin

C (Ascorbic Acid), Lactobacillus casei (KE-99), Lactobacillus gasseri and Capsule Ingredient (Pullulan). Adverse reactions and side effects

The adverse effects are considered mild and may include watery discharge, erythema, or slight burning sensation.

You should contact your healthcare provider for medical advice about adverse events or report a serious adverse event, by contacting BeBe & Bella, LLC. at the address listed below.

**Distributed by:**

BeBe & Bella, LLC  
2443 Park Central Blvd.  
Decatur, GA 30035, USA

**Package Label - Principal Display Panel**

1.318  
[30.96]

0.5  
[12.7]

**BEBE & BELLA<sup>®</sup>**  
PROBIOTIC ESSENTIALS

NDC 52747-0155-03

**V·Bella™**  
relieves symptoms of vaginal  
and urinary tract infections

**NEW!** HOMEOPATHIC  
Vaginal Suppositories  
Boricum Acidum 3X in  
a Probiotic Blend Base

*V-Bella™ is a patented, probiotic blend based application that can help restore and rebalance your vaginal acidic pH.*

- ✓ relieves symptoms of vaginal and urinary infections
- ✓ Restores vaginal acidic pH and healthy vaginal flora
- ✓ Reduces vaginal odor due to infection
- ✓ Convenient to use, no mess, quick-dissolving vegan suppository

3 Vaginal Capsule Suppositories,  
3 Disposable Vaginal Applicators.  
For Intravaginal Use Only. See package and insert for full prescribing information

**Drug Facts (continued)**

**Other information**

- V-Bella is not a contraceptive and should not be used to prevent pregnancy or to prevent or treat sexually transmitted diseases (STDs).
- do not use if suppository pouch seal is compromised
- do not use if seal over applicator has been punctured
- do not purchase if carton is open

**Directions**

- before using this product, read all consumer information provided on carton and insert
- for adults and children 12 years of age and over: place vaginal capsule suppository in applicator and gently insert into the vagina.
- for acute infection, use one (1) capsule suppository a day for three (3) days
- for chronic infection, use an additional package of three (3) vaginal capsule suppositories each use
- throw applicator away after each use
- for children under 12 years of age: ask a doctor

**Inactive ingredients**

Maltodextrin, Antioxidants-Vitamin E (DL-Alpha-Tocopheryl Acetate) & Vitamin C (Ascorbic Acid), Lactobacillus casei (9E-99), Lactobacillus gasseri, And Capsule Ingredient (Pullulan).

**Drug Facts (continued)**

**Adverse reactions and side effects**

The adverse effects are considered mild and may include watery discharge, erythema, or slight burning sensation. You should contact your healthcare provider for medical advice about adverse events or report a serious adverse event, by contacting BEBE & BELLA at the address listed below.

Distributed by  
BEBE & BELLA  
2443 Park Central Blvd.  
Decatur, GA 30035 USA

[www.mybella.com](http://www.mybella.com)



**Plantcaps<sup>®</sup>**  
100% Vegan  
U.S. Patent No: 6,797, 266 and 10,258,567

These statements have not been evaluated by the FDA. This product is not intended to diagnose, cure or prevent any disease.

**Drug Facts**

**Active Ingredients**  
Boricum Acidum 3X\* HPUS\*\*

**Purpose**  
Restores vaginal pH and relieves vaginal itching, burning and irritation

\*X is a homeopathic dilution, \*\*The letters HPUS indicates that this ingredient is officially monographed in the Homeopathic Pharmacopoeia of the United States

**Uses**

- treats and relieves symptoms of vaginal and urinary infections
- rebalances vaginal pH and restores normal vaginal health
- helps relieve symptoms of external and internal vaginal burning, itching, irritation and dryness
- helps reduce vaginal odor due to vaginal infections

**Warnings**  
For vaginal use only  
Do not use if you have never had a vaginal yeast infection diagnosed by a doctor.

Ask a doctor before use if you have

- vaginal itching and discomfort for the first time
- lower abdominal, back or shoulder pain, fever, chills, nausea, vomiting or foul-smelling vaginal discharge. You may have a more serious condition.
- vaginal yeast infection often (such as once a month or 3 in 6 months). You could be pregnant or a serious underlying medical cause for your symptoms, including diabetes or a weakened immune system.
- been exposed to human immunodeficiency virus (HIV) that causes AIDS

Ask a doctor or pharmacist before use if you are taking prescription blood thinning medicine warfarin, because bleeding or bruising may occur

When using this product

- do not use tampons, douches,

**Drug Facts (continued)**

spermicides or other vaginal products. Condoms and diaphragms may be damaged and fail to prevent pregnancy or sexual transmitted disease (STDs).

- do not have vaginal intercourse
- mild increase in vaginal burning, itching or irritation may occur
- if you do not get complete relief ask a doctor before using another product

Stop use and ask a doctor if

- symptoms do not get better in 3 days
- symptoms last more than 7 days
- you get a rash or hives, abdominal pain, fever, chills, nausea, vomiting, or foul-smelling vaginal discharge.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**How supplied, storage and handling**

V-Bella™ is supplied in a clear or natural plantcap capsule in three (3) individual foil packets of one (1) capsule each, with three (3) disposable vaginal applicators in each carton. Avoid sunlight and store unopened pouches at 15° to 30° C (59° to 86° F)

## V-BELLA

boric acid suppository

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:52747-155 |
| <b>Route of Administration</b> | VAGINAL        |                           |               |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength |
|---|-------------------|----------|
| <b>BORIC ACID</b> (UNII: R57ZHV85D4) (BORIC ACID - UNII:R57ZHV85D4) | BORIC ACID        | 3 [hp_X] |

## Inactive Ingredients

| Ingredient Name   | Strength |
|---|----------|
| <b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)                    |          |
| <b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8) |          |
| <b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)                   |          |
| <b>LACTICASEIBACILLUS CASEI</b> (UNII: SA940P2U00)        |          |
| <b>LACTOBACILLUS GASSERI</b> (UNII: Q66E0D2443)           |          |
| <b>PULLULAN</b> (UNII: 8ZQ0AYU1TT)                        |          |

## Packaging

| # | Item Code        | Package Description                              | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:52747-155-03 | 3 in 1 CARTON                                    | 08/01/2020           |                    |
| 1 |                  | 1 in 1 PACKET; Type 0: Not a Combination Product |                      |                    |

## Marketing Information

| Marketing Category     | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|------------------------|--|----------------------|--------------------|
| unapproved homeopathic |  | 08/01/2020           |                    |

**Labeler** - U.S. PHARMACEUTICAL CORPORATION (079467662)

Revised: 11/2022

U.S. PHARMACEUTICAL CORPORATION