

**ANTISEPTIC PAIN RELIEVING- benzalkonium chloride 0.10% benzocaine 20.00% spray**  
**Walgreens**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Walgreens**

**Drug Facts**

<b>Active ingredient</b>	<b>Purpose</b>
Benzocaine USP 20%.....	External analgesic
Benzalkonium Chloride 0.1%.....	First Aid Antiseptic

**Uses**

Temporarily relieves pain and itching due to: • sunburn • minor burns • minor cuts • scrapes • insect bites • minor skin irritations • first aid to help prevent infection in minor cuts, scrapes, bites and burns

**Warnings**

**For external use only.**

**Flammable:** Do not use while smoking or near heat or flame Do not use in large quantities, particularly over raw surfaces or blistered areas

**When using this product**

- keep out of eyes
- do not apply over large areas of the body or in large quantities. in case of deep or puncture wounds, animal bites, or serious burns, consult a doctor

**Stop use and ask doctor if**

- condition gets worse • symptoms last more than 7 days
- symptoms clear up and occur again in a few days
- do not use longer than 1 week unless directed by doctor

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away

**Directions** • adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily • children under 2 years of age: ask a doctor

**Inactive Ingredients:**

- Alcohol Denat.
- Diisopropyl Adipate
- Propylene Glycol
- Tocopheryl Acetate

Walgreens

# Antiseptic Pain Relieving Spray

BENZALKONIUM CHLORIDE - 0.10%  
FIRST AID ANTISEPTIC  
BENZOCAINE USP - 20.00%  
EXTERNAL ANALGESIC

✓ **SPRAYS AT ANY ANGLE**

**MEDICATED**

- Pain relief from minor burns, cuts, scrapes & itching from insect bites



NET WT 3 OZ (85 g)

## Drug Facts

<b>Active ingredient</b>	<b>Purpose</b>
Benzalkonium Chloride 0.10%.....	First Aid Antiseptic
Benzocaine USP 20.00%.....	External Analgesic

**Uses** • for temporary relief of pain and itching of minor cuts, scrapes and minor burns • first aid to help prevent skin infection in minor cuts, scrapes and burns

### Warnings

For external use only

**Flammable:** Do not use while smoking or near heat or flame

**Do not use** in the eyes or apply over large areas of the body. In case of deep or puncture wounds, animal bites, or serious burns, consult a doctor.

**When using this product** • keep out of eyes • use only as directed. • do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.

**Stop use and ask doctor if** • Condition worsens • symptoms persist for more than 7 days or clear up and occur again within a few days • needed for longer than 1 week

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** • shake well • adults and children 2 years of age and older: clean the affected area. Spray small amount of this product on the area, 1 to 3 times daily. • if bandaged let dry first • children under 2 years of age: consult a doctor • to apply to face, spray into palm of hand and gently apply

**Inactive ingredients** Alcohol Denat., Diisopropyl Adipate, Propylene Glycol, Tocopheryl Acetate.

Walgreens Pharmacist Recommended  
Walgreens Pharmacist Survey

Questions or comments?  
1-866-483-2846

DISTRIBUTED BY: WALGREEN CO.  
200 WILMOT RD., DEERFIELD, IL 60015  
100% SATISFACTION GUARANTEED  
walgreens.com ©2017 Walgreen Co.  
MADE IN U.S.A. WITH U.S. AND  
IMPORTED MATERIALS.



## ANTISEPTIC PAIN RELIEVING

benzalkonium chloride 0.10% benzocaine 20.00% spray

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-7779
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Benzalkonium Chloride</b> (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	Benzalkonium Chloride	0.1 g in 100 g
<b>Benzocaine</b> (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	Benzo caine	20 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
Diisopropyl Adipate (UNII: P7E6 YFV72X)	
Propylene Glycol (UNII: 6DC9Q167V3)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8 X80D2L0)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-7779-03	85 g in 1 CAN; Type 0: Not a Combination Product	07/31/2017	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	07/31/2017	

**Labeler** - Walgreens (008965063)**Registrant** - Product Quest Mfg (927768135)**Establishment**

Name	Address	ID/FEI	Business Operations
Product Quest Mfg		927768135	manufacture(0363-7779) , label(0363-7779)

Revised: 4/2018

Walgreens