

**ASPIRIN- aspirin tablet, chewable**  
**Proficient Rx LP**

-----  
**Pharmaceuticals Aspirin 81 mg Drug Facts**

**Active ingredient (in each tablet)**

Aspirin 81 mg (NSAID)\*

\*nonsteroidal anti-inflammatory drug

**Purpose**

Pain reliever

**Uses**

for the temporary relief of minor aches and pains

**Warnings**

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Aspirin may cause a severe allergic reaction which may include:

- hives
- facial swelling
- asthma (wheezing)
- shock

Stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you

- are age 60 or older
- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
- have 3 or more alcoholic drinks every day while using this product
- take more or for a longer time than directed

**Do not use**

- if you have ever had an allergic reaction to any other pain reliever/fever reducer
- for at least 7 days after tonsillectomy or oral surgery unless directed by a doctor

### **Ask a doctor before use if**

- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease
- stomach bleeding warning applies to you
- you have a history of stomach problems, such as heartburn
- you are taking a diuretic
- you have asthma

### **Ask a doctor or pharmacist before use if you are**

taking a prescription drug for diabetes, gout or arthritis

### **Stop use and ask a doctor if**

- an allergic reaction occurs. Seek medical help right away.
- you experience any of the following signs of stomach bleeding:
  - feel faint
  - vomit blood
  - have bloody or black stools
  - have stomach pain that does not get better
  - pain gets worse or lasts for more than 10 days
  - fever gets worse or lasts for more than 3 days
  - redness or swelling is present
  - new symptoms occur
  - ringing in the ears or loss of hearing occurs

These could be signs of a serious condition

### **If pregnant or breast-feeding,**

ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

### **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

### **Directions**

- drink a full glass of water with each dose
- adults and children 12 years and over: take 4 to 8 tablets every 4 hours not to exceed 48 tablets in 24 hours unless directed by a doctor
- children under 12 years: consult a doctor

### **Other information**

- store at 20-25°C (68-77°F)

## Inactive ingredients

corn starch, dextrose excipient, FD&C yellow no. 6 aluminum lake, flavors, saccharin sodium

## Questions or comments?

1-800-616-2471

## Principal Display Panel

COMPARE TO the active ingredient of BAYER® CHEWABLE ASPIRIN

Aspirin 81 mg

Pain Reliever (NSAID)

Chewable Orange Flavor

Low Dose

Aspirin Regimen\*\*

Actual Size

Distributed by:

MAJOR® PHARMACEUTICALS

17177 N. Laurel Park Dr., Suite 233, Livonia, MI 48152 USA

Relabeled by:

Proficient Rx LP

Thousand Oaks, CA 91320



Scan Here



NDC 63187-717-36

Relabeled By: Proficient Rx LP  
Thousand Oaks, CA 91320



**Aspirin 81mg**

**#36 Chewable Tablets**

Each tablet contains: Aspirin 81 mg (NSAID)\* Pain  
reliever \*nonsteroidal anti-inflammatory drug

*Orange, round unscored tablet with imprint code L467*

Product ID: RA071736

Dist. By: MAJOR® PHARMACEUTICALS 17177 N. Laurel Park Dr., Suite 233,  
Livonia, MI 48152 USA

Store at 20°-25°C (68°-77°F)

Keep medication out of the reach of children

Aspirin 81mg  
#36 Chewable Tablets  
Lot #:00000 SN# MASTER  
NDC 63187-717-36 Exp:00/00/00

Aspirin 81mg  
#36 Chewable Tablets  
Lot #:00000 SN# MASTER  
NDC 63187-717-36 Exp:00/00/00

Aspirin 81mg  
#36 Chewable Tablets  
Lot #:00000 SN# MASTER  
NDC 63187-717-36 Exp:00/00/00



GTIN: 00363187717360  
SN# MASTER  
Exp. 00/00/00  
Lot #:00000

# ASPIRIN

aspirin tablet, chewable

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:63187-717(NDC:0904-4040)
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	81 mg

## Inactive Ingredients

Ingredient Name	Strength
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
STARCH, CORN (UNII: O8232NY3SJ)	

## Product Characteristics

<b>Color</b>	ORANGE	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	8mm
<b>Flavor</b>	ORANGE	<b>Imprint Code</b>	L467
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63187-717-36	1 in 1 CARTON	06/01/2016	
1		36 in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	12/12/2007	

**Labeler** - Proficient Rx LP (079196022)

**Establishment**

Name	Address	ID/FEI	Business Operations
Proficient Rx LP		079196022	RELABEL(63187-717)

Revised: 2/2024

Proficient Rx LP