## NITROGEN- nitrogen gas Depke Welding Supplies, Inc.

-----

# Nitrogen

NITROGEN, COMPRESSED NF UN1066 NON-FLAMMABLE GAS 2

Rx only. WARNING: Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken. WARNING: CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. Do not handle until all safety precautions have been read and understood. Use and store only outdoors or in a well-ventilated place. Use a back flow preventive device in the piping. Use only with equipment rated for cylinder pressure. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 degrees C (125 degrees F). Read and follow the Safety Data Sheet (SDS) before use. FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention.

CAS: 7727-37-9 DO NOT REMOVE THIS PRODUCT LABEL.

CONTENTS: NIMK 228 CF NIMT 304 CF

Depke GASES AND WELDING SUPPLIES 628 E WILLIAMS ST DANVILLE, IL 61832 1-800-38-DEPKE



REFRIGERATED LIQUID NITROGEN, REFRIGERATED LIQUID NF UN1977 NON-FLAMMABLE GAS 2

**RX ONLY** 

WARNING: Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken.

WARNING: CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION.

Do not handle until all safety precautions have been read and understood. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. Use a back flow preventive device in the piping. DO NOT change or force


fit connections. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get

immediate medical advice/attention.

CAS: 7727-37-9 CONTENTS: LTRS: CU FT: DO NOT REMOVE THIS PRODUCT LABEL

Depke GASES AND WELDING SUPPLIES 628 E WILLIAMS ST DANVILLE, IL 61832 1-800-



# R only.

WARNING: Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken.

WARNING: CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY.

MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. Do not handle until all safety precautions have been read and understood.

Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. Use a back flow preventive device in the piping. DO NOT change or force fit connections. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

CAS: 7727-37-9

LTRS:

CONTENTS:_		CU FT: 🗆	1
	DO NOT REMOVE THIS PRODUCT LABEL.		



38-DEPKE

### **NITROGEN**

nitrogen gas

#### **Product Information**

PRESCRIPTION ANIMAL DRUG NDC:10690-012 **Product Type Item Code (Source)** 

**Route of Administration** RESPIRATORY (INHALATION)

### **Active Ingredient/Active Moiety**

**Ingredient Name Basis of Strength** Strength Nitrogen (UNII: N762921K75) (Nitrogen - UNII:N762921K75) 990 mL in 1 L Nitrogen

Packaging				
#	Item Code	Package Description	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:10690-012-01	597 L in 1 CYLINDER		
2	NDC:10690-012-02	361 L in 1 CYLINDER		
3	NDC:10690-012-03	2266 L in 1 CYLINDER		
4	NDC:10690-012-04	3200 L in 1 CYLINDER		
5	NDC:10690-012-05	6510 L in 1 CYLINDER		
6	NDC:10690-012-06	8516 L in 1 CYLINDER		
7	NDC:10690-012-07	160 L in 1 CYLINDER		
8	NDC:10690-012-08	165 L in 1 CYLINDER		
9	NDC:10690-012-09	20 L in 1 CYLINDER		
10	NDC:10690-012-10	10 L in 1 CYLINDER		
11	NDC:10690-012-11	35 L in 1 CYLINDER		
12	NDC:10690-012-12	99704 L in 1 CYLINDER		

Date

#### **Marketing Information** Marketing **Application Number or Monograph Marketing Start Marketing End** Citation Category Date

NADA NADA141397 01/01/1987

Establishment				
Name	Address	ID/FEI	Business Operations	
Depke Welding Supplies, Inc.		025382276	manufacture	

Establishment				
Name	Address	ID/FEI	<b>Business Operations</b>	
Depke Welding Supplies, Inc.		041939869	manufacture	

Establishment				
Name	Address	ID/FEI	<b>Business Operations</b>	
Depke Welding Supplies, Inc.		025565821	manufacture	

Revised: 1/2024 Depke Welding Supplies, Inc.