

PLEO SANUVIS- lactic acid, l- ointment
Sanum Kehlbeck GmbH & Co. KG

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Pleo® Sanuvis
Ointment 1X

for topical use only

Homeopathic External Analgesic Medicine

1.05 oz (30g)

Indications

For temporary relief of pain of bruises, sprains, swelling of joints and muscles.

DOSAGE

Apply thinly on the affected area 1-3 times daily.

WARNING

If symptoms persist more than a few days, contact a licensed practitioner. As with any drug, if you are pregnant or nursing a baby, seek the advice of a health care professional before using this product.

Keep this and all other medications out of the reach of children. In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately.

Protect from light and heat.

Tamper Evident

Do not use this product if metal seal under the tube cap is missing or broken.

INGREDIENTS

Active ingredients

1g ointment contains: 0.1g Acidum L(+)-lacticum 1X.

Inactive ingredients

lanolin alcohol, glycerylmonostearate, propylene glycol, polyglyceryl-3, cocoate magnesium sulfate, water.

Made in Germany

Distributed by:
SANUM USA Corp.
1465 Slater Road
Ferndale, WA 98248

Manufactured by:

Sanum-Kehlbeck GmbH & Co. KG

Hoya, Germany

Rev. 03/2010

PRINCIPAL DISPLAY PANEL - 30g Tube Carton

Pleo® Sanuvis

Ointment 1X

for topical use only

Homeopathic

External Analgesic

Medicine

The original

SANUM®

brand remedies

Indications: For temporary relief of pain of bruises, sprains, swelling of joints and muscles.

1.05 oz (30g)

6301-1

Pleo® Sanuvis
Ointment 1X

for topical use only

Homeopathic
External Analgesic
Medicine

The original
SANUM®
brand remedies

Indications: For temporary relief of pain of bruises, sprains, swelling of joints and muscles.

1.05 oz (30g)

DOSAGE: Apply thinly on the affected area 1-3 times daily.

WARNING: If symptoms persist more than a few days, contact a licensed practitioner. As with any drug, if you are pregnant or nursing a baby, seek the advice of a health care professional before using this product. **Keep this and all other medications out of the reach of children.** In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately. Protect from light and heat.

Lot #:

Exp.:

Tamper Evident:

Do not use this product if metal seal under the tube cap is missing or broken.

INGREDIENTS:

Active ingredients: 1g ointment contains: 0.1g Acidum L(+) - lacticum 1X. **Inactive ingredients:** lanolin alcohol, glycerylmonostearate, propylene glycol, polyglyceryl-3, cocoate magnesium sulfate, water.

Made in Germany

Distributed by:
SANUM USA Corp.
1465 Slater Road
Ferndale, WA 98248

Manufactured by:
Sanum-Kehlbeck GmbH & Co. KG
Hoya, Germany

Rev. 03/2010



PLEO SANUVIS

lactic acid, l- ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:60681-6301
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
lactic acid, l- (UNII: F9S9FFU82N) (lactic acid, l- - UNII:F9S9FFU82N)	lactic acid, l-	1 [hp_X] in 30 g

Inactive Ingredients

Ingredient Name	Strength
glyceryl monostearate (UNII: 230OU9XXE4)	
lanolin alcohols (UNII: 884C3FA9HE)	
water (UNII: 059QF0K00R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:60681-6301-1	1 in 1 CARTON		
1		30 g in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Unapproved homeopathic		06/15/2010	

Labeler - Sanum Kehlbeck GmbH & Co. KG (318386133)