

**HEMORRHOIDAL MAXIMUM STRENGTH PAIN RELIEF- glycerin, phenylephrine hcl, pramoxine hcl, white petrolatum cream**  
**Kroger Company**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Kroger Co. Hemorrhoidal Cream Drug Facts**

**Active ingredients**

Glycerin 14.4%

Phenylephrine HCl 0.25%

Pramoxine HCl 1%

White petrolatum 15%

**Purpose**

Protectant

Vasoconstrictor

Local anesthetic

**Uses**

- for temporary relief of pain, soreness and burning
- helps relieve the local itching and discomfort associated with hemorrhoids
- temporarily shrinks hemorrhoidal tissue
- temporarily provides a coating for relief of anorectal discomforts
- temporarily protects the inflamed, irritated anorectal surface to help make bowel movements less painful

**Warnings**

**For external use only**

**Ask a doctor before use if you have**

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

**Ask a doctor or pharmacist before use if you are**

presently taking a prescription drug for high blood pressure or depression

**When using this product**

- do not exceed the recommended daily dosage unless directed by a doctor
- do not put into the rectum by using fingers or any mechanical device or applicator

### **Stop use and ask a doctor if**

- bleeding occurs
- condition worsens or does not improve within 7 days
- an allergic reaction develops
- the symptom being treated does not subside or if redness, irritation, swelling, pain, or other symptoms develop or increase

### **If pregnant or breast-feeding,**

ask a health professional before use.

### **Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

- adults: when practical, cleanse the affected area by patting or blotting with an appropriate cleansing wipe. Gently dry by patting or blotting with a tissue or a soft cloth before applying cream.
- when first opening the tube, puncture foil seal with top end of cap
- apply externally or in the lower portion of the anal canal only
- apply externally to the affected area up to 4 times daily, especially at night, in the morning or after each bowel movement
- for application in the lower anal canal: remove cover from dispensing cap. Attach dispensing cap to tube. Lubricate dispensing cap well, then gently insert dispensing cap partway into the anus.
- thoroughly cleanse dispensing cap after each use and replace cover
- children under 12 years of age: ask a doctor

### **Other information**

- store at 20°-25°C (68°-77°F)

### **Inactive ingredients**

aloe barbadensis leaf extract, butylated hydroxyanisole, carboxymethylcellulose sodium, cetyl alcohol, citric acid, edetate disodium, glyceryl monostearate, laureth-23, methylparaben, mineral oil, panthenol, propyl gallate, propylparaben, purified water, sodium benzoate, steareth-2, steareth-20, stearyl alcohol, vitamin E, xanthan gum

### **Questions or comments?**

**1-800-632-6900**

### **Principal Display Panel**

COMPARE TO the active ingredients of PREPARATION H® CREAM

OUR PHARMACIST RECOMMENDED

MAXIMUM STRENGTH

Hemorrhoidal Cream

Multi-Symptom Pain Relief

Rapid Soothing Relief from Painful Burning, Itching & Discomfort

Shrinks Swollen Hemorrhoidal Tissue

Protects Irritated Tissue

Relieves External Discomfort

Smooth Cream Formula with ALOE

NET WT 1.8 OZ (51g)

COMPARE TO the active ingredients  
of PREPARATION H® CREAM  
\*See side panel

NDC 30142-944-24



## MAXIMUM STRENGTH Hemorrhoidal Cream

Multi-Symptom Pain Relief

Rapid Soothing Pain Relief from  
Painful Burning, Itching & Discomfort  
Shrinks Swollen Hemorrhoidal Tissue  
Protects Irritated Tissue  
Relieves External Discomfort



Smooth  
Cream Formula  
with  
**ALOE**

NET WT 1.8 OZ (51 g)

COMPARE TO the active ingredients of PREPARATION H® CREAM \*See side panel

Smooth  
Cream Formula  
with  
**ALOE**

NDC 30142-944-24



MAXIMUM STRENGTH  
Hemorrhoidal Cream

Multi-Symptom Pain Relief

Rapid Soothing Pain Relief from  
Painful Burning, Itching & Discomfort  
Shrinks Swollen Hemorrhoidal Tissue



Protects Irritated Tissue  
Relieves External  
Discomfort

NET WT 1.8 OZ (51 g)

### Drug Facts

Active ingredients	Purpose
Glycerin 14.4%	Protectant
Phenylephrine HCl 0.25%	Vasoconstrictor
Pramoxine HCl 1%	Local anesthetic
White petrolatum 15%	Protectant

### Uses

- for temporary relief of pain, soreness and burning
- helps relieve the local itching and discomfort associated with hemorrhoids
- temporarily shrinks hemorrhoidal tissue
- temporarily provides a coating for relief of anorectal discomforts
- temporarily protects the inflamed, irritated anorectal surface to help make bowel movements less painful

### Warnings

#### For external use only

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are presently taking a prescription drug for high blood pressure or depression

#### When using this product

- do not exceed the recommended daily dosage unless directed by a doctor
- do not put into the rectum by using fingers or any mechanical device or applicator

#### Stop use and ask a doctor if

- bleeding occurs
- condition worsens or does not improve within 7 days
- an allergic reaction develops
- the symptom being treated does not subside or if redness, irritation, swelling, pain, or other symptoms develop or increase

If pregnant or breast-feeding, ask a health professional before use.  
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

- adults: when practical, cleanse the affected area by patting or blotting with an appropriate cleansing wipe. Gently dry by patting or blotting with a tissue or a soft cloth before applying cream.
- when first opening the tube, puncture foil seal with top end of cap
- apply externally or in the lower portion of the anal canal only
- apply externally to the affected area up to 4 times daily, especially at night, in the morning or after each bowel movement
- for application in the lower anal canal: remove cover from dispensing cap. Attach dispensing cap to tube. Lubricate dispensing cap well, then gently insert dispensing cap partway into the anus.
- thoroughly cleanse dispensing cap after each use and replace cover
- children under 12 years of age: ask a doctor

### Other information

- store at 20°-25°C (68°-77°F)

### Drug Facts (continued)

**Inactive ingredients**  
aloe barbadensis leaf extract,  
butylated hydroxyanisole,  
carboxymethylcellulose sodium,  
cetyl alcohol, citric acid, edetate  
disodium, glyceryl monostearate,  
laureth-23, methylparaben,  
mineral oil, panthenol, propyl  
gallate, propylparaben, purified  
water, sodium benzoate,  
steareth-2, steareth-20, stearyl  
alcohol, vitamin E, xanthan gum

**Questions or comments?**  
1-800-632-6900

\*Preparation H® is a registered  
trademark of Wyeth LLC, Madison,  
NJ 07940. Wyeth LLC is not  
affiliated with The Kroger Co.  
or this product.

**DO NOT USE IF TUBE SEAL  
UNDER CAP IS BROKEN OR  
MISSING**

DISTRIBUTED BY  
THE KROGER CO.  
CINCINNATI, OHIO  
45202

QUALITY GUARANTEE  
800-632-6900  
www.kroger.com



94424 45 C5



## HEMORRHOIDAL MAXIMUM STRENGTH PAIN RELIEF

glycerin, phenylephrine hcl, pramoxine hcl, white petrolatum cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:30142-944
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GLYCERIN (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)	GLYCERIN	14.4 g in 100 g
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	0.25 g in 100 g
PRAMOXINE HYDROCHLORIDE (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056)	PRAMOXINE HYDROCHLORIDE	1 g in 100 g
PETROLATUM (UNII: 4T6H12BN9U) (PETROLATUM - UNII:4T6H12BN9U)	PETROLATUM	15 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
BUTYLATED HYDROXYANISOLE (UNII: REK4960K2U)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM (UNII: K679OBS311)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
LAURETH-23 (UNII: N72LMW566G)	
METHYL PARABEN (UNII: A2I8C7HI9T)	
MINERAL OIL (UNII: T5L8T28FGP)	
PANTHENOL (UNII: WV9CM0O67Z)	
PROPYL GALLATE (UNII: 8D4SNN7V92)	
PROPYL PARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
STEARETH-2 (UNII: V56DFE46J5)	
STEARETH-20 (UNII: L0Q8IK9E08)	
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
XANTHAN GUM (UNII: TTV12P4NEE)	

**Product Characteristics**

<b>Color</b>	WHITE	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:30 142-944-24	1 in 1 CARTON	10/07/2009	
1		51 g in 1 TUBE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part346	10/07/2009	

**Labeler** - Kroger Company (006999528)

Revised: 1/2020

Kroger Company