# SODIUM BICARBONATE- sodium bicarbonate tablet Ingenus Pharmaceuticals NJ, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### **SODIUM BICARBONATE 10 gr (650 mg)**

#### **Drug Facts**

#### **Active Ingredient (in each tablet)**

Sodium bicarbonate 10 gr (650 mg)

**Antacid** 

#### Indications:

#### Relieves:

- acid indigestion
- heartburn
- sour stomach
- upset stomach

associated with these symptoms

#### **Warnings**

Do not use this product if you are on a sodium-restricted diet unless directed by a doctor. Do not take more than 24 tablets for adults up to 60 years of age (or 12 tablets for adults 60 years of age and older) in a 24-hour period nor use the maximum dosage for more than 2 weeks, except under the advice and supervision of a physician.

As with any drug, if you are pregnant or nursing a baby, seek advise of a health professional before using this product.

#### STOMACH WARNING:

TO AVOID SERIOUS INJURY, DO NOT TAKE UNTIL TABLET IS COMPLETELY DISSOLVED. IT IS VERY IMPORTANT NOT TO TAKE THIS PRODUCT WHEN OVERLY FULL FROM FOOD OR DRINK. Consult a doctor if severe stomach pain occurs after taking this product.

#### **DRUG INTERACTION PRECAUTION:**

Antacids may interact with certain prescription drugs. If you are presently taking a prescription drug, do not take this product without checking with your physician or

other health professional.

#### **Directions:**

- Adults Take 1 tablet, dissolved in a glass of water, as needed.
- Maximum daily dose for adults upto 60 years of age is 24 tablets.
- Maximum daily dose for adults 60 years of age and older is 12 tablets.
- Dissolve completely in water before drinking.
- DO NOT EXCEED RECOMMENDED DOSE. Not recommended for children.

#### Other Information:

- each tablet contains: sodium 178 mg (7.74 meq)
- store at room temperature 15°- 30°C (59°- 86°F) in well-closed containers as defined in the USP.

#### **Inactive Ingredients:**

Pregelatinized starch, NF and mieral oil, USP.

#### KEEP THIS AND ALL DRUGS OUT OF THE REACH OF CHILDREN.

In case of accidental overdose, seek professional assistance or contact a poison control center immediately.

ingenus

NDC 52682-206-04

**SODIUM BICARBONATE** 

10 gr (650 mg)

**Antacid** 

THIS PACKAGE FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN.

1000 Tablets

Mfd. by Ingenus Pharmaceuticals NJ, LLC

Fairfield, NJ 07004

Rev. 01/2017



NDC 52682-206-04

# SODIUM BICARBONATE **10 gr** (650 mg)

## Antacid

THIS PACKAGE FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN.

## 1000 Tablets

Mfd. by Ingenus Pharmaceuticals NJ, LLC Fairfield, NJ 07004

# DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Active ingredient (in each tablet) Sodium bicarbonate 10 gr (650 mg)

Facts

Indications: relieves • acid indigestion associated with these symptoms

you are on a sodium-restricted diet unless directed 24 tablets for adults up to 60 years of age (or 12 nd older) in a 24-hour period nor use the maximum pt under the advice and supervision of a physician. nursing a baby, seek advice of a health 5 drug, if you are pregnant before using this product. Warnings Do not use this product if y by a doctor. Do not take more than stablets for adults 60 years of age and dosage for more than 2 weeks, excep

STONACH WARNING: TO AVOID SERIOUS INJURY, DO NOT TAKE UNTIL TABLET IS COMPLETELY DISSOLVED, IT IS VERY IMPORTANT NOT TO TAKE THIS PRODUCT WHEN OVERLY FULL FROM FOOD OR DRINK, Consult a doctor if severe stomach occurs after taking this product

DRUG INTERACTION PRECAUTION: Antacids may interact with certain prescription drugs. If you are presently taking a prescription drug, do not take this product without checking with your physician or other health professional. in a glass of water, as needed. . Maximum

age is 24 tablets. • Maximum daily dose for adults ets. • Dissolve completely in water before drinking. for adults upto 60 years of years of age and older is

KEEP THIS AND ALL DRUGS OUT OF THE REACH OF CHILDREN. In case of accidental overdose, seek professional assistance or contact a poison Control Center immediately. Other information: • each tablet contains: sodium 178 mg (7.74 meq) • store at temperature 15°-30°C (59°-86°F) in well-closed containers as defined in the USP. NF and mineral oil,

Exp. Date: Lot No.:

#### SODIUM BICARBONATE

sodium bicarbonate tablet

#### **Product Information**

**Product Type** HUMAN OTC DRUG Item Code (Source) NDC:52682-206

**Route of Administration** ORAL

# **Active Ingredient/Active Moiety**

STARCH, CORN (UNII: O8232NY3SJ)

**Basis of Ingredient Name** Strength Strength SODIUM BICARBONATE (UNII: 8MDF5V39QO) (BICARBONATE ION -SODIUM 650 mg **BICARBONATE** UNII: HN1Z RA3Q20)

**Inactive Ingredients Ingredient Name** Strength MINERAL OIL (UNII: T5L8T28FGP)

#### **Product Characteristics** Color WHITE (White) Score 2 pieces 11mm Shape ROUND (round) Size CL;206 Flavor **Imprint Code Contains**

Packaging							
# It	tem Code	Package Description	Marketing Start Date	Marketing End Date			
	DC:52682- 06-04	1000 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	01/24/2011	04/01/2025			

Marketing Information							
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date				
OTC monograph final	part331	01/24/2011	04/01/2025				

# Labeler - Ingenus Pharmaceuticals NJ, LLC (964680206)

## Registrant - Ingenus Pharmaceuticals NJ, LLC (964680206)

Establishment								
Name	Address	ID/FEI	Business Operations					
Ingenus Pharmaceuticals NJ, LLC		964680206	manufacture(52682-206) , analysis(52682-206) , label(52682-206) , pack(52682-206)					

Revised: 12/2022 Ingenus Pharmaceuticals NJ, LLC