COLD AND COUGH CHILDRENS- brompheniramine maleate, dextromethorphan hbr, phenylephrine hcl solution CVS Pharmacy

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

CVS Pharmacy, Inc. Children's Cold & Cough Drug Facts

Active ingredients (in each 10 mL)

Brompheniramine maleate, USP 2 mg Dextromethorphan HBr, USP 10 mg Phenylephrine HCl, USP 5 mg

Purposes

Antihistamine

Cough suppressant

Nasal decongestant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation occurring with a cold, and nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily relieves these symptoms due to hay fever (allergic rhinitis):
- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat
- temporarily restores freer breathing through the nose

Warnings

Do not use

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- to make a child sleepy

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease

- diabetes
- trouble urinating due to an enlarged prostate gland
- glaucoma
- cough that occurs with too much phlegm (mucus)
- a breathing problem such as emphysema or chronic bronchitis
- cough that lasts or is chronic such as occurs with smoking, asthma or emphysema

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers

When using this product

- do not use more than directed
- may cause marked drowsiness
- avoid alcoholic beverages
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

Stop use and ask a doctor if

- you get nervous, dizzy or sleepless
- symptoms do not get better within 7 days or are accompanied by fever
- cough lasts for more than 7 days, comes back, or occurs with fever, rash or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosage cup provided
- keep dosage cup with product
- mL = milliliter

age	dose
adults and children 12 years and over	20 mL every 4 hours
children 6 to under 12 years	10 mL every 4 hours
children under 6 years	do not use

Other information

- each 10 mL contains: sodium 4 mg
- store at 20°-25°C (68°-77°F)

Inactive ingredients

anhydrous citric acid, edetate disodium, FD&C blue no. 1, FD&C red no. 40, flavor, glycerin, propylene glycol, purified water, saccharin sodium, sodium benzoate, sorbitol solution

Questions or comments?

1-800-719-9260

Principal Display Panel

Compare to the active ingredients in Dimetapp® Cold & Cough

Red Grape Flavor

Children's

Cold & Cough

BROMPHENIRAMINE MALEATE

Antihistamine

DEXTROMETHORPHAN HBr

Cough suppressant

PHENYLEPHRINE HCl

Nasal decongestant

DM Liquid

Relieves:

Nasal congestion; Stuffy nose; Runny nose; Sneezes

Soothes cough

Calms allergy symptoms

Alcohol free

Red Grape Flavor

For Ages 6 Years & Over

4 FL OZ (118 mL)



DINPI Ma

Children's

Red Grape Flavor





Children's

Compare to the active ingredients in Dimetapp® Cold & Cough*

Red Grape Flavor NDC 59779-363-26

CVS Health.

Red Grape Flavor

CVS Health™ Children's Cold & Cough offers red grape-flavored relief from nasal congestion, runny nose, coughing

*CVS Health™ Children's Cold & Cough is not manufactured or distributed by Pfizer, distributor of Dimetapp® Cold & Cough.

and sneezing to get through the day.

Do not use if printed neckband is broken or missing

Drug Facts Active ingredients (In each 10 mL)

Brompheniramine maleate, USP 2 mg.....Antihistamine Dextromethorphan HBr, USP 10 mg...Cough suppressant Phenylephrine HCl, USP 5 mg.....Nasal decongestant

- The temporarily relieves cough due to minor throat and bronchial irritation occurring with a cold, and nasal congestion due to the common cold, hay fever or other upper respiratory allergies

 It emporarily relieves these symptoms due to hay fever (allergic rhinitis):

 It munny nose

 Specific

- sneezing itchy, watery eyes
- itching of the nose or throat
 temporarily restores freer breathing through the nose

Warnings

Do not use

If you are now taking a prescription monoamine
oxidase inhibitor (MAOI) (certain drugs for
depression, psychiatric, or emotional conditions, or
Parkinson's disease), or for 2 weeks after stopping
the MAOI drug. If you do not know if your
prescription drug contains an MAOI, ask a doctor or
pharmacist before taking this product.

■ to make a child sleepy

- Ask a doctor before use if you have
 heart disease hyroid disease diabetes
 trouble urinating due to an enlarged prostate gland
- glaucoma cough that occurs with too much phlegm (mucus) a breathing problem such as emphysema or
- chronic bronchitis

 cough that lasts or is chronic such as occurs with smoking, asthma or emphysema

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

- when using this product

 do not use more than directed

 may cause marked drowsiness

 avoid alcoholic beverages

 alcohol, sedatives, and tranquilizers may increase
- be careful when driving a motor vehicle or operating
- excitability may occur, especially in children

Drug Facts (continued)

- Stop use and ask a doctor if
 you get nervous, dizzy, or sleepless
 symptoms do not get better within 7 days or are
- accompanied by fever
 cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding, ask a health ional before use

professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not take more than 6 doses in any 24-hour period
 measure only with dosage cup provided
 keep dosage cup with product
 mL = milliliter

age	dose
adults and children 12 years and over	20 mL every 4 hours
children 6 to under 12 years	10 mL every 4 hours
children under 6 years	do not use

Other Information

■ each 10 mL contains: sodium 4 mg ■ store at 20°-25°C (68°-77°F)

Inactive Ingredients anhydrous citric acid, edetate disodium, FD&C blue no. 1, FD&C red no. 40, flavor, glycerin, propylene glycol, purified water, saccharin sodium, sodium benzoate, sorbitol solution

Questions or comments?



www.StopMedicineAbuse.org

BROMPHENIRAMINE MALEATE Antihistamine

DEXTROMETHORPHAN HBr

PHENYLEPHRINE HCI Nasal decongestant **DM Liquid**

Nasal congestion; Stuffy nose; Runny nose; Sneezes Soothes cough Calms allergy symptoms



Distributed by: CVS Pharmacy, Inc. One CVS Drive, Woonsocket, RI 02895 © 2016 CVS/pharmacy CVS.com® 1-800-SHOP CVS V-16430







LOT NO.

EXP.

98726 17 Cb

COLD AND COUGH CHILDRENS

brompheniramine maleate, dextromethorphan hbr, phenylephrine hcl solution

Product Information

HUMAN OTC DRUG NDC:59779-363 Product Type Item Code (Source)

ORAL Route of Administration

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BROMPHENIRAMINE MALEATE (UNII: IXA7C9ZN03) (BROMPHENIRAMINE - UNII:H57G17P2FN)	BROMPHENIRAMINE MALEATE	2 mg in 10 mL
DEXTRO METHO RPHAN HYDRO BRO MIDE (UNII: 9 D2RTI9 KYH) (DEXTRO METHO RPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 10 mL
PHENYLEPHRINE HYDRO CHLO RIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6 MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg in 10 mL

Inactive Ingredients		
Ingredient Name	Strength	
ANHYDRO US CITRIC ACID (UNII: XF417D3PSL)		
EDETATE DISO DIUM (UNII: 7FLD9 1C86K)		
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)		
FD&C RED NO. 40 (UNII: WZB9127XOA)		
GLYCERIN (UNII: PDC6A3C0OX)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
WATER (UNII: 059QF0KO0R)		
SACCHARIN SO DIUM (UNII: SB8 ZUX 40 TY)		
SODIUM BENZOATE (UNII: OJ245FE5EU)		
SORBITOL (UNII: 506T60A25R)		

Product Characteristics			
Color	PURPLE (Clear bluish-red)	Score	
Shape		Size	
Flavor	GRAPE	Imprint Code	
Contains			

]	Packaging			
7	# Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59779-363-26	1 in 1 CARTON	08/17/2006	
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	08/17/2006	

Labeler - CVS Pharmacy (062312574)

Revised: 12/2018 CVS Pharmacy