

REGULAR STRENGTH ANTACID MINT- aluminum hydroxide, magnesium hydroxide, dimethicone liquid
CVS

CVS ANTACID MINT

Active ingredients (in each 10 mL dose)

Aluminum hydroxide 400 mg (equivalent to dried gel, USP)
Magnesium hydroxide 400 mg
Simethicone 40 mg

Purposes

Antacid

Antigas

Uses

relieves

- heartburn
- sour stomach
- acid indigestion
- the symptoms referred to as gas

Warnings

Do not take more than 80 mL (8 doses) in a 24 hour period or use the maximum dosage for more than 2 weeks.

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet

Ask a doctor or pharmacist before use if you are presently taking a prescription drug. Antacids may interact with certain prescription drugs.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Directions

- adults and children 12 years of age and older: take 10 mL to 20 mL (1 to 2 doses) two times a day or as directed by a doctor
- children under 12 years of age: ask a doctor

Other information

- **each 10 mL dose contains:** magnesium 165 mg, sodium 6 mg
- store at room temperature tightly closed
- do not freeze

Inactive ingredients

benzyl alcohol, butylparaben, carboxymethylcellulose sodium, flavor, hypromellose, microcrystalline cellulose, propylparaben, purified water, saccharin sodium, sorbitol solution

Questions or comments?

1-800-540-3765

package label



CVS Health

Regular Strength Antacid Liquid

ANTACID/ANTI-GAS

Fast relief of:

- Heartburn
- Acid indigestion
- Pressure & bloating

Mint Flavor

26 FL OZ (1 PT 10 FL OZ) 769 mL

205-11216-2
REV GC0321

Drug Facts **TAMPER-EVIDENT: DO NOT USE IF THE BREAKAWAY BAND ON CAP IS BROKEN OR MISSING.**

Active ingredients (in each 10 mL dose)	Purposes
Aluminum hydroxide (equivalent to dried gel, USP) 400 mg	Antacid
Magnesium hydroxide 400 mg	Antacid
Simethicone 40 mg	Antigas

Uses relieves: • heartburn • sour stomach
• acid indigestion • symptoms referred to as gas

Warnings
Do not take more than 80 mL (8 doses) in a 24 hour period or use the maximum dosage for more than 2 weeks.
Ask doctor before use if you have
• kidney disease • a magnesium-restricted diet
Ask a doctor or pharmacist before use if you are presently taking a prescription drug. Antacids may interact with certain prescription drugs.
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children.

Directions
• adults and children 12 years of age and older: take 10 mL to 20 mL (1 to 2 doses) two times a day or as directed by a doctor
• children under 12 years of age: ask a doctor

Other information
• each 10 mL dose contains: magnesium 165 mg, sodium 6 mg
• store at room temperature tightly closed • do not freeze

Inactive ingredients benzyl alcohol, butylparaben, carboxymethylcellulose sodium, flavor, hypromellose, microcrystalline cellulose, propylparaben, purified water, saccharin sodium, sorbitol solution

Questions or comments? 1-800-540-3765

Distributed by: CVS Pharmacy, Inc.
One CVS Drive, Woonsocket, RI 02895
© 2019 CVS/pharmacy
CVS.com • 1-800-SHOP CVS
V-13966

CVS Quality
Money Back Guarantee

#130492
905-11216-2
REV GC0321

0 50428139326 0

REGULAR STRENGTH ANTACID MINT

aluminum hydroxide, magnesium hydroxide, dimethicone liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69842-355
---------------------	----------------	---------------------------	---------------

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) (ALUMINUM HYDROXIDE - UNII:5QB0T2IUN0)	ALUMINUM HYDROXIDE	400 mg in 10 mL
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	400 mg in 10 mL
DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	40 mg in 10 mL

Inactive Ingredients

Ingredient Name	Strength
HYPROMELLOSES (UNII: 3NXW29V3WO)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
BUTYLPARABEN (UNII: 3QPI1U3FV8)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0K00R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SORBITOL SOLUTION (UNII: 8KW3E207O2)	
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	MINT	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69842-355-41	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	06/01/2015	
2	NDC:69842-355-26	769 mL in 1 BOTTLE; Type 0: Not a Combination Product	07/01/2018	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	06/01/2015	

Labeler - CVS (062312574)

Registrant - GCP Laboratories (965480861)**Establishment**

Name	Address	ID/FEI	Business Operations
GCP Laboratories		965480861	manufacture(69842-355)

Revised: 10/2023

CVS