

SENNALAXATIVE- sennosides tablet
Strategic Sourcing Services, LLC

Senna Laxative Tablets

Drug Facts

Active ingredient (in each tablet)

Sennosides 8.6 mg

Purpose

Laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6-12 hours

Warnings

Do not use

- laxative products for longer than 1 week, unless directed by a doctor

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over 2 weeks

Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

Age	Starting Dosage	Maximum Dosage
adults and children 12 years of age or over	2 tablets once a day	4 tablets twice a day
children 6 to under 12 years	1 tablet once a day	2 tablets twice a day

children 2 to under 6 years	1/2 tablet once a day	1 tablet twice a day
children under 2 years	ask a doctor	ask a doctor

Other information

- each tablet contains: **calcium 25 mg and sodium 3 mg Very Low Sodium**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

Inactive ingredients

Colloidal silicon dioxide, croscarmellose sodium, dicalcium phosphate, hypromellose, liquid paraffin, magnesium stearate, microcrystalline cellulose, maltodextrin, purified water, sodium lauryl sulphate, stearic acid

Questions or comments?

Call **1-888-333-9792**

PRINCIPAL DISPLAY PANEL



COMPARE TO
**SENAKOT® ACTIVE
INGREDIENT!**

NDC 70677-0133-1

senna laxative

Natural vegetable
laxative ingredient

Gentle, overnight relief
SENNOSIDES, 8.6 mg

100 TABLETS

ACTUAL SIZE

TAMPER EVIDENT: DO NOT USE IF SAFETY SEAL
UNDER CAP IS BROKEN OR MISSING

Drug Facts

Active ingredient(in each tablet) Purpose
Sennosides 8.6 mg.....Stimulant laxative

Uses ■ relieves occasional constipation (irregularity)
■ generally produces a bowel movement in 6 to 12 hours

Warnings
Do not use ■ laxative products for longer than 1 week
unless directed by a doctor

Ask a doctor before use if you have
■ stomach pain ■ nausea ■ vomiting
■ noticed a sudden change in bowel habits that continues
over a period of 2 weeks

Stop use and ask a doctor if you have rectal bleeding or
fall to have a bowel movement after use of a laxative.
These may indicate a serious condition.

Drug Facts (continued under label)

This product is
not manufactured
or distributed by
Avilo
Health L.P.,
owner of the
registered
trademark
Senokot®.
Product of India
OPFG07/21

Distributed by McKesson Corp.,
via Strategic Sourcing Services LLC,
Memphis, TN 38141
Money Back Guarantee
© 2008 McKesson Corporation



109391954206

LOT: _____

EXP: _____

FEEL
HERE

NON-VARNISH

Drug Facts (continued)
If pregnant or breast-feeding, ask a health professional
before use.
Keep out of reach of children. In case of overdose, get
medical help or contact a Poison Control Center
(1-800-222-1222) right away.

Directions	take preferably at bedtime or as directed by a doctor	
age	starting dosage	maximum dosage
adults and children 12 years of age and over	2 tablets once a day	4 tablets twice a day
children 6 to under 12 years	1 tablet once a day	2 tablets twice a day
children 2 to under 6 years	1/2 tablet once a day	1 tablet twice a day
children under 2 years	ask a doctor	ask a doctor

Other information
■ each tablet contains: calcium 25 mg, sodium 3 mg
Very Low Sodium
■ Store at 25°C (77°F); excursions permitted between 15°C to 30°C (59°F to 86°F)

Inactive ingredients colloidal silicon dioxide, croscarmellose sodium, dicalcium phosphate, hypromellose, liquid paraffin, magnesium stearate, microcrystalline cellulose, maltodextrin, purified water, sodium lauryl sulfate, stearic acid

Questions or comments? call 1-888-333-9792
(Monday to Friday 9:00 am to 5:00 pm EST)

SENNA LAXATIVE

sennosides tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70677-0133
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SENNOSIDES (UNII: 3FYP5M0JJX) (SENNOSIDES - UNII:3FYP5M0JJX)	SENNOSIDES	8.6 mg

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
ANHYDROUS DIBASIC CALCIUM PHOSPHATE (UNII: L11K75P92J)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MINERAL OIL (UNII: T5L8T28FGP)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
WATER (UNII: 059QF0KO0R)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics

Color	brown	Score	no score
Shape	ROUND (biconvex)	Size	9mm
Flavor		Imprint Code	S8
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70677-0133-1	100 in 1 BOTTLE; Type 0: Not a Combination Product	07/06/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	07/06/2021	

Labeler - Strategic Sourcing Services, LLC (116956644)

Revised: 12/2023

Strategic Sourcing Services, LLC