

GLYCERIN- glycerin suppository

H E B

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

H E B Adult Glycerin Suppositories

Active ingredient (in each suppository)

Glycerin 2g

Purpose

Laxative

Uses

- for relief of occasional constipation
- this product generally produces bowel movement in 1/4 to 1 hour

Warnings

For rectal use only

May cause rectal discomfort or a burning sensation.

Ask a doctor before using any laxative if you have

- abdominal pain, nausea or vomiting
- a sudden change in bowel habits lasting more than 2 weeks
- already used a laxative for more than 1 week

Stop use and consult a doctor if you have

- rectal bleeding
- no bowel movement after using this product

These symptoms may indicate a serious condition.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions - single daily dose

adult and children 6 years and over - 1 suppository, or as directed by a doctor

children 2 to under 6 years - use Child Suppositories

Insert suppository well up into rectum. Suppository need not melt completely to

produce laxative action.

Other information

- Store container tightly closed.
- Keep away from excessive heat.

Inactive ingredients

purified water, sodium hydroxide, stearic acid

Questions or comments?

1-800-492-5988

Label

**Compare to Fleet® Glycerin
Suppositories active ingredient***

NDC 37808-398-50



Glycerin Suppositories

Glycerin 2g

Laxative

**For Relief of Occassional
Constipation**

50 ADULT SUPPOSITORIES

**TAMPER EVIDENT: DO NOT USE IF PRINTED
INNER SEAL IS DAMAGED OR MISSING.**

The product package shown above represents a sample of that currently in use.
Additional packaging may also be available.

Adult Glycerin Suppositories, 50 count

Distributed by H-E-B, San Antonio, TX 78204 1002

GLYCERIN

glycerin suppository

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37808-398
Route of Administration	RECTAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GLYCERIN (UNII: PDC6A3C00X) (GLYCERIN - UNII:PDC6A3C00X)	GLYCERIN	2 g

Inactive Ingredients

Ingredient Name	Strength
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37808-398-50	50 in 1 JAR; Type 0: Not a Combination Product	09/23/2016	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	09/23/2016	

Labeler - H E B (007924756)**Registrant** - DSC Laboratories Inc. (097807374)**Establishment**

Name	Address	ID/FEI	Business Operations
DSC Laboratories Inc.		097807374	manufacture(37808-398)