

CORRECTIVE- bismuth subsalicylate suspension
Phoenix Pharmaceutical Inc./ Clipper Distributing, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

Corrective Suspension
Anti-Diarrheal Suspension

NDC 57319-393-09
Corrective Suspension
Anti-Diarrheal Suspension

FOR ANIMAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

Net Contents:

3.785L (1 Gal.)

Manufactured For:

PHOENIX

PHARMACEUTICAL, INC.

St. Joseph, MO 64503

INDICATIONS:

For oral administration as an aid in the treatment of noninfectious diarrhea in horses, cattle, dogs and cats.

DOSAGE:

Cattle 6 - 10 oz. Every 2 - 3 hours

Calves 3 - 4 oz. Every 2 - 3 hours

Horses 6 - 10 oz. Every 2 - 3 hours

Foals 3 - 4 oz. Every 2 - 3 hours

Dogs 1 - 3 Tbls. (1/2 - 2 oz.) Every 1 - 3 hours

Cats 1 - 3 Tbls. (1/2 - 2 oz.) Every 1 - 3 hours

WARNING:

If symptoms persist after using this product for 2 to 3 days consult a veterinarian.

FOR ANIMAL USE ONLY

NOT FOR HUMAN USE

Rev 11-01

Lot No.

Exp. Date

CONTAINS:

Bismuth Subsalicylate 1.75%

Administration: Oral.

**SHAKE WELL BEFORE USING.
KEEP FROM FREEZING.**

KEEP THIS AND ALL MEDICATIONS OUT OF THE REACH OF CHILDREN

TAKE TIME OBSERVE LABEL DIRECTIONS

Manufactured by:
Ameri-Pac
St. Joseph, MO 64502

INDICATIONS: For oral administration as an aid in the treatment of noninfectious diarrhea in horses, cattle, dogs and cats.

DOSAGE:
Cattle 6 - 10 oz. Every 2 - 3 hours
Calves 3 - 4 oz. Every 2 - 3 hours
Horses 6 - 10 oz. Every 2 - 3 hours
Foals 3 - 4 oz. Every 2 - 3 hours
Dogs 1 - 3 Tbls. (1/2 - 2 oz.) Every 1 - 3 hours
Cats 1 - 3 Tbls. (1/2 - 2 oz.) Every 1 - 3 hours

WARNING:
If symptoms persist after using this product for 2 to 3 days consult veterinarian.

**FOR ANIMAL USE ONLY
NOT FOR HUMAN USE** Rev 11-01

Lot No.
Exp. Date

NDC 57319-393-09

Corrective Suspension

Anti-Diarrheal Suspension

**FOR ANIMAL USE ONLY
KEEP OUT OF REACH OF CHILDREN**

**Net Contents:
3.785 L (1 Gal.)**

Manufactured For:
PHOENIX PHARMACEUTICAL, INC.
St. Joseph, MO 64503

CONTAINS:
Bismuth Subsalicylate 1.75%
Administration: Oral.

**SHAKE WELL BEFORE USING.
KEEP FROM FREEZING.**

**KEEP THIS AND ALL
MEDICATIONS OUT OF THE
REACH OF CHILDREN**

TAKE TIME  OBSERVE LABEL DIRECTIONS



CORRECTIVE			
bismuth subsalicylate suspension			
Product Information			
Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:57319-393
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
BISMUTH SUBSALICYLATE (UNII: 62TEY51RR1) (BISMUTH CATION - UNII:ZS9CD118YE)		BISMUTH SUBSALICYLATE	18 mg in 1 mL
Inactive Ingredients			

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GUAR GUM (UNII: E89I1637KE)	
METHYL SALICYLATE (UNII: LAV5U5022Y)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
D&C RED NO. 33 (UNII: 9DBA0SBB0L)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	WINTERGREEN	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57319-393-09	3785 mL in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Unapproved drug other		04/20/2000	

Labeler - Phoenix Pharmaceutical Inc./ Clipper Distributing, Inc. (150711039)

Revised: 9/2013

Phoenix Pharmaceutical Inc./ Clipper Distributing, Inc.