

**CLINIQUE BROAD SPECTRUM SPF 30 OIL FREE FACE WITH SOLAR SMART-
octinoxate, octisalate, titanium dioxide, and zinc oxide cream
CLINIQUE LABORATORIES LLC**

**CLINIQUE BROAD SPECTRUM SPF 30 OIL FREE FACE CREAM WITH SOLAR
SMART**

Drug Facts

Active ingredients

Octinoxate 7.5%
Octisalate 4.5%
Titanium dioxide 4.6%
Zinc oxide 5.0%

Purpose

Sunscreen

Use

helps prevent sunburn

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply "liberally" or "generously" 15 minutes before sun exposure
- reapply at least every two hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses

- children under 6 months of age: ask a doctor

Inactive ingredients

water\aquaeau • c12-15 alkyl benzoate • caprylyl methicone • neopentyl glycol diheptanoate • sucrose • polyglyceryl-10 pentastearate • pentylene glycol • ethylhexyl methoxycrylene • dimethicone • behenyl alcohol • peg-100 stearate • hydrogenated lecithin • butylene glycol • dipentaerythrityl tri-polyhydroxystearate • cucumis sativus (cucumber) fruit extract • hordeum vulgare (barley) extract\extrait d'orge • sigesbeckia orientalis (st. paul's wort) extract • glycerin • caffeine • sodium rna • sodium hyaluronate • tocopheryl acetate • propylene glycol dicaprinate • isohexadecane • helianthus annuus (sunflower) seedcake • pvp/hexadecene copolymer • isostearic acid • sodium stearyl lactylate • polyhydroxystearic acid • silica • acrylamide/sodium acryloyldimethyltaurate copolymer • xanthan gum • polysorbate 80 • dimethicone silylate • polyethylene • trisodium edta • bht • phenoxyethanol [iln43113]

Other information

protect the product in this container from excessive heat and direct sun

PRINCIPAL DISPLAY PANEL - 50 ml Tube Carton

CLINIQUE

broad
spectrum
SPF 30
sunscreen
with
SolarSmart+
UVA UVB
advanced
protection

oil-free
face cream

1.7 FL. OZ.
50 ml e

broad spectrum
SPF 30
sunscreen
with/avec
SolarSmart+

UVA UVB
advanced
protection

Drug Facts (cont'd)

Inactive ingredients

water/aqua/eau • c12-15
alkyl benzoate • caprylyl
methicone • neopentyl glycol
diheptanoate • sucrose •
polyglyceryl-10
pentastearate • pentylene
glycol • ethylhexyl
methoxycrylene •
dimethicone • behenyl
alcohol • peg-100 stearate •
hydrogenated lecithin •
butylene glycol •
dipentaerythryl
tri-polyhydroxystearate •
cucumis sativus (cucumber)
fruit extract • hordeum
vulgare (barley)
extract/extrait d'orge-
sigesbeckia orientalis (st.
paul's wort) extract •
glycerin • caffeine • sodium
ma • sodium hyaluronate •
tocopheryl acetate •
propylene glycol dicaprate •
isohexadecane • helianthus
annuus (sunflower)
seedcake • pvp/hexadecene
copolymer • isostearic acid •
sodium stearoyl lactylate •
polyhydroxystearic acid •
silica • acrylamide/sodium
acryloyldimethyltaurate
copolymer • xanthan gum •
polysorbate 80 • dimethicone
silylate • polyethylene •
trisodium edta • bht •
phenoxyethanol [ln43113]

Other information

protect the product in this
container from excessive
heat and direct sun

© CLINIQUE LABORATORIES, DIST.
NEW YORK, N.Y. 10022
WLB LTD. GU32 3DD, UK
N.Y. • LONDON • PARIS
MADE IN BELGIUM
ZPYH

clinique.com



Drug Facts

Active ingredients	Purpose
Octinoxate 7.5% Octisalate 4.5% Titanium dioxide 4.6% Zinc oxide 5.0%	Sunscreen

Use

helps prevent sunburn

Warnings

For external use only

Do not use on damaged or
broken skin

When using this product keep out
of eyes. Rinse with water to remove.

Stop use and ask a doctor if
rash occurs

Keep out of reach of children.
If product is swallowed, get medical
help or contact a Poison Control
Center right away.

Directions

For sunscreen use:

- apply "liberally" or "generously"
15 minutes before sun exposure
- reapply at least every two hours
- use a water resistant sunscreen if
swimming or sweating

Sun Protection Measures.

Spending time in the sun increases
your risk of skin cancer and early
skin aging. To decrease this risk,
regularly use a sunscreen with a
Broad Spectrum SPF value of 15 or
higher and other sun protection
measures including:

- limit time in the sun, especially
from 10 a.m. – 2 p.m.
- wear long-sleeved shirts, pants,
hats and sunglasses
- children under 6 months of age:
ask a doctor

CLINIQUE

broad spectrum
SPF 30
sunscreen
with/avec
SolarSmart+


UVA UVB
advanced
protection

oil-free
face cream

1.7 FL.OZ.
50 ml e

**Allergy Tested.
100% Fragrance Free.**

Luxurious, oil-free sunscreen
for face slips on easily,
absorbs quickly to deliver
protection and repair.
Unique SolarSmart+
technology combines
antioxidant, barrier repair
and sunscreen ingredients to
help minimize signs of aging.
Layers wonderfully with other
treatment and makeup
products. Non-acneogenic.
Appropriate for all
skin types, including
sensitive. Safe for
eye-area use.
See enclosure.



C162466



ZPYH-01-1112

CLINIQUE BROAD SPECTRUM SPF 30 OIL FREE FACE WITH SOLAR SMART

octinoxate, octisalate, titanium dioxide, and zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49527-067
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	75 mg in 1 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	45 mg in 1 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	46 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	50 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)	
SUCROSE (UNII: C151H8M554)	
POLYGLYCERYL-10 PENTASTEARATE (UNII: PMX5872701)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
ETHYLHEXYL METHOXYCRYLENE (UNII: S3KFG6Q5X8)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DOCOSANOL (UNII: 9G1OE216XY)	
PEG-100 STEARATE (UNII: YD01N1999R)	
HYDROGENATED SOYBEAN LECITHIN (UNII: H1109Z9J4N)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIPENTAERYTHRITYL TRI-POLYHYDROXYSTEARATE (UNII: D21K655H52)	
CUCUMBER (UNII: YY7C30VXJT)	
BARLEY (UNII: 5PWM7YLI7R)	
GLYCERIN (UNII: PDC6A3C0OX)	
CAFFEINE (UNII: 3G6A5W338E)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
PROPYLENE GLYCOL DICAPRATE (UNII: U783H9JHWY)	
ISOHEXADECANE (UNII: 918X1OUF1E)	
HELIANTHUS ANNUUS SEEDCAKE (UNII: 482WYF7XLC)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
SODIUM STEAROYL LACTYLATE (UNII: IN99IT31LN)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
XANTHAN GUM (UNII: TTV12P4NEE)	

POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49527-067-01	1 in 1 CARTON	01/01/2017	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/01/2017	

Labeler - CLINIQUE LABORATORIES LLC (044475127)

Registrant - Estee Lauder Companies Inc. (790802086)

Establishment

Name	Address	ID/FEI	Business Operations
Estee Lauder N.V.		370151326	manufacture(49527-067) , pack(49527-067) , label(49527-067)

Revised: 10/2023

CLINIQUE LABORATORIES LLC