

MENTHOPATCH HOT- menthol , capsicum extract patch
THE EGYPTIAN SAUDI CO FOR MEDICAL MANUFACTURING MASCOMID

MenthoPatch Hot

Active Ingrdient

Menthol 4%

Capsicum Extract 5 %

Purpose

Temporarily relieves minor pain.

Warnings

- **For external use only**
- **When using this product**
- Avoid contact with the eyes
- Do not apply to wounds, or to damaged skin
- Do not bandage tightly.
- Consult doctor if pain continued after 7 days using product or excess skin inflammation.
- Children under 12 years of age: consult doctor.

Direction

- Clean and dry the affected area.
- Open the cover of product and peel of the transparent layer of the product.
- Paste the product on affected area.
- Menthol patch is effective up to 8 hours which can replaced as needed.

DOSAGE & ADMINISTRATION

- use menthol patch from 2 to 3 days

Stop use and ask doctor

- If condition worsens
- If symptoms persist more than 7 days or clear up and occur again with a few days

Storage

- Store in cool dry place avoid direct sunlight.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away

Inactive ingredients

Glycerin 24

Sodium poly acryl ate 8

Aluminum chloride hexahydrate

Citric acid

Tartaric acid

Polysorbate 80

Isopropyl myristate alcohol 2.5

Car boxy methyl cellulose

EDETA .2Na 0.5

Polyvinyl pyrrolidone(PVP-K90)

Water 48

Titanium dioxide

Methyl salicylate

Camphor

Hot act vbe 0.2

ACRYLATE/ C10-30 ALKYL ACRYLATE cross polymer

Carton





MENTHOPATCH HOT

menthol , capsicum extract patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72602-004
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CAPSICUM (UNII: 00UK7646FG) (CAPSICUM - UNII:00UK7646FG)	CAPSICUM	50 mg
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	40 mg

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JN12J)	
ALUMINUM CHLORIDE ANHYDROUS (UNII: L1F1N9568Y)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
TARTARIC ACID (UNII: W4888I119H)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	

CARBOXYMETHYLCELLULOSE SODIUM (0.9 CARBOXYMETHYL SUBSTITUTION PER SACCHARIDE; 600 MPA.S AT 2%) (UNII: ZY4732LP1O)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
POLYACRYLIC ACID (800000 MW) (UNII: D0I6NSZ87U)	
WATER (UNII: 059QF0KO0R)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
METHYL SALICYLATE (UNII: LAV5U5022Y)	
CAMPHOR (NATURAL) (UNII: N20HL7Q941)	
CARBOMER COPOLYMER TYPE B (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 809Y72KV36)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72602-004-01	5 in 1 PACKAGE	10/31/2018	
1		1 in 1 PACKAGE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	10/25/2018	

Labeler - THE EGYPTIAN SAUDI CO FOR MEDICAL MANUFACTURING MASCOMID (850486280)

Registrant - THE EGYPTIAN SAUDI CO FOR MEDICAL MANUFACTURING MASCOMID (850486280)

Establishment

Name	Address	ID/FEI	Business Operations
THE EGYPTIAN SAUDI CO FOR MEDICAL MANUFACTURING MASCOMID		850486280	manufacture(72602-004)

Revised: 10/2023

THE EGYPTIAN SAUDI CO FOR MEDICAL MANUFACTURING MASCOMID