

CHERRY SORE THROAT LOZENGE- benzocaine lozenge
Dollar General Corporation

Benzocaine 15 mg
Menthol 3.6 mg

Active ingredient (in each lozenge)

Benzocaine 15 mg

Menthol 3.6 mg

Purpose

Oral anesthetic

Oral anesthetic

Uses temporarily relieves these symptoms:

occasional minor irritation, pain, sore mouth and sore throat

Warnings

Methemoglobinemia warning:

Use of this product may cause methemoglobinemia, a serious condition that must be treated promptly because it reduces the amount of oxygen carried in blood. This can occur even if you have used this product before. Stop use and seek immediate medical attention if you or a child in your care develops:

- pale, gray, or blue colored skin (cyanosis)
- headache
- rapid heart rate
- shortness of breath
- dizziness or lightheadedness
- fatigue or lack of energy

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea, or vomiting, consult a doctor promptly. If sore mouth symptoms do not improve in 7 days, or if irritation, pain, or redness persists or worsens, see your dentist or doctor promptly.

Allergy alert: Do not use this product if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine, or other "caine" anesthetics.

Do not use

- for teething
- in children under 2 years of age

Stop use and ask doctor if

sore throat is severe or irritation, pain or redness persists or worsens

sore mouth symptoms do not improve in 7 days

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact Poison Control Center right away.

Directions

adults and children 5 years and older - allow 1 lozenge to dissolve slowly in mouth. May be repeated every 2 hours as necessary or as directed by a doctor.

children under 5 years - do not use

Other information

- store at room temperature
- protect from moisture

Inactive ingredients: Corn starch, FD&C red no. 40, glucose syrup, glycerin, medium chain triglycerides, natural and artificial flavors, propylene glycol, soybean oil, sucrose and water.

Questions? Call 1-800-245-2898, Monday - Friday, 9AM - 4PM EST

100% Satisfaction Guaranteed!
(888) 309-9030
Made in USA of U.S. and imported ingredients.
Gluten-Free
A0265 PN-320216
70312 36029 1
DISTRIBUTED BY DOLGENCORP, LLC
100 MISSION RIDGE
GOODLETTSVILLE, TN 37072

Compare to the active ingredient of Cepacol®

DG health

Sore Throat Lozenges

Benzocaine, 15 mg
Menthol, 3.6 mg
Oral Anesthetic

• Fast, soothing, temporary relief of minor sore throat pain and irritation

Cherry Flavor

18 Lozenges
Actual Lozenge Size

Drug Facts (continued)
Inactive ingredients: Corn starch, FD&C Red #40, glucose syrup, glycerin, medium chain triglycerides, natural & artificial flavors, propylene glycol, soybean oil, sucrose and water.
Questions? Call 1-800-245-2898, Monday through Friday, 9AM - 4PM EST
WARNING: PARAFFIN-ETHYLENE PACKAGING. DO NOT USE IF OUTER BOX OR BUSTLE IS OPEN OR DAMAGED.

Active ingredients (in each lozenge)

Active ingredients (in each lozenge)	Purpose
Benzocaine, 15 mg	Oral anesthetic
Menthol, 3.6 mg	Oral anesthetic

Uses temporarily relieves these symptoms:
■ occasional minor irritation, pain, sore mouth and sore throat

Warnings
Methemoglobinemia warning: Use of this product may cause methemoglobinemia, a serious condition that must be treated promptly because it reduces the amount of oxygen carried in blood. This can occur even if you have used this product before. Stop use and seek immediate medical attention if you or a child in your care develops: ■ pale, gray, or blue colored skin (cyanosis) ■ headache ■ dactyl (swollen hands or feet) ■ shortness of breath ■ dizziness or lightheadedness ■ fatigue or lack of energy
See your health care provider if you have throat sores that do not improve in 7 days, or if you have a fever, headache, rash, redness, peevish, or worsens, see your dentist or doctor promptly.
Allergy alert: Do not use this product if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine, or other "caine" anesthetics.

Do not use ■ in children under 2 years of age
■ for teething
Stop use and ask doctor if ■ sore throat is severe or irritation, pain or redness persists or worsens. ■ sore mouth symptoms do not improve in 7 days
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact Poison Control Center right away.

Directions ■ adults and children 5 years and older allow 1 lozenge to dissolve slowly in mouth. May be repeated every two hours as necessary or as directed by a doctor
■ children under 5 years do not use

Other information ■ store at room temperature ■ protect from moisture

No Ink or Coating

CHERRY SORE THROAT LOZENGE

benzocaine lozenge

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55910-065
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	15 mg
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	3.6 mg

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color	red	Score	no score
Shape	ROUND	Size	17mm
Flavor	CHERRY	Imprint Code	B
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55910-065-18	18 in 1 BLISTER PACK; Type 0: Not a Combination Product	08/17/2015	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	08/17/2015	

Labeler - Dollar General Corporation (068331990)**Registrant** - Bestco Inc. (002149136)**Establishment**

Name	Address	ID/FEI	Business Operations
Bestco Inc.		002149136	manufacture(55910-065)