

ACID GONE ANTACID- aluminum hydroxide and magnesium carbonate liquid

Major Pharmaceuticals

MAJOR ACID GONE

Active ingredient (in each 15mL tablespoonful)

Aluminum hydroxide 95mg

Magnesium carbonate 358mg

Purpose

Antacid

Uses

relieves

- heartburn
- acid indigestion
- sour stomach
- upset stomach associated with these symptoms

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet
- a sodium-restricted diet

Ask a doctor or pharmacist before use if you are taking a prescription drug. Antacids may interact with certain prescription drugs.

When using this product

- do not take more than 8 tablespoonfuls in 24 hours
- do not use the maximum dosage for more than 2 weeks
- laxative effect may occur

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- shake well before use

- adults and children 12 years and older: take 1 to 2 tablespoonfuls four times a day or as directed by a doctor
- children under 12 years: ask a doctor
- take after meals and at bedtime
- dispense product only by spoon or other measuring device

Other information

- **each 15 mL tablespoonful contains:** magnesium 105mg, sodium 39mg
- store at up to 25°C (77°F)
- avoid freezing
- keep tightly closed
- **TAMPER-EVIDENT:** Do not use this product if inner foil seal over the mouth of the bottle is broken or missing.

Inactive ingredients (Regular Strength)

benzyl alcohol, D&C yellow #10, edetate disodium, FD&C blue #1, flavor, glycerin, purified water, saccharin sodium, sodium alginate, sorbitol solution, xanthan gum

Questions or comments?

1-800-540-3765

Principal Display Panel

MAJOR[®]

NDC 0904-7727-14

Acid Gone[™]
antacid**aluminum hydroxide 95 mg**
antacid**magnesium carbonate 358 mg**
antacid

oral suspension USP

fast relief of

- heartburn
- acid indigestion

12 fl oz (355 mL)

mint flavor

226-15212-6
Rev. 01/26**Drug Facts**

Active ingredients (in each 15 mL tablespoonful) Purpose
 Aluminum hydroxide 95 mg Antacid
 Magnesium carbonate 358 mg Antacid

Uses relieves • acid indigestion • heartburn • sour stomach
 • upset stomach associated with these symptoms

Warnings

Ask a doctor before use if you have • kidney disease
 • a magnesium-restricted diet • a sodium-restricted diet

Ask a doctor or pharmacist before use if you are taking a prescription drug.
 Antacids may interact with certain prescription drugs.

When using this product

- do not take more than 8 tablespoonfuls in 24 hours
- do not use the maximum dosage for more than 2 weeks
- laxative effect may occur

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- shake well before use
- adults and children 12 years and older: take 1 to 2 tablespoonfuls four times a day or as directed by a doctor
- children under 12 years: ask a doctor
- take after meals and at bedtime
- dispense product only by spoon or other measuring device

Other information

- each 15 mL tablespoonful contains: magnesium 105 mg, sodium 39 mg
- store at up to 25°C (77°F) • avoid freezing • keep tightly closed
- TAMPER-EVIDENT: Do not use this product if inner foil seal over the mouth of the bottle is broken or missing.

Inactive ingredients

benzyl alcohol, D&C yellow no. 10, edetate disodium, FD&C blue no. 1, flavor, glycerin, purified water, saccharin sodium, sodium alginate, sorbitol solution, xanthan gum

Questions or comments? 1-800-540-3765



Distributed by:
MAJOR PHARMACEUTICALS
 Indianapolis, IN 46268
 (800)-616-2471
 www.major-rugby.com

926-15212-6
 Rev. 01/26 M-99
 Re-Order No. 264978

ACID GONE ANTACID

aluminum hydroxide and magnesium carbonate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0904-7727
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) (ALUMINUM HYDROXIDE - UNII:5QB0T2IUN0)	ALUMINUM HYDROXIDE	95 mg in 15 mL
MAGNESIUM CARBONATE (UNII: 0E53J927NA) (CARBONATE ION - UNII:7UJQ5OPE7D)	MAGNESIUM CARBONATE	358 mg in 15 mL

Inactive Ingredients

Ingredient Name	Strength
BENZYL ALCOHOL (UNII: LKG8494WBH)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
GLYCERIN (UNII: PDC6A3C0OX)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SODIUM ALGINATE (UNII: C269C4G2ZQ)	
SORBITOL SOLUTION (UNII: 8KW3E207O2)	
WATER (UNII: 059QF0K00R)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Product Characteristics

Color	green	Score	
Shape		Size	
Flavor	SPEARMINT (cool mint)	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0904-7727-14	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	03/01/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	12/30/2004	

Labeler - Major Pharmaceuticals (191427277)

Registrant - GCP Laboratories (965480861)

Establishment

Name	Address	ID/FEI	Business Operations
GCP Laboratories		965480861	manufacture(0904-7727)