

ACID GONE ANTACID- aluminum hydroxide and magnesium carbonate liquid

Major Pharmaceuticals

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient (in each 15mL tablespoonful) Regular Strength

Aluminum hydroxide 95mg

Magnesium carbonate 358mg

Purpose

Antacid

Uses

relieves

- heartburn
- acid indigestion
- sour stomach
- upset stomach associated with these symptoms

Warnings

Do not use if you have kidney disease

Ask a doctor or pharmacist before use if you are

- taking a prescription drug. Antacids may interact with certain prescription drugs.
- if you are on a sodium-restricted diet

When using this product (Regular Strength)

- do not take more than 8 tablespoonfuls in 24 hours
- do not use the maximum dosage for more than 2 weeks
- laxative effect may occur

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions (Regular Strength)

- shake well
- take 1-2 tablespoonfuls four times a day or as directed by a doctor
- take after meals and at bedtime
- dispense product only by spoon or other measuring device

Other information (Regular Strength)

- **each tablespoon (15mL) contains:** magnesium 105mg, sodium 39mg
- store at up to 25°C (77°F); avoid freezing
- keep tightly closed

Inactive ingredients (Regular Strength)

benzyl alcohol, D&C yellow #10, edetate disodium, FD&C blue #1, flavor, glycerin, purified water, saccharin sodium, sodium alginate, sorbitol solution, xanthan gum

Questions or comments?

call toll-free **1-800-616-2471**

Distributed by:

MAJOR PHARMACEUTICALS

Livonia, MI 48150 U.S.A

IMPORTANT:

Tamper-Evident: Do not use this product if inner foil seal over the mouth of the bottle is disturbed or missing

Principal Display Panel

Acid Gone Antacid

REGULAR STRENGTH

LIQUID ANTACID

- Fast-Acting
Heartburn Relief
- Helps Keep Acid
Down for Hours

12 fl oz (355 ml)

MAJOR® NDC 0904-7727-14

Acid Gone™

ANTACID

Alumina and Magnesium Carbonate
Oral Suspension USP

Relieves Heartburn
& Acid Indigestion

*Compare to the active ingredients in Gaviscon®

12 FL OZ (355 mL) 226-15212-4

Drug Facts

Active ingredients (in each 15mL tablespoonful)	Purpose
Aluminum hydroxide 95 mg.....	Antacid
Magnesium carbonate 358 mg.....	Antacid

Uses relieves • acid indigestion • heartburn • sour stomach
• upset stomach associated with these symptoms

Warnings

Ask a doctor before use if you have • kidney disease
• a magnesium-restricted diet • a sodium-restricted diet

Ask a doctor or pharmacist before use if you are taking a prescription drug. Antacids may interact with certain prescription drugs.

When using this product

- do not use the maximum dosage for more than 2 weeks
- laxative effect may occur

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.

Directions • shake well

- adults and children 12 years and older: take 1 to 2 tablespoonfuls four times a day, but not more than 8 tablespoonfuls in 24 hours or as directed by a doctor
- children under 12 years: ask a doctor
- take after meals and at bedtime
- dispense product only by spoon or other measuring device

Other information

- each tablespoonful contains: magnesium 105 mg, sodium 39 mg
- store at up to 25°C (77°F) • avoid freezing • keep tightly closed
- TAMPER-EVIDENT: Do not use this product if inner foil seal over the mouth of the bottle is disturbed or missing.

Inactive ingredients benzyl alcohol, D & C yellow # 10, edetate disodium, FD & C blue # 1, flavor, glycerin, purified water, saccharin sodium, sodium alginate, sorbitol solution, xanthan gum

*This product is not manufactured or distributed by the owner of the registered trademark Gaviscon®. 926-15212-4
Re-Order No. 264978
Distributed by MAJOR PHARMACEUTICALS
31778 Enterprise Drive, Livonia, MI 48150 USA
TO REPORT ADVERSE DRUG EVENTS CALL:
800-616-2471

Rev 01/11 M-99

3 09047 72714 8

ACID GONE ANTACID

aluminum hydroxide and magnesium carbonate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0904-7727
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALUMINUM HYDRO XIDE (UNII: 5QB0T2IUN0) (ALUMINUM HYDRO XIDE - UNII:5QB0T2IUN0)	ALUMINUM HYDRO XIDE	95 mg in 15 mL
MAGNESIUM CARBO NATE (UNII: 0E53J927NA) (CARBONATE ION - UNII:7UJQ5OPE7D)	MAGNESIUM CARBONATE	358 mg in 15 mL

Inactive Ingredients

Ingredient Name	Strength
BENZYL ALCOHOL (UNII: LKG8494WBH)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
FD&C BLUE NO. 1 (UNII: HBR47K3TBD)	
GLYCERIN (UNII: PDC6A3C0OX)	
SACCHARIN SODIUM DIHYDRATE (UNII: SB8ZUX40TY)	
SODIUM ALGINATE (UNII: C269C4G2ZQ)	
SORBITOL (UNII: 506T60A25R)	
WATER (UNII: 059QF0KO0R)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Product Characteristics

Color	GREEN	Score	
Shape		Size	
Flavor	SPEARMINT (cool mint)	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0904-7727-14	355 mL in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part331	12/30/2004	

Labeler - Major Pharmaceuticals (191427277)

Revised: 8/2012

Major Pharmaceuticals