# FIRSTCARE PAIN RELIEF GEL PATCH- lidocaine patch USpharma Ltd

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

### FirstCare Pain Relief Gel Patch Lidocaine 4%

### Active ingredient

Lidocaine 4%

### **Purpose**

Topical Anesthetic

### Uses

Temporarily relieves minor pain

### **Warnings**

### For external use only

### Do not use

- more than 1 patch on your body at a time or on cut, irritated or swollen skin
- on puncture wounds
- for more than one week without consulting a doctor

### When using this product

- use only as directed. Read and follow all directions and warnings on this carton.
- do not allow contacts with the eyes
- do not bandage tightly or apply local heat (such as heating pads) to the area of use
- do not use at the same time as other topical analgesics
- dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

### Stop use and ask a doctor if

- condition worsen
- redness is present
- irritation develops
- symptoms persist for more than 7 days or clear up and occur again within a few days
- you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

### If pregnant or breast-feeding,

ask a health professional before use.

### Keep out of reach of children and pets.

If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

### adults and children over 12 years:

- clean and dry affected area
- remove film from patch
- carefully apply patch to affected area
- use 1 patch for up to 12 hours

children 12 years or younger: ask a doctor

### **Inactive ingredients**

polyvinyl alcohol, non-crystalizing sorbitol solution, polyacrylic acid, glycerin, carboxymethylcellulose sodium, colloidal silicon dioxide, titanium dioxide, propylene glycol, tartaric acid, magnesium hydroxide, sodium polyacrylate, purified water

### Package/Label Principal Display Panel

FIRST CARE <sub>TM</sub>

\*\*\*MADE IN USA\*\*\*

LASTS UP TO 12 HOURS

**MAXIMUM STRENGTH\*\*** 

PAIN RELIEF GEL PATCH

FOR BACK, SHOULDER, NECK & JOINTS

Lidocaine 4%

**Targets Muscle and Nerve Pain** 

Odor & Paraben Free

3-15/16" x 5-1/2" (10 cm x 14 cm)

NDC 71594-602-05

**5 PATCHES** 

Individually sealed in child resistant packages



### FIRSTCARE PAIN RELIEF GEL PATCH

lidocaine patch

### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:71594-602

Route of Administration TOPICAL

### **Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
LIDO CAINE (UNII: 98 PI200987) (LIDO CAINE - UNII:98 PI200987)	LIDOCAINE	246 mg

# Inactive Ingredients Ingredient Name Strength POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990) SORBITOL (UNII: 506T60A25R) POLYACRYLIC ACID (250000 MW) (UNII: 9G2MAD7J6W) GLYCERIN (UNII: PDC6A3C0OX) CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311) SILICON DIO XIDE (UNII: ETJ7Z6XBU4) TITANIUM DIO XIDE (UNII: 15FIX9 V2JP)

PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
TARTARIC ACID (UNII: W48881119H)	
MAGNESIUM HYDRO XIDE (UNII: NBZ3Q Y004S)	
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JNI2J)	
WATER (UNII: 059QF0KO0R)	

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:71594-602-05	5 in 1 CARTON	10/25/2019	
1	1 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	10/25/2019	

# Labeler - USpharma Ltd (080664601)

## Registrant - USpharma Ltd (080664601)

Establishment			
Name	Address	ID/FEI	Business Operations
USpharma Ltd		080664601	manufacture(71594-602), pack(71594-602)

Revised: 10/2019 USpharma Ltd