

MAJOR PREP HEMORRHOIDAL- mineral oil, petrolatum, phenylephrine hydrochloride ointment
Major Pharmaceuticals

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Active ingredients	Purpose
Mineral oil 14%.....	Protectant
Petrolatum 74.9%.....	Protectant
Phenylephrine HCl 0.25%.....	Vasoconstrictor

Uses

- helps relieve the local itching and discomfort associated with hemorrhoids
- temporarily shrinks hemorrhoidal tissue and relieves burning
- temporarily provides a coating for relief of anorectal discomforts
- temporarily protects the inflamed, irritated anorectal surface to help make bowel movements less painful

Warnings For external and/or intrarectal use only

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are now taking a prescription drug for high blood pressure or depression

When using this product do not exceed the recommended daily dosage

Stop use and ask a doctor if

- bleeding occurs
- condition gets worse or does not get better within 7 days
- introduction of the applicator into the rectum causes additional pain

If pregnant or breast-feeding, ask a physician before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- children under 12 years of age: ask a doctor
- adults: when practical, cleanse the affected area by patting or blotting with an appropriate cleansing wipe
- gently dry by patting or blotting with a tissue or a soft cloth before applying
- when first opening tube, remove foil seal
- for intrarectal use: remove protective cover from applicator and attach to tube
- lubricate applicator well, then gently insert applicator into the rectum
- thoroughly clean applicator and replace protective cover after each use
- apply externally to the affected area up to 4 times daily, especially at night, in the morning or after

each bowel movement

- also apply ointment to external area

Other information store at 20° to 25°C (68° to 77°F)

Inactive ingredients glycerin, lanolin, methylparaben, propylparaben, stearyl alcohol, thyme oil, tocopherol acetate, water, white wax

Distributed By

Major Pharmaceuticals

31778 Enterprise Drive

Livonia, MI 48150

Made in Korea

Drug Facts (continued)
 Ask a doctor before use if you have ■ heart disease ■ high blood pressure
 ■ thyroid disease ■ diabetes ■ trouble urinating due to an enlarged prostate gland
 Ask a doctor or pharmacist before use if you are now taking a prescription drug for high blood pressure or depression
 When using this product do not exceed the recommended daily dosage
 Stop use and ask a doctor if ■ bleeding occurs
 ■ condition gets worse or does not get better within 7 days
 ■ introduction of the applicator into the rectum causes additional pain
 If pregnant or breast-feeding, ask a health professional before use.

Drug Facts (continued)
 Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
Directions ■ children under 12 years of age: ask a doctor
 ■ adults: when practical, cleanse the affected area by patting or blotting with an appropriate cleansing wipe
 ■ gently dry by patting or blotting with a tissue or a soft cloth before applying
 ■ when first opening tube, remove foil seal
 ■ for intrarectal use: remove protective cover from applicator and attach to tube. Lubricate applicator well, then gently insert applicator into the rectum
 ■ thoroughly clean applicator and replace protective cover after each use

Drug Facts (continued)
 ■ apply externally to the affected area up to 4 times daily, especially at night, in the morning, or after each bowel movement ■ also apply ointment to external area
Other information store at 20° to 25°C (68° to 77°F)
Inactive ingredients glycerin, lanolin, methylparaben, propylparaben, stearyl alcohol, thyme oil, tocopherol acetate, water, white wax
Questions or comments? (800) 616-2471

TAMPER-EVIDENT: Do not use if FOIL SEAL is broken or missing.

Distributed by:
MAJOR® PHARMACEUTICALS
 31778 Enterprise Drive
 Livonia, MI 48150
 M-110 Rev. 11/13
 Re-Order No. 301802

3 09046 35602 8
 Made in Korea

LOT:
 EXP:

MAJOR
 NDC 0904-6356-02

MAJOR-PREP™
Hemorrhoidal Ointment
 With Applicator
 NET WT 2 OZ (57 g)

*Compare to the active ingredients of Preparation H®

(RETAIN CARTON FOR COMPLETE LABEL INFORMATION)

Drug Facts (continued)
Active ingredients
 Mineral oil 14% Protectant
 Petrolatum 74.9% Protectant
 Phenylephrine HCl 0.25% Vasoconstrictor
Purposes

Drug Facts (continued)
Uses ■ helps relieve the local itching and discomfort associated with hemorrhoids
 ■ temporarily shrinks hemorrhoidal tissue and relieves burning
 ■ temporarily provides a coating for relief of anorectal discomforts
 ■ temporarily protects the inflamed, irritated surface to help make bowel movements less painful
Warnings
 For external and/or intrarectal use only

MAJOR PREP HEMORRHOIDAL

mineral oil, petrolatum, phenylephrine hydrochloride ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0904-6356
Route of Administration	RECTAL, TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MINERAL OIL (UNII: T5L8T28FGP) (MINERAL OIL - UNII:T5L8T28FGP)	MINERAL OIL	140 mg in 1 g
PETROLATUM (UNII: 4T6H12BN9U) (PETROLATUM - UNII:4T6H12BN9U)	PETROLATUM	749 mg in 1 g
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	2.5 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
LANOLIN (UNII: 7EV65EAW6H)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
STEARYL ALCOHOL (UNII: 2KR89I4HIY)	
THYME OIL (UNII: 2UK410MY6B)	
TOCOPHEROL (UNII: R0ZB2556P8)	
WATER (UNII: 059QF0K00R)	
WHITE WAX (UNII: 7G1J5DA97F)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0904-6356-02	1 in 1 CARTON	10/11/2016	
1		57 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part346	06/03/2014	

Labeler - Major Pharmaceuticals (191427277)

Revised: 10/2016

Major Pharmaceuticals