

**MARK 3- benzocaine gel**  
**Cargus International, Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Active Ingredient**

Benzocaine, 20%

**Purpose**

Oral Anesthetic

**Uses**

For the temporary relief of pain associated with canker sores and minor dental procedures.

**Warnings**

**Allergy alert** Do not use this product if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine, or other "-caine" anesthetics.

**Do not**

use this product for more than 7 days unless directed by a dentist or doctor. If sore mouth symptoms do not improve in 7 days; if irritation, pain, or redness persists or worsens; or if swelling, rash or fever develops, see your dentist or doctor promptly.

**Do not**

exceed recommended dosage.

**Keep out of reach of children.**

**If more than used for pain is accidentally swallowed, get medical help or contact a Poison Control Center right away.**

**Directions**

- Adults and children 12 years of age and older: Apply to the affected area. Use up to 4 times daily or as directed by a dentist or doctor
- Children under 12 years of age should be supervised in the use of the product.
- Children under 2 years of age: Consult a dentist or doctor.

## Other Information

Store at room temperature 59 - 86°F (15 - 30°C). Protect from freezing and heat.

## Inactive Ingredients

FD&C Green No. 3, FD&C Yellow No. 5, Flavor, Polyethylene glycol 3350, Polyethylene glycol 400, Saccharine sodium, Tocopheryl acetate, Xylitol

## Distributed by

Mark 3, 135 North Rt. 9W, Congers, NY 10920

1.888.732.2913

Mark 3

Oral Anesthetic Gel

Mint

Gluten Free





with Vitamin E and Xylitol


NDC 61509-102-32

Net Wt. 1.12 oz. (32 g)

Distributed by Mark 3, 135 North Rt. 9W, Congers, NY 10920

Made in USA

 <b>Distributed By: MARK 3</b> 135 North Rt. 9W, Congers, NY 10920 1.888.732.2913 <b>MADE IN THE USA</b> 	<b>Reorder #1602</b> 1.12 OZ (32g) NDC# 61509-102-32 <b>Distributed By: MARK 3</b> 135 North Rt. 9W, Congers, NY 10920 <b>Drug Facts</b> <table border="1"><tr><td><b>Active Ingredients</b> Benzocaine, 20%.....</td><td><b>Purpose</b> .....Oral Anesthetic</td></tr></table> <b>Uses</b> For the temporary relief of pain associated with canker sores and minor dental procedures.	<b>Active Ingredients</b> Benzocaine, 20%.....	<b>Purpose</b> .....Oral Anesthetic	 with Vitamin E & Xylitol <b>MINT</b>  <b>GLUTEN FREE Oral Anesthetic Gel</b> <b>MADE IN USA</b>
<b>Active Ingredients</b> Benzocaine, 20%.....	<b>Purpose</b> .....Oral Anesthetic			



<b>Warnings</b> <b>Allergy alert</b> Do not use this product if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine, or other "-caine" anesthetics. <b>Do not use</b> this product for more than 7 days unless directed by a dentist or doctor. If sore mouth symptoms do not improve in 7 days; if irritation, pain, or redness persists or worsens; or if swelling, rash or fever develops, see your dentist or doctor promptly. <b>Do not</b> exceed recommended dosage. <b>Keep out of reach of children.</b> If more than used for pain is accidentally swallowed, <b>get medical help or contact a Poison Control Center right away.</b>	<b>Directions</b> • Adults and children 12 years of age and older: Apply to the affected area. Use up to 4 times daily or as directed by a dentist or doctor. • Children under 12 years of age should be supervised in the use of the product. • Children under 2 years of age: Consult a dentist or doctor. <b>Other Information</b> Store at room temperature 59-86° F (15-30° C). Protect from freezing and heat. <b>Inactive Ingredients</b> FD&C Green #3, FD&C Yellow #5, Flavor, Polyethylene glycol 3350, Polyethylene glycol 400, Saccharine sodium, Tocopheryl acetate, Xylitol.
---	---

**MARK 3**  
benzocaine gel

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:61509-102
<b>Route of Administration</b>	ORAL, DENTAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>BENZOCAINE</b> (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	6.4 g in 32 g

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>FD&amp;C GREEN NO. 3</b> (UNII: 3P3ONR6O1S)	
<b>FD&amp;C YELLOW NO. 5</b> (UNII: I753WB2F1M)	
<b>POLYETHYLENE GLYCOL 3350</b> (UNII: G2M7P15E5P)	
<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>XYLITOL</b> (UNII: VCQ006KQ1E)	

**Product Characteristics**

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	MINT	<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:61509-102-32	32 g in 1 BOTTLE; Type 0: Not a Combination Product	03/23/2021	

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC monograph not final	part356	02/28/2014	

**Labeler** - Cargus International, Inc. (096191093)**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Dharma Research, Inc.		078444642	manufacture(61509-102)

