# ASPIRIN 81 MG- aspirin enteric coated tablets 81 mg tablet, delayed release Bryant Ranch Prepack

-----

## ® Tablets

corn starch, pregelatinized starch, povidone. microcrystalline cellulose, colloidal silicon dioxide, stearic acid, methacrylic acid and ethyl acrylate copolymer, talc, titanium dioxide, triethyl citrate, sodium bicarbonate, sodium lauryl sulfate, d&c yellow #10, hypromellose, triacetin

Aspirin 81 mg (NSAID\*) \*nonsteroidal anti-inflammatory drug

Ask a doctor before use if stomach bleeding warning applies to you you have a history of stomach problems, such as heartburn you have high blood pressure, heart disease, liver cirrhosis, or kidney disease you are taking a diuretic you have asthma you have not been drinking fluids you have lost a lot of fluid due to vomiting or diarrhea

Ask a doctor or pharmacist before use if you are - taking a prescription drug for diabetes, gout, or arthritis - taking any other drug - under a doctor's care for any serious condition

### **Aspirin Drug Facts**

Do not use: if you are allergic to aspirin or any other pain reliver/fever reducer

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor becwause it may cause problems in the unborn child or complications during delivery.

#### Pain reliever

Stop use and ask a doctor if - an allergic reaction occurs. Seek medical help right away. - you are experierance any of the following signs of stomach bleeding: feel faint, have bloody or black stools, vomit blood, have stomach pain that does not get better - pain gets worse or lasts more than 10 days - redness or swelling is present - new symptoms occur - ringing in the ears or a loss of hearing occurs. these could be signs of a serious condition.

Drink a full glass of water with each dose - adults and children 12 years and over: take 4 to 8 tablets every 4 hours not to exceed 48 tablets in 24 hours unless directed by a doctor - children under 12 years: consult a doctor

Reye's syndrome: Children and teenagers who have or are recoving from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be early sign of Reye's syndrome, a rare but serious illness.

Stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you: - are age 60 or older - have had stomach

ulcers or bleeding problems - take a blood thinning (anticoagulant) or steriod drug - take other drugs contiaining prescription or nonprescription NSAIDs (aspirin, ibuprofen, naprozen, or others) - have 3 or more alcoholic drinks every day while using this product - take more or for longer time than directed

Allergy Alert: Aspirin may cause a severe allergic reaction which may include: - hives - facial swelling - shock - asthma (wheezing)

Pin Reliever

#### **HOW SUPPLIED**

Aspirin 81 mg (NSAID) Adult Low Strength Pain Reliever Enteric Coated

NDC 63629-8894-1: 120 Tablets in a BOTTLE

Repackaged/Relabeled by: Bryant Ranch Prepack, Inc. Burbank, CA 91504

# Aspirin 81 mg (NSAID) Adult Low Strength Pain Reliever Enteric Coated



## **ASPIRIN 81 MG**

aspirin enteric coated tablets 81 mg tablet, delayed release

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63629-8894(NDC:71406-128)	
Route of Administration	ORAL			

	Active Ingredient/Active Moiety				
	Ingredient Name	Basis of Strength	Strength		
	ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	81 mg		
- 1					

Inactive Ingredients		
Ingredient Name	Strength	
TRIACETIN (UNII: XHX3C3X673)		
STEARIC ACID (UNII: 4ELV7Z65AP)		
POVIDONE, UNSPECIFIED (UNII: FZ 989GH94E)		
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)		
SODIUM LAURYL SULFATE (UNII: 368GB5141J)		
MICROCRYSTALLINE CELLULOSE 102 (UNII: PNR0YF693Y)		
STARCH, CORN (UNII: O8232NY3SJ)		
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)		
ETHYL ACRYLATE AND METHYL METHACRYLATE COPOLYMER (2:1; 600000 MW) (UNII: XRK36F13ZZ)		
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)		
SODIUM BICARBONATE (UNII: 8MDF5V39QO)		
TALC (UNII: 7SEV7J4R1U)		
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)		
HYPROMELLOSE 2910 (6 MPA.S) (UNII: 0WZ8WG20P6)		

Product Characteristics				
Color	yellow	Score	no score	
Shape	ROUND	Size	8mm	
Flavor		Imprint Code	S17	
Contains				

l	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	1	NDC:63629- 8894-1	120 in 1 BOTTLE; Type 0: Not a Combination Product	05/14/2021	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	05/03/2021	

# Labeler - Bryant Ranch Prepack (171714327)

# Registrant - Bryant Ranch Prepack (171714327)

Establishment			
Name	Address	ID/FEI	Business Operations
Bryant Ranch Prepack		171714327	REPACK(63629-8894), RELABEL(63629-8894)

Revised: 4/2024 Bryant Ranch Prepack