

# **GAS RELIEF ULTRA STRENGTH- simethicone capsule, liquid filled Walgreens**

-----  
**Drug Facts**

## **Active ingredient (in each softgel)**

Simethicone 180 mg

## **Purpose**

Antigas

## **Uses**

- relieves bloating, pressure, or fullness commonly referred to as gas

## **Warnings**

### **Stop use and ask a doctor if**

condition persists.

### **If pregnant or breast-feeding,**

ask a health professional before use.

### **Keep out of reach of children.**

## **Directions**

- swallow one or two softgels as symptoms occur
- do not exceed two softgels per 24 hours except under the advice and supervision of a physician

## **Other information**

- store between 15-30°C (59-86°F)
- protect from heat and moisture

## **Inactive ingredients**

FD&C red #40, FD&C yellow #6, gelatin, glycerin

## **Questions or comments?**

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

## **Principal Display Panel**

Compare to the active ingredient in Phazyme® Ultra Strength††

Gas Relief

SIMETHICONE 180 mg / ANTI-GAS

ULTRA STRENGTH

SOFTGELS

- For fast relief of pressure, bloating & fullness

SOFTGELS

††This product is not manufactured or distributed by C.B. Fleet Company Inc., distributor of Phazyme® Ultra Strength

**TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.**

DISTRIBUTED BY: WALGREEN CO

200 WILMOT RD., DEERFIELD, IL 60015

## **Product Label**

Walgreens

Compare to the active ingredient in Phazyme® Ultra Strength!

NDC 0383-8730-20

# Gas Relief

SIMETHICONE 180 mg / ANTI-GAS

ULTRA STRENGTH

SOFTGELS

- For fast relief of pressure, bloating & fullness

20  
SOFTGELS



Lot No.:  
Exp. Date:

### Drug Facts

| Active ingredient (in each softgel) | Purpose |
|-------------------------------------|---------|
| Simethicone 180 mg.....             | Antigas |

### Uses

- relieves bloating, pressure, or fullness commonly referred to as gas

### Warnings

Stop use and ask a doctor if condition persists.

If pregnant or breast-feeding, ask a health professional before use.  
Keep out of reach of children.

### Directions

- swallow one or two softgels as symptoms occur
- do not exceed two softgels per 24 hours except under the advice and supervision of a physician

### Other information

- store between 15-30°C (59-86°F)
- protect from heat and moisture

**Inactive ingredients** FD&C red #40, FD&C yellow #6, gelatin, glycerin

### Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

**TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION**

Walgreens Pharmacist Recommended  
Walgreens Pharmacist Survey

†† This product is not manufactured or distributed by C.B. Fleet Company, Inc., distributor of Phazyme® Ultra Strength.

PLD-B679A  
FC007076

ORG0220-F  
REV-0720



DISTRIBUTED BY: WALGREEN CO.  
200 WILMOT RD., DEERFIELD, IL 60015  
**100% SATISFACTION GUARANTEED**  
walgreens.com  
©2020 Walgreen Co.

ITEM 634729 W10024-0720-L



## WALGREENS Gas Relief Ultra Strength Softgels

## GAS RELIEF ULTRA STRENGTH

simethicone capsule, liquid filled

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:0363-8730 |
| <b>Route of Administration</b> | ORAL           |                           |               |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength |
|---|-------------------|----------|
| <b>DIMETHICONE</b> (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O) | DIMETHICONE       | 180 mg   |

### Inactive Ingredients

| Ingredient Name | Strength |
|-----------------|----------|
|                 |          |

|   |  |
|---|--|
| <b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8) |  |
| <b>GELATIN</b> (UNII: 2G86QN327L)               |  |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)              |  |
| <b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)   |  |

### Product Characteristics

|                 |         |                     |          |
|-----------------|---------|---------------------|----------|
| <b>Color</b>    | orange  | <b>Score</b>        | no score |
| <b>Shape</b>    | CAPSULE | <b>Size</b>         | 12mm     |
| <b>Flavor</b>   |         | <b>Imprint Code</b> | 05A      |
| <b>Contains</b> |         |                     |          |

### Packaging

| # | Item Code        | Package Description                                    | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:0363-8730-20 | 20 in 1 CARTON   | 04/30/2020           |                    |
| 1 |                  | 1 in 1 BLISTER PACK; Type 0: Not a Combination Product |                      |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M002                                     | 04/30/2020           |                    |

**Labeler** - Walgreens (008965063)

Revised: 6/2024

Walgreens