### LINCOMYCIN-SPECTINOMYCIN WATER SOLUBLE POWDER- lincomycinspectinomycin powder, for solution Huvepharma, Inc

-----

NDC 23243-4240-2

LINCOMYCIN-SPECTINOMYCIN

WATER SOLUBLE POWDER Antibacterial and Antimycoplasmal

CAUTION: Federal law restricts this drug to use by or on the order of a licensed veterinarian.

FOR USE IN CHICKENS ONLY

### This packet contains:

Lincomycin hydrochloride, equivalent to lincomycin ...... 16.7 grams Spectinomycin dihydrochloride pentahydrate,

equivalent to spectinomycin......33.3 grams
Total Antibiotic Activity 50.0 grams

Approved by FDA under ANADA # 200-407 NET WEIGHT: 2.65 oz (75 grams)

Manufactured for Huvepharma, Inc. Peachtree City, Georgia 30269 Made in Bulgaria

LOT

EXP.

### **DIRECTIONS FOR USE**

**INDICATIONS AND USAGE:** For use in chickens up to 7 days of age as an aid in the control of:

Airsacculitis caused by either *Mycoplasma synoviae* or *Mycoplasma gallisepticum* susceptible to lincomycin-spectinomycin.

Complicated Chronic Respiratory Disease (Air Sac Infection) caused by *Escherichia coli* and *M. gallisepticum* susceptible to lincomycin-spectinomycin.

### DOSAGE AND ADMINISTRATION

**Dosage:** Provide 2 grams (g) antibiotic activity per gallon of drinking water. Administer as the sole source of water for the first 5 to 7 days of life.

#### Administration:

Amount of Lincomycin-Spectinomycin

Amount of Drinking Water

1 packet

25 gallons

For proportioners delivering 1 ounce of solution per gallon of drinking water, dissolve contents of 5 packets in each gallon of proportioner solution.

<sup>®</sup> Registered Trademark of Huvepharma, Inc.

**IMPORTANT:** Chickens should consume water at the following approximate rate to ensure intake of the required dose of lincomycin-spectinomycin indicated:

	Broilers and Layer Replacements (Light and Heavy)				
Age	Daily Water Intake	Dosage			
(Weeks)	(Gallons/1000)	(mg Antibiotic/lb)			
1	5	50-65			

**PRECAUTION:** Discard medicated drinking water daily and replace with fresh medicated drinking water.

**WARNING:** Not for Use in Humans

Keep Out of Reach of Children

### **CONTACT INFORMATION:**

To report suspected adverse drug events, for technical assistance or to obtain a copy of the Safety Data Sheet (SDS), contact Huvepharma, Inc. at 1-877-994-4883 or www.huvepharma.us.

For additional information about adverse drug experience reporting for animal drugs, contact FDA at 1-888-FDA-VETS or http://www.fda.gov/reportanimalae


Restricted Drug (California) - Use Only as Directed Store at Controlled Room Temperature, 20° to 25°C (68° to 77°F)

Manufactured For: Huvepharma, Inc. Peachtree City, GA 30269

Made in Bulgaria

<sup>®</sup> Registered Trademark of Huvepharma, Inc.





# WATER SOLUBLE POWDER

Antibacterial and Antimycoplasmal

CAUTION: Federal law restricts this drug to use by or on the order of a licensed veterinarian.

### FOR USE IN CHICKENS ONLY

### This packet contains:

Lincomycin hydrochloride, equivalent to lincomycin.....16.7 grams Spectinomycin dihydrochloride pentahydrate,

equivalent to spectinomycin......33.3 grams

Total Antibiotic Activity 50.0 grams

Approved by FDA under ANADA # 200-407

NET WEIGHT: 2.65 oz (75 grams)



Manufactured for Huvepharma, Inc. Peachtree City, GA 30269

Made in Bulgaria

\*Registered Trademark of Huvepharma, Inc.

LOT

EXP.





## DIRECTIONS FOR USE

**INDICATIONS AND USAGE:** For use in chickens up to 7 days of age as an aid in the control of: Airsacculitis caused by either *Mycoplasma synoviae* or *Mycoplasma* 

gallisepticum susceptible to lincomycin-spectinomycin. Complicated Chronic Respiratory Disease (Air Sac Infection) caused by *Escherichia coli* and *M. gallisepticum* susceptible to lincomycin-spectinomycin.

### DOSAGE AND ADMINISTRATION

**Dosage:** Provide 2 grams (g) antibiotic activity per gallon of drinking water. Administer as the sole source of water for the first 5 to 7 days of life.

### Administration:

Amount of Lincomycin-Spectinomycin	Amount of Drinking Water
1 packet	25 gallons
For proportioners delivering 1 ounce of solution dissolve contents of 5 packets in each gallon o	

**IMPORTANT:** Chickens should consume water at the following approximate rate to ensure intake of the required dose of lincomycin-spectinomycin indicated:

Broilers and Layer Replacements (Light and Heavy)			
Age Daily Water Intake Dosage (Weeks) (Gallons/1000) (mg Antibiotic/lb			
1	5	50-65	

**PRECAUTION:** Discard medicated drinking water daily and replace with fresh medicated drinking water.

WARNING: Not for Use in Humans

Keep Out of Reach of Children

### CONTACT INFORMATION:

To report suspected adverse drug events, for technical assistance or to obtain a copy of the Safety Data Sheet (SDS), contact Huvepharma, Inc. at 1-877-994-4883 or www.huvepharma.us.

For additional information about adverse drug experience reporting for animal drugs, contact FDA at 1-888-FDA-VETS or http://www.fda.gov/reportanimalae

Restricted Drug (California) - Use Only as Directed

Store at Controlled Room Temperature, 20° to 25°C (68° to 77°F)

Manufactured For: Huvepharma, Inc. Peachtree City, GA 30269 Made in Bulgaria

® Registered Trademark of Huvepharma, Inc.

LB6316v3-Li-Sp-wsp75-USA03-2024





# LINCOMYCIN-SPECTINOMYCIN

## WATER SOLUBLE POWDER

Antibacterial and Antimycoplasmal

CAUTION: Federal law restricts this drug to use by or on the order of a licensed veterinarian.

### FOR USE IN CHICKENS ONLY

### This packet contains:

Lincomycin hydrochloride, equivalent to lincomycin.....16.7 grams Spectinomycin dihydrochloride pentahydrate,

equivalent to spectinomycin......33.3 grams

Total Antibiotic Activity 50.0 grams

Approved by FDA under ANADA # 200-407

NET WEIGHT: 2.65 oz (75 grams)



Manufactured for Huvepharma, Inc. Peachtree City, GA 30269

Made in Bulgaria

Registered Trademark of Huvepharma, Inc.

LOT

EXP.





### LINCOMYCIN-SPECTINOMYCIN WATER SOLUBLE POWDER

lincomycin-spectinomycin powder, for solution

D		£	
Prod	UCT	Inform	ation

Product Type	PRESCRIPTION ANIMAL DRUG	Item Code (Source)	NDC:23243-4240
Route of Administration	Oral		

### **Active Ingredient/Active Moiety**

•				
Ingredient Name	Basis of Strength	Strength		
LINCOMYCIN HYDROCHLORIDE (UNII: M6T05Z2B68) (LINCOMYCIN - UNII: BOD072YW0F)	LINCOMYCIN	16.7 g in 75 g		
SPECTINOMYCIN HYDROCHLORIDE (UNII: HWT06H303Z) (SPECTINOMYCIN - UNII:93AKI1U6OF)	SPECTINOMYCIN	33.3 g in 75 g		

### **Inactive Ingredients**

Ingredient Name	Strength

Sucrose (UNII: C151H8M554)

### **Packaging**

7	# Item Code	Package Description	<b>Marketing Start Date</b>	Marketing End Date
:	NDC:23243-4240-2	75 g in 1 PACKET		

### **Marketing Information**

That Recting initial macion				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
ANADA	ANADA200407	11/01/2022		

## Labeler - Huvepharma, Inc (619153559)

## Registrant - Huvepharma EOOD (552671651)

Revised: 5/2024 Huvepharma, Inc