

**WALGREENS CHILDREN GLYCERIN LAXATIVE- glycerin  
suppository suppository  
Walgreens**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Walgreens® Children Glycerin Suppositories 25ct.**

**Active Ingredient**

(in each suppository)  
Glycerin, USP 1.2 grams

**Uses**

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 1/4 to 1 hour

**Warnings**

For rectal use only

**Do not use**

Do not use laxative products for longer than 1 week unless directed by a doctor

**Ask a doctor before use if your child have**

Ask a doctor before use if your child have

- stomach pain - nausea - vomiting - a sudden change in bowel habits that lasts over 2 weeks

**When using this product**

When using this product your child may have rectal discomfort or a burning sensation

**Stop use and ask a doctor if**

Stop use and ask a doctor if your child has rectal bleeding or fail to have a bowel movement after use of a laxative.

These could be signs of a serious condition.

## Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

## Directions

children 2 to under 6 years.....carefully insert 1 suppository well into the rectum and retain for 15 minutes; it need not melt to produce laxative action. Do not exceed 1 suppository daily or as directed by a doctor.

children under 2 years.....ask a doctor

## Other information

- keep tightly closed
- avoid excessive heat

## Inactive ingredients

purified water, sodium hydroxide, stearic acid

## Purpose

Laxative

## Product Label

**Walgreens**

Compare to Fleet® Glycerin Suppositories active ingredient!

children's  
**Glycerin Suppositories**  
GENTLE LAXATIVE

AGES 2 TO 5 YEARS

25 SUPPOSITORIES

**TAMPER EVIDENT: DO NOT USE IF INNER SEAL IS BROKEN OR MISSING**

*This label contains important information. Do not discard.*

<b>Drug Facts</b>	
<b>Active ingredient (in each suppository):</b> Purpose Glycerin, USP 1.2 grams.....Laxative	
<b>Uses:</b> • relieves occasional constipation (irregularity) • generally produces bowel movement in 1/4 to 1 hour	
<b>Warnings</b>	
<b>For rectal use only</b>	
<b>Do not use</b> laxative products for longer than 1 week unless directed by a doctor	
<b>Ask a doctor before use if your child have:</b> • stomach pain • nausea • vomiting • a sudden change in bowel habits that lasts over 2 weeks	
<b>When using this product</b> your child may have rectal discomfort or a burning sensation	
<b>Stop use and ask a doctor if</b> your child has rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.	
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b>	
Children 2 to under 6 years of age	cautiously insert 1 suppository well into the rectum and retain for 15 minutes; it need not melt to produce laxative action. Do not exceed 1 suppository daily or as directed by a doctor
Children under 2	ask a doctor
<b>Other information</b>	• keep tightly closed • avoid excessive heat
<b>Inactive ingredients</b>	purified water, sodium hydroxide, stearic acid
<b>Questions or comments?</b>	1-800-WALGREENS (1-800-925-4733)

Walgreens Pharmacist Recommended  
Walgreens Pharmacist Survey  
This product is not manufactured or distributed by  
C.B. Fleet®. Owner or their registered  
trademark Fleet®  
DISTRIBUTED BY: WALGREENS, 200 WILMOT RD., DEERFIELD, IL 60015  
100% SATISFACTION GUARANTEED! walgreens.com ©2018 Walgreen Co.

ITEM 979372  
W00000-0000-0  
ORG0418-F2 3 11917 19061 7

## WALGREENS CHILDREN GLYCERIN LAXATIVE

glycerin suppository suppository

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0363-0440
<b>Route of Administration</b>	RECTAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
GLYCERIN (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)	GLYCERIN	83 g in 100 g

**Inactive Ingredients**

Ingredient Name	Strength
STEARIC ACID (UNII: 4ELV7Z65AP)	8.5 g in 100 g
SODIUM HYDROXIDE (UNII: 55X04QC32I)	1.2 g in 100 g
WATER (UNII: 059QF0K00R)	7.3 g in 100 g

**Product Characteristics**

Color	white (CLEAR)	Score	
Shape	BULLET	Size	32mm
Flavor		Imprint Code	
Contains			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0440-25	62.5 g in 1 JAR; Type 0: Not a Combination Product	11/01/2016	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	11/01/2016	

**Labeler** - Walgreens (008965063)**Establishment**

Name	Address	ID/FEI	Business Operations
Unipack, Inc.		009248480	manufacture(0363-0440)

Revised: 12/2022

Walgreens