# FEVERALL JR. STRENGTH- acetaminophen suppository Bryant Ranch Prepack

-----

Feverall<sub>®</sub>
Jr. Strength

**Drug Facts** 

## Active ingredient (in each rectal suppository)

Acetaminophen, USP 325 mg

## **Purposes**

Pain reliever/fever reducer

#### Uses

temporarily

- reduces fever
- relieves minor aches, pains, and headache

## Warnings

## Liver warning

This product contains acetaminophen. Severe liver damage may occur if

- a child 6 to 12 years takes more than 5 doses in 24 hours
- an adult or child 12 years and older takes more than 6 doses in 24 hours, which is the maximum daily amount
- taken with other drugs containing acetaminophen
- an adult takes 3 or more alcoholic drinks everyday while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

# For rectal use only.

#### Do not use

- in children under 6 years
- if you are allergic to acetaminophen.
- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

#### Ask a doctor before use if

- you have liver disease.
- you are taking the blood thinning drug warfarin.

## Stop use and ask a doctor if

- fever lasts more than 3 days (72 hours), or recurs.
- pain gets worse or lasts more than 10 days.
- new symptoms occur.
- redness or swelling is present in the painful area.

These may be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** If swallowed or in case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical in case of overdose for adults and for children even if you do not notice any signs or symptoms.

#### **Directions**

- remove wrapper
- do not use more than directed
- carefully insert suppository well up into the rectum

Dosing Chart				
Age	Dose			
under 6 years	do not use			
6 to 12 years	Use 1 suppository every 4 to 6 hours. (maximum of 5 doses in 24 hours)			
adults and children 12	Use 2 suppositories every 4 to 6 hours.			
years and older	(maximum of 6 doses)			

#### Other information

- store at 2°-27°C (35°-80°F)
- do not use if imprinted suppository wrapper is opened or damaged

## **Inactive ingredients**

glycerol monostearate, hydrogenated vegetable oil, polyoxyethylene stearate, polysorbate 80

#### Questions?

call 1-866-923-4914

Distributed by:

Taro Pharmaceuticals U.S.A., Inc.

Hawthorne, NY 10532

#### **HOW SUPPLIED**

Product: 63629-8240

NDC: 63629-8240-1 12 SUPPOSITORY in a BOTTLE

Acetaminophen Supp. 325mg Blister Pack



## FEVERALL JR. STRENGTH

acetaminophen suppository

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63629-8240(NDC:51672-2116)		
Route of Administration	RECTAL				

Inactive Ingredients				
Ingredient Name	Strength			
glyceryl monostearate (UNII: 230 OU9 XXE4)				
hydrogenated palm kernel oil (UNII: FM8 D1RE2VP)				
PEG-100 stearate (UNII: YD01N1999R)				
polysorbate 80 (UNII: 6OZP39ZG8H)				

l	Packaging					
ı	# Item Code Package Description		Marketing S	Start Date Mark	eting End Date	
ı	1 NDC:63629	-8240-1 12 in 1 BO	TTLE; Type 0: Not a Combination Produ	ct 09/12/2019		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
NDA	NDA0 18 337	12/12/2013		

Establishment				
Name	Address	ID/FEI	Business Operations	
Bryant Ranch Prepack		171714327	REPACK(63629-8240), RELABEL(63629-8240)	

Revised: 10/2019 Bryant Ranch Prepack