

# **CHILDRENS WAL TAP ELIXER COLD AND ALLERGY- brompheniramine maleate, phenylephrine hcl liquid**

**Walgreens**

-----

## **Drug Facts**

### **Active ingredients (in each 10 mL)**

Brompheniramine maleate 2 mg

Phenylephrine HCl 5 mg

## **Purposes**

Antihistamine

Nasal decongestant

## **Uses**

- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily relieves these symptoms due to hay fever (allergic rhinitis)
  - runny nose
  - itchy, watery eyes
  - sneezing
  - itching of the nose or throat
- temporarily restores freer breathing through the nose

## **Warnings**

### **Do not use**

- to sedate a child or to make a child sleepy
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

### **Ask a doctor before use if you have**

- heart disease
- high blood pressure
- glaucoma
- diabetes
- thyroid disease
- trouble urinating due to an enlarged prostate gland
- a breathing problem such as emphysema or chronic bronchitis

**Ask a doctor or pharmacist before use if you are**

- taking any other oral nasal decongestant or stimulant
- taking sedatives or tranquilizers

**When using this product**

- **do not use more than directed**
- drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

**Stop use and ask a doctor if**

- nervousness, dizziness or sleeplessness occur
- symptoms do not get better within 7 days or are accompanied by fever

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided. Do not use any other dosing device.
- keep dosing cup with product
- mL = milliliter

age	dose
adults and children 12 years and over	20 mL every 4 hours
children 6 to 11 years	10 mL every 4 hours
children under 6 years	do not use

**Other information**

- **each 10 mL contains:** sodium 6 mg
- store between 20-25°C (68°-77°F). Do not refrigerate.

**Inactive ingredients**

anhydrous citric acid, FD&C blue #1, FD&C red # 40, flavor, glycerin, propylene glycol, purified water, sodium benzoate, sorbitol, sucralose, trisodium citrate dihydrate

**Questions or comments?**

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

## **Principal Display Panel**

Compare to the active ingredients in Children's Dimetapp® Cold & Allergy††

### **Children's**

### **Cold & Allergy Relief**

BROMPHENIRAMIDE MALEATE 2 mg / ANTIHISTAMINE

PHENYLEPHRINE HCl 5 mg / NASAL DECONGESTANT

Alcohol Free

- Relieves itchy, watery eyes, runny nose, sneezing, stuffy nose & itching of the nose or throat

AGES 6 YEARS & OLDER

Grape flavor

FL OZ (mL)

DOSAGE CUP PROVIDED

††This product is not manufactured or distributed by Pfizer Consumer Healthcare, distributors of Children's Dimetapp® Cold & Allergy.

**TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.**

DISTRIBUTED BY : WALGREEN CO

200 WILMOT RD., DEERFIELD, IL 60015

walgreens.com

## **Package Label**

**Drug Facts (continued)**

Age	Dose
adults and children 12 years and over	20 mL every 4 hours
children 6 to 11 years	10 mL every 4 hours
children under 6 years	do not use

**Other information**

- each 10 mL contains: sodium 6 mg
- store between 20-25°C (68-77°F). Do not refrigerate.

**Inactive ingredients** citric acid, FD&C blue #1, FD&C red #40, flavor, glycerin, polyethylene glycol, purified water, sodium benzoate, sodium citrate dihydrate, sorbitol, sucralose

**Questions or comments?**  
Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

**TAMPED EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING**

**DOSAGE CUP PROVIDED**

Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands. This product is not manufactured or distributed by Pfizer Consumer Healthcare, distributor of Children's Dimetapp® Cold & Allergy.

DISTRIBUTED BY: WALGREEN CO.  
200 WILMOT RD., DEERFIELD, IL 60015

**100% SATISFACTION GUARANTEED**

walgreens.com  
©2021 Walgreen Co.

NDC 0363-0312-08

**Walgreens**

Compare to the active ingredients in Children's Dimetapp® Cold & Allergy\*

## Children's Cold & Allergy Relief

BROMPHENIRAMINE MALEATE 2 mg / ANTIHISTAMINE PHENYLEPHRINE HCl 5 mg / NASAL DECONGESTANT

**Alcohol Free**

- Relieves itchy, watery eyes, runny nose, sneezing, stuffy nose & itching of the nose or throat

**AGES 6 YEARS & OLDER**

8 FL OZ (237 mL) Grape flavor

NDC 0363-0312-08

**Walgreens**

Compare to the active ingredients in Children's Dimetapp® Cold & Allergy\*

## Children's Cold & Allergy Relief

BROMPHENIRAMINE MALEATE 2 mg / ANTIHISTAMINE PHENYLEPHRINE HCl 5 mg / NASAL DECONGESTANT

**Alcohol Free**

- Relieves itchy, watery eyes, runny nose, sneezing, stuffy nose & itching of the nose or throat

**AGES 6 YEARS & OLDER**

8 FL OZ (237 mL) Grape flavor

**Drug Facts**

**Active ingredients (in each 10 mL)**

Brompheniramine maleate 2 mg.....Antihistamine  
Phenylephrine HCl 5 mg.....Nasal decongestant

**Purposes**

- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily relieves these symptoms due to hay fever (allergic rhinitis)
  - runny nose
  - itchy, watery eyes
  - sneezing
  - itching of the nose or throat
- temporarily restores freer breathing through the nose

**Warnings**

**Do not use**

- to sedate a child or to make a child sleepy
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- glaucoma
- trouble urinating due to an enlarged prostate gland
- a breathing problem such as emphysema or chronic bronchitis

**Ask a doctor or pharmacist before use if you are**

- taking any other oral nasal decongestant or stimulant
- taking sedatives or tranquilizers

**When using this product**

- do not use more than directed
- drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

**Stop use and ask a doctor if**

- nervousness, dizziness or sleeplessness occur
- symptoms do not get better within 7 days or are accompanied by fever

**If pregnant or breast-feeding, ask a health professional before use.**

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided. Do not use any other dosing device.
- keep dosing cup with product
- mL = milliliter

ITEM 904372 W10024-0722-L

3 11917 17678 9

PLD-F2600 FC008257

Lot No.:  
Exp. Date:

**WALGREENS Children's Cold & Allergy Relief Grape Flavor**

<b>CHILDRENS WAL TAP ELIXER COLD AND ALLERGY</b>			
brompheniramine maleate, phenylephrine hcl liquid			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0363-0312
<b>Route of Administration</b>	ORAL		
<b>Active Ingredient/Active Moiety</b>			
<b>Ingredient Name</b>		<b>Basis of Strength</b>	<b>Strength</b>
<b>BROMPHENIRAMINE MALEATE</b> (UNII: IXA7C9ZN03) (BROMPHENIRAMINE - UNII:H57G17P2FN)		BROMPHENIRAMINE MALEATE	2 mg in 10 mL
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE -		PHENYLEPHRINE	5 mg

UNII:1WS297W6MV)

HYDROCHLORIDE

in 10 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>TRISODIUM CITRATE DIHYDRATE</b> (UNII: B22547B95K)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	

**Product Characteristics**

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	GRAPE	<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0312-08	1 in 1 BOX	03/31/2015	
1		237 mL in 1 BOTTLE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	03/31/2015	

**Labeler** - Walgreens (008965063)

Revised: 5/2024

Walgreens