

CHILDRENS WAL TAP ELIXER COLD AND ALLERGY- brompheniramine maleate, phenylephrine hcl liquid
Walgreens

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredients (in each 10 mL)

Brompheniramine maleate 2 mg

Phenylephrine HCl 5 mg

Purposes

Antihistamine

Nasal decongestant

Uses

- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily relieves these symptoms due to hay fever (allergic rhinitis)
 - runny nose
 - itchy, watery eyes
 - sneezing
 - itching of the nose or throat
- temporarily restores freer breathing through the nose

Warnings

Do not use

- to sedate a child or to make a child sleepy
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- high blood pressure
- glaucoma
- diabetes
- thyroid disease

- trouble urinating due to an enlarged prostate gland
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are

- taking any other oral nasal decongestant or stimulant
- taking sedatives or tranquilizers

When using this product

- **do not use more than directed**
- drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

Stop use and ask a doctor if

- nervousness, dizziness or sleeplessness occur
- symptoms do not get better within 7 days or are accompanied by fever

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided. Do not use any other dosing device.
- keep dosing cup with product
- mL = milliliter

age	dose
adults and children 12 years and over	20 mL every 4 hours
children 6 to 11 years	10 mL every 4 hours
children under 6 years	do not use

Other information

- **each 10 mL contains:** sodium 6 mg
- store between 20-25°C (68°-77°F). Do not refrigerate.

Inactive ingredients

anhydrous citric acid, FD&C blue #1, FD&C red # 40, flavor, glycerin, propylene glycol, purified water, sodium benzoate, sorbitol, sucralose, trisodium citrate dihydrate

Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

Principal Display Panel

Compare to the active ingredients in Children's Dimetapp® Cold & Allergy††

Children's

Cold & Allergy Relief

BROMPHENIRAMIDE MALEATE 2 mg / ANTIHISTAMINE

PHENYLEPHRINE HCl 5 mg / NASAL DECONGESTANT

Alcohol Free

- Relieves itchy, watery eyes, runny nose, sneezing, stuffy nose & itching of the nose or throat

AGES 6 YEARS & OLDER

Grape flavor

FL OZ (mL)

DOSAGE CUP PROVIDED

††This product is not manufactured or distributed by Pfizer Consumer Healthcare, distributors of Children's Dimetapp® Cold & Allergy.

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.

DISTRIBUTED BY : WALGREEN CO

200 WILMOT RD., DEERFIELD, IL 60015

walgreens.com

Package Label

Drug Facts (continued)

Age	Dose
adults and children 12 years and over	20 mL every 4 hours
children 6 to 11 years	10 mL every 4 hours
children under 6 years	do not use

Other information

- each 10 mL contains: sodium 6 mg
- store between 20-25°C (68-77°F). Do not refrigerate.

Inactive ingredients citric acid, FD&C blue #1, FD&C red #40, flavor, glycerin, propylene glycol, purified water, sodium benzoate, sodium citrate dihydrate, sorbitol, sucralose

Questions or comments?
Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

TAMPED EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING

DOSAGE CUP PROVIDED

100% SATISFACTION GUARANTEED

walgreens.com

©2021 Walgreen Co.

NDC 0363-0312-08

Walgreens

Compare to the active ingredients in Children's Dimetapp® Cold & Allergy*

Children's Cold & Allergy Relief

BROMPHENIRAMINE MALEATE 2 mg / ANTIHISTAMINE PHENYLEPHRINE HCl 5 mg / NASAL DECONGESTANT

Alcohol Free

- Relieves itchy, watery eyes, runny nose, sneezing, stuffy nose & itching of the nose or throat

AGES 6 YEARS & OLDER

8 FL OZ (237 mL)

Grape flavor

NDC 0363-0312-08

Walgreens

Compare to the active ingredients in Children's Dimetapp® Cold & Allergy*

Children's Cold & Allergy Relief

BROMPHENIRAMINE MALEATE 2 mg / ANTIHISTAMINE PHENYLEPHRINE HCl 5 mg / NASAL DECONGESTANT

Alcohol Free

- Relieves itchy, watery eyes, runny nose, sneezing, stuffy nose & itching of the nose or throat

AGES 6 YEARS & OLDER

8 FL OZ (237 mL)

Grape flavor

Drug Facts

Active ingredients (in each 10 mL)

Brompheniramine maleate 2 mg.....Antihistamine

Phenylephrine HCl 5 mg.....Nasal decongestant

Purposes

Uses

- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily relieves these symptoms due to hay fever (allergic rhinitis)
 - runny nose
 - itchy, watery eyes
 - sneezing
 - itching of the nose or throat
- temporarily restores free breathing through the nose

Warnings

Do not use

- to sedate a child or to make a child sleepy
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- glaucoma
- trouble urinating due to an enlarged prostate gland
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are

- taking any other oral nasal decongestant or stimulant
- taking sedatives or tranquilizers

When using this product

- do not use more than directed
- drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

Stop use and ask a doctor if

- nervousness, dizziness or sleeplessness occur
- symptoms do not get better within 7 days or are accompanied by fever

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided. Do not use any other dosing device.
- keep dosing cup with product
- mL = milliliter

ITEM 904372 W10024-0722-L



3 11917 17678 9

PLD-F2600 FC008257

Lot No.:
Exp. Date:

WALGREENS Children's Cold & Allergy Relief Grape Flavor

CHILDRENS WAL TAP ELIXIR COLD AND ALLERGY

brompheniramine maleate, phenylephrine hcl liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-0312
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BROMPHENIRAMINE MALEATE (UNII: IXA7C9ZN03) (BROMPHENIRAMINE - UNII:H57G17P2FN)	BROMPHENIRAMINE MALEATE	2 mg in 10 mL
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE -	PHENYLEPHRINE	5 mg

UNII:1WS297W6MV)

HYDROCHLORIDE

in 10 mL

Inactive Ingredients

Ingredient Name	Strength
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZ B9127XOA)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)	
SORBITOL (UNII: 506T60A25R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	GRAPE	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0312-08	1 in 1 BOX	03/31/2015	
1		237 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	03/31/2015	

Labeler - Walgreens (008965063)

Revised: 8/2022

Walgreens