

**FLORMAR SMOOTH TOUCH FOUNDATION 03 LIGHT IVORY- octinoxate aerosol**  
**Kosan Kozmetik Sanayi ve Ticaret A.S.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Flormar Smooth Touch Foundation 03 Light Ivory**

**Drug Facts**

***Active ingredient***

Octinoxate 5%

***Purpose***

Sunscreen

**Uses**

- Helps prevent sunburn
- If used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

**For external use only**

**Do not use**

on damaged or broken skin

**When using this product**

keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if**

rash occurs

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Shake well before use.
- After use, close the cap properly.
- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- Limit time in the sun, especially from 10 a.m. -2 p.m.

- Wear long-sleeved shirts, pants, hats and sunglasses.
- Children under 6 months of age: Ask a doctor.

### Other information

- Protect the product in this container from excessive heat and direct sun.
- Keep the product cool.
- After use, close the tube properly with cap.

### Inactive ingredients

water, dimethicone, cyclopentasiloxane, butylene glycol, PEG-10 dimethicone, polymethylsilsesquioxane, glycerin, trimethylsiloxysilicate, disteardimonium hectorite, SD alcohol 40-B, phenoxyethanol, sodium chloride, polysilicone-11, triethoxycaprylylsilane, aluminum hydroxide, sodium PCA, fragrance, urea, caprylic/capric triglyceride, ethylhexylglycerin, algae extract, soluble collagen, trehalose, leuconostoc/radish root ferment filtrate, polyquaternium-51, cymbidium grandiflorum flower extract, nelumbo nucifera flower extract, sodium hyaluronate, chlorphenesin, propylene glycol, fig (ficus carica) fruit extract, cotton (gossypium hirsutum) seed extract, linseed (linum usitatissimum seed extract, sodium dehydroacetate. may contain: titanium dioxide, iron oxides.

### Package Labeling:





Kosan Kozmetik Sanayi ve Ticaret A.S.,  
Gebze Organize Sanayi Bolgesi  
Ihsan Dede Cad.900.SK NO:133  
Gebze, Kocaeli 41480  
Turkey

Made in Turkey

To report a serious adverse event contact (971) 766-7350.



www.flormar.com  
info@flormar.com.de  
ITEM: 1632.00


A new smooth texture creates flawless definition and dimension. A blend of lotus flower extract and orchid complex help reinforce the natural beauty of the skin.

Dermatologically tested.  
Shake well before use.

**SMOOTH TOUCH**  
FOUNDATION  
SPF 20

Sunscreen  
Broad Spectrum  
SPF 20

1.0 fl oz  
(30 ml e)



## Drug Facts

Active ingredient	Purpose
Octinoxate 5%.....	Sunscreen

### Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

### Warnings

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs  
**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

- Shake well before use.
- After use, close the cap properly.
- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m. – 2 p.m.
  - Wear long-sleeved shirts, pants, hats and sunglasses.
  - Children under 6 months of age: Ask a doctor.

### Other information

- Protect the product in this container from excessive heat and direct sun.
- Keep the product cool.
- After use, close the tube properly with cap.

**Inactive ingredients** water, dimethicone, cyclopentasiloxane, butylene glycol, PEG-10 dimethicone, polymethylsilsequioxane, glycerin, trimethylsiloxysilicate, disteardimonium hectorite, SD alcohol 40-8, phenoxyethanol, sodium chloride, polysilicone-11, triethoxycaprylylsilane, aluminum hydroxide, sodium PCA, fragrance, urea, caprylic/capric triglyceride, ethylhexylglycerin, algae extract, soluble collagen, trehalose, leuconostoc/radish root ferment filtrate, polyquaternium-51, cymbidium grandiflorum flower extract, nelumbo nucifera flower extract, sodium hyaluronate, chlorphenesin, propylene glycol, fig (ficus carica) fruit extract, cotton (gossypium hirsutum) seed extract, linseed (linum usitatissimum seed extract, sodium dehydroacetate, may contain: titanium dioxide, iron oxides.

## FLORMAR SMOOTH TOUCH FOUNDATION 03 LIGHT IVORY

octinoxate aerosol

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:6 1722-272
Route of Administration	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	50 mg in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
SODIUM PYRROLIDONE CARBOXYLATE (UNII: 469OTG57A2)	
UREA (UNII: 8W8T17847W)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
TREHALOSE (UNII: B8WCK70T7I)	
LEUCONOSTOC/RADISH ROOT FERMENT FILTRATE (UNII: D2QHA03458)	
CYMBIDIUM HOOKERIANUM FLOWER (UNII: H2DJ03DI5I)	
NELUMBO NUCIFERA FLOWER (UNII: 61W322NLDV)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
FIG (UNII: TGD87RI2U)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61722-272-00	1 in 1 BOX	02/11/2016	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	02/11/2016	

