

GASALIA- activated charcoal, lycopodium clavatum spore, nutmeg, daikon tablet
Laboratoires Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Gas alia

Carbo vegetabilis 6C HPUS (0.6 mg)**, Lycopodium clavatum 6C (0.6 mg)**, Nux moschata 6C (0.6 mg)**, Raphanus sativus 6C (0.6 mg)**

** (in each pellet)

Carbo vegetabilis 6C ...relieves stomach bloating with gas*

Lycopodium clavatum 6C ... Relieves bloated lower abdomen*

Nux moschata 6C ... Relieves abdominal bloating accompanied by constipation*

Raphanus sativus 6C ... Relieves abdominal bloating with difficulty passing gas*

temporarily relieves bloating, pressure, discomfort, and pain commonly referred to as gas*

Stop use and ask a doctor if symptoms persist continuously for more than 7 days or worsen.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away.

Adults and children 6 years of age and older: At the onset of symptoms, dissolve 2 tablets in the mouth every 15 minutes for 1 hour. Then, if necessary, dissolve 2 tablets in the mouth 15 minutes before meals. Children under 6 years of age: Ask a doctor.

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

***CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.**

**C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Do not use if glued carton and flaps are open or if the blister seal is broken.

Store below 86°F (30° C)

Made in France

Meltaway tablets require no food or water

Plant based Actives

No Known Drug Interactions

Croscarmellose sodium, lactose, magnesium stearate.

Questions or comments?

BoironUSA.com

Info@Boiron.com

1-800-BOIRON-1

(1-800-264-7661)

Distributed by Boiron, Inc.

Newtown Square, PA 19073

60 meltaway tablets

Drug Facts

| Active ingredients ¹ | Purpose ² |
|--------------------------------------|--|
| Carbo vegetabilis 6C HPUS (0.6 mg) | Relieves stomach bloating with gas |
| Lycopodium clavatum 6C HPUS (0.6 mg) | Relieves bloated lower abdomen |
| Nux moschata 6C HPUS (0.6 mg) | Relieves abdominal bloating accompanied by constipation |
| Rapianus sativus 6C HPUS (0.6 mg) | Relieves abdominal pain and bloating with difficulty passing gas |

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses³
temporarily relieves bloating, pressure, discomfort, and pain commonly referred to as gas

Warnings
Stop use and ask a doctor if symptoms persist for more than 7 days or worsen.
If pregnant or breastfeeding, ask a health professional before use.
Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away.

Directions
■ Adults and children 6 years of age and older: At the onset of symptoms, dissolve 2 tablets under the tongue every 15 minutes for 1 hour. Then, if necessary, dissolve 2 tablets under the tongue 15 minutes before meals.
■ Children under 6 years of age: Ask a doctor.

Other information
■ do not use if glued carton end flaps are open or if the blister seal is broken
■ store below 86°F (30°C)

Inactive ingredients croscarmellose sodium, lactose, magnesium stearate

CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.
C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Drug Facts
(continued)

Questions or comments?
BoironUSA.com
Info@Boiron.com
1-800-BOIRON-1
(1-800-264-7661)

Meltaway tablets require no food or water

Made in France
Distributed by Boiron Inc.
Newtown Square, PA 19073

please recycle



NDC 0220-9134-04

GAS RELIEF*
Bloating • Pressure
Pain • Discomfort*

Help Your Body the Natural Way

Gasalia[®]
— MELTAWAY TABLETS
HOMEOPATHIC MEDICINE

- Plant-Based Actives
- No Known Drug Interactions

BOIRON[®]
World Leader in Homeopathic Medicines

60 MELTAWAY TABLETS
Unflavored

Drug Facts

| Active ingredients ¹ | Purpose ² |
|--------------------------------------|--|
| Carbo vegetabilis 6C HPUS (0.6 mg) | Relieves stomach bloating with gas |
| Lycopodium clavatum 6C HPUS (0.6 mg) | Relieves bloated lower abdomen |
| Nux moschata 6C HPUS (0.6 mg) | Relieves abdominal bloating accompanied by constipation |
| Rapianus sativus 6C HPUS (0.6 mg) | Relieves abdominal pain and bloating with difficulty passing gas |

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses³
temporarily relieves bloating, pressure, discomfort, and pain commonly referred to as gas

Warnings
Stop use and ask a doctor if symptoms persist for more than 7 days or worsen.
If pregnant or breastfeeding, ask a health professional before use.
Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away.

Directions
■ Adults and children 6 years of age and older: At the onset of symptoms, dissolve 2 tablets under the tongue every 15 minutes for 1 hour. Then, if necessary, dissolve 2 tablets under the tongue 15 minutes before meals.
■ Children under 6 years of age: Ask a doctor.

Other information
■ do not use if glued carton end flaps are open or if the blister seal is broken
■ store below 86°F (30°C)

Inactive ingredients croscarmellose sodium, lactose, magnesium stearate

CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.
C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Drug Facts
(continued)

Questions or comments?
BoironUSA.com
Info@Boiron.com
1-800-BOIRON-1
(1-800-264-7661)

Meltaway tablets require no food or water

Made in France
Distributed by Boiron Inc.
Newtown Square, PA 19073

please recycle



NDC 0220-9134-04

GAS RELIEF*
Bloating • Pressure
Pain • Discomfort*

Help Your Body the Natural Way

Gasalia[®]
— MELTAWAY TABLETS
HOMEOPATHIC MEDICINE

- Plant-Based Actives
- No Known Drug Interactions

BOIRON[®]
World Leader in Homeopathic Medicines

60 MELTAWAY TABLETS
Unflavored

BOIRON[®]

A Better Way
At Boiron, we believe there's a better way to feel better. Since 1932, the Boiron family has been dedicated to providing the purest medicines using sustainable practices. As world leader in homeopathic medicines, quality has always been our passion and your well-being is our goal.

The Boiron Promise
Your health deserves the greatest respect. That's why we're committed to your satisfaction. Please visit BoironUSA.com/promise for details.

Drug Facts

Active ingredients* **Purpose***

Carbo vegetabilis 6C HPUS _____ Relieves stomach bloating with gas

Lycopodium clavatum 6C HPUS _____ Relieves bloated lower abdomen

Nux moschata 6C HPUS _____ Relieves abdominal bloating accompanied by constipation

Raphanus sativus 6C HPUS _____ Relieves abdominal bloating with difficulty passing gas

The letters HPUS indicate that this ingredient is officially included in the Homeopathic Pharmacopoeia of the United States.

Uses* ■ temporary relief relieves bloating, pressure, discomfort and pain associated with gas

Warnings

Ask a doctor before use in children under 6 years of age.

Stop use and ask a doctor if symptoms persist for more than 7 days or worsen.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.

Directions ■ Adults and children 6 years of age and older: At the onset of symptoms, dissolve 2 tablets under the tongue every 15 minutes for 1 hour. Then, if necessary, dissolve 2 tablets under the tongue 15 minutes before meals. ■ Children under 6 years of age: Ask a doctor.

Other information ■ do not use if glued carton end flaps are open or if the blister seal is broken ■ store at 59-77°F (20-25°C)

Inactive ingredients
croscarmellose sodium, lactose, magnesium stearate

*These "Uses" have not been evaluated by the Food and Drug Administration. "C", "K", "CK", and "X" are homeopathic dilutions: see www.boironusa.com for details.

GAS RELIEF

Gasalia

Drug Facts
(continued)

Questions or comments?
www.boironusa.com
info@boiron.com
1-800-BOIRON-1
(1-800-426-7881)
Distributed by Boiron Inc.,
6 Campus Boulevard
Newtown Square, PA
19073-3287

Made in France



NDC 0220-9134-04

GAS RELIEF*

Gasalia

**Pain • Bloating
Pressure • Discomfort***

Gasalia

HOMEOPATHIC MEDICINE

- Non-Drowsy
- No Drug Interactions
- Works Naturally with Your Body



World Leader in Homeopathic Medicines

GAS RELIEF

Gasalia

The Boiron Promise

At Boiron, we believe there's a better way to feel good. A better way that works naturally with your body. Since 1932, the Boiron family has been committed to providing safe, natural medicines. As world leader in homeopathic medicines, our passion is your total health. Our promise is your total satisfaction. Please visit boironusa.com/promise for details.

please recycle

GASALIA

activated charcoal, lycopodium clavatum spore, nutmeg, daikon tablet

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:0220-9134 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|---------------------------|----------|
| ACTIVATED CHARCOAL (UNII: 2P3VWU3H10) (ACTIVATED CHARCOAL - UNII:2P3VWU3H10) | ACTIVATED CHARCOAL | 6 [hp_C] |
| LYCOPODIUM CLAVATUM SPORE (UNII: C88 X29 Y479) (LYCOPODIUM CLAVATUM SPORE - UNII:C88 X29 Y479) | LYCOPODIUM CLAVATUM SPORE | 6 [hp_C] |
| NUTMEG (UNII: AEE24M3MQ9) (NUTMEG - UNII:AEE24M3MQ9) | NUTMEG | 6 [hp_C] |
| DAIKON (UNII: 86R5J6D01D) (DAIKON - UNII:86R5J6D01D) | DAIKON | 6 [hp_C] |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| CROSCARMELLOSE SODIUM (UNII: M28 OL1HH48) | |
| LACTOSE (UNII: J2B2A4N98G) | |
| MAGNESIUM STEARATE (UNII: 70097M6I30) | |

Product Characteristics

| | | | |
|-----------------|----------------|---------------------|----------|
| Color | white | Score | no score |
| Shape | ROUND (BOIRON) | Size | 9mm |
| Flavor | | Imprint Code | ; |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:0220-9134-04 | 60 in 1 BLISTER PACK; Type 0: Not a Combination Product | 08/05/1997 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|------------------------|--|----------------------|--------------------|
| unapproved homeopathic | | 08/05/1997 | |

Labeler - Laboratoires Boiron (282560473)**Registrant** - Boiron Inc. (014892269)**Establishment**

| Name | Address | ID/FEI | Business Operations |
|--------|---------|-----------|------------------------|
| Boiron | | 282560473 | manufacture(0220-9134) |

Revised: 11/2020

Laboratoires Boiron