

BIO CHEM DETOX- berberis vulgaris, glycyrrhiza glabra, lappa major, rhamnus purshiana, stillingia sylvatica, trifolium pratense, triticum aestivum, xanthoxylum fraxineum, phytolacca decandra, glandula suprarenalis suis, hepar suis, lymph node (suis), thyroidinum (suis), lycopodium clavatum, nux vomica, phosphoricum acidum, aconitum napellus, arsenicum album, belladonna, carbo vegetabilis, cinchona officinalis, conium maculatum, mercurius corrosivus, phosphorus, sulphur, tabacum, nitricum acidum, agaricus muscarius, spray
BioActive Nutritional, Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

DRUG FACTS:

ACTIVE INGREDIENTS:

Berberis Vulgaris 3X, Glycyrrhiza Glabra 3X, Lappa Major 3X, Rhamnus Purshiana 3X, Stillingia Sylvatica 3X, Trifolium Pratense 3X, Triticum Aestivum 3X, Xanthoxylum Fraxineum 3X, Phytolacca Decandra 4X, Glandula Suprarenalis Suis 6X, Hepar Suis 6X, Lymph Node (Suis) 6X, Thyroidinum (Suis) 6X, Lycopodium Clavatum 12X, Nux Vomica 12X, Phosphoricum Acidum 12X, Aconitum Napellus 12X, 30X, 200X, 30C, Arsenicum Album 12X, 30X, 200X, 30C, Belladonna 12X, 30X, 200X, 30C, Carbo Vegetabilis 12X, 30X, 200X, 30C, Cinchona Officinalis 12X, 30X, 200X, 30C, Conium Maculatum 12X, 30X, 200X, 30C, Mercurius Corrosivus 12X, 30X, 200X, 30C, Phosphorus 12X, 30X, 200X, 30C, Sulphur 12X, 30X, 200X, 30C, Tabacum 12X, 30X, 200X, 30C, Nitricum Acidum 12X, 30C, Agaricus Muscarius 30C, Lachesis Mutus 30C, Physostigma Venenosum 30C, Curare 30C, 200C.

INDICATIONS:

For the temporary relief of numbness, tingling, trembling, paralysis, short of breath, burning eyes.

WARNINGS:

If pregnant or breast-feeding, ask a health care professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Do not use if tamper evident seal is broken or missing.

Store in cool, dry place.

KEEP OUT OF REACH OF CHILDREN

Keep out of reach of children. In case of overdose, get medical help or contact a

Poison Control Center right away.

DIRECTIONS:

Shake well before use. Adults: 3 sprays orally, once daily or as directed by a health care professional.

INDICATIONS:

For the temporary relief of numbness, tingling, trembling, paralysis, short of breath, burning eyes.

INACTIVE INGREDIENTS:

Citric Acid, Demineralized Water, eTHANOL 5%, Glycerin, Sodium Benzoate.

QUESTIONS:

Distributed by:

BioActive Nutritional, Inc.

1803 N. Wickham Rd.

Melbourne, FL 32935

bioactivenutritional.com

PACKAGE LABEL DISPLAY:

BIOActive Nutritional

BIO CHEM DETOX

HOMEOPATHIC

1 FL OZ (30 ml)

BIOActiveNutritional

WARNINGS: If pregnant or breast-feeding, ask a health care professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. Do not use if tamper evident seal is broken or missing. Store in a cool, dry place.

LOT:

Distributed by:
BioActive Nutritional, Inc.
1803 N. Wickham Rd.
Melbourne, FL 32935
bioactivenutritional.com

BIO CHEM DETOX

HOMEOPATHIC

ACTIVE INGREDIENTS:

Berber Vulg, Glycyrrhiza, Lappa, Rhamnus Pursh, Stillingia, Trifolium Prat, Triticum Aestivum, Xanthoxylum 3X. Phytolacca 4X. Glandula Suprarenalis Suis, Hepar Suis, Lymph Node, Thyroidinum 6X. Lycopodium, Nux Vom, Phosphoricum Ac 12X. Aconitum Nap, Arsenicum Alb, Belladonna, Carbo Veg, Cinchona, Conium, Merc Corros, Phos, Sulphur, Tabacum 12X, 30X, 200X, 30C. Nitricum Ac 12X, 30C. Agaricus Musc, Lachesis, Physostigma 30C. Curare 30C, 200C.

INACTIVE INGREDIENTS: Citric Acid, Demineralized Water, Ethanol 5%, Glycerin, Sodium Benzoate.

1 FL OZ (30 ml)

INDICATIONS:

For the temporary relief of numbness, tingling, trembling, paralysis, short of breath, burning eyes.

DIRECTIONS:

Shake well before use. Adults: 3 sprays orally, once daily or as directed by a health care professional.

BIO CHEM DETOX

berberis vulgaris, glycyrrhiza glabra, lappa major, rhamnus purshiana, stillingia sylvatica, trifolium pratense, triticum aestivum, xanthoxylum fraxineum, phytolacca decandra, glandula suprarenalis suis, hepar suis, lymph node (suis), thyroidinum (suis), lycopodium clavatum, nux vomica, phosphoricum acidum, aconitum napellus, arsenicum album, belladonna, carbo vegetabilis, cinchona officinalis, conium maculatum, mercurius corrosivus, phosphorus, sulphur, tabacum, nitricum acidum, agaricus muscarius, spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43857-0613
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BERBERIS VULGARIS ROOT BARK (UNII: 1TH8Q20J0U) (BERBERIS VULGARIS ROOT BARK - UNII:1TH8Q20J0U)	BERBERIS VULGARIS ROOT BARK	3 [hp_X] in 1 mL
GLYCYRRHIZA GLABRA (UNII: 2788Z9758H) (GLYCYRRHIZA GLABRA - UNII:2788Z9758H)	GLYCYRRHIZA GLABRA	3 [hp_X] in 1 mL
ARCTIUM LAPPA ROOT (UNII: 597E9BI3Z3) (ARCTIUM LAPPA ROOT - UNII:597E9BI3Z3)	ARCTIUM LAPPA ROOT	3 [hp_X] in 1 mL
FRANGULA PURSHIANA BARK (UNII: 4VBP01X99F) (FRANGULA PURSHIANA BARK - UNII:4VBP01X99F)	FRANGULA PURSHIANA BARK	3 [hp_X] in 1 mL
STILLINGIA SYLVATICA ROOT (UNII: QBR70R4FBK) (STILLINGIA SYLVATICA ROOT - UNII:QBR70R4FBK)	STILLINGIA SYLVATICA ROOT	3 [hp_X] in 1 mL
TRIFOLIUM PRATENSE FLOWER (UNII: 4JS0838828) (TRIFOLIUM PRATENSE FLOWER - UNII:4JS0838828)	TRIFOLIUM PRATENSE FLOWER	3 [hp_X] in 1 mL
TRITICUM AESTIVUM WHOLE (UNII: 3C3Y389JBU) (TRITICUM AESTIVUM WHOLE - UNII:3C3Y389JBU)	TRITICUM AESTIVUM WHOLE	3 [hp_X] in 1 mL
ZANTHOXYLUM AMERICANUM BARK (UNII: A4KL1HMZ 7T) (ZANTHOXYLUM AMERICANUM BARK - UNII:A4KL1HMZ 7T)	ZANTHOXYLUM AMERICANUM BARK	3 [hp_X] in 1 mL

PHYTOLACCA AMERICANA ROOT (UNII: 11E6VI8VEG) (PHYTOLACCA AMERICANA ROOT - UNII:11E6VI8VEG)	PHYTOLACCA AMERICANA ROOT	4 [hp_X] in 1 mL
SUS SCROFA ADRENAL GLAND (UNII: 398IYQ16YV) (SUS SCROFA ADRENAL GLAND - UNII:398IYQ16YV)	SUS SCROFA ADRENAL GLAND	6 [hp_X] in 1 mL
PORK LIVER (UNII: 6EC706HI7F) (PORK LIVER - UNII:6EC706HI7F)	PORK LIVER	6 [hp_X] in 1 mL
SUS SCROFA LYMPH (UNII: 33A7VYU29L) (SUS SCROFA LYMPH - UNII:33A7VYU29L)	SUS SCROFA LYMPH	6 [hp_X] in 1 mL
SUS SCROFA THYROID (UNII: 6RV024OAUQ) (SUS SCROFA THYROID - UNII:6RV024OAUQ)	SUS SCROFA THYROID	6 [hp_X] in 1 mL
LYCOPODIUM CLAVATUM SPORE (UNII: C88X29Y479) (LYCOPODIUM CLAVATUM SPORE - UNII:C88X29Y479)	LYCOPODIUM CLAVATUM SPORE	12 [hp_X] in 1 mL
STRYCHNOS NUX-VOMICA SEED (UNII: 269XH13919) (STRYCHNOS NUX-VOMICA SEED - UNII:269XH13919)	STRYCHNOS NUX-VOMICA SEED	12 [hp_X] in 1 mL
PHOSPHORIC ACID (UNII: E4GA8884NN) (PHOSPHORIC ACID - UNII:E4GA8884NN)	PHOSPHORIC ACID	12 [hp_X] in 1 mL
ACONITUM NAPELLUS WHOLE (UNII: U0NQ8555JD) (ACONITUM NAPELLUS - UNII:U0NQ8555JD)	ACONITUM NAPELLUS WHOLE	12 [hp_X] in 1 mL
ARSENIC TRIOXIDE (UNII: S7V92P67HO) (ARSENIC CATION (3+) - UNII:C96613F5AV)	ARSENIC TRIOXIDE	12 [hp_X] in 1 mL
ATROPA BELLADONNA (UNII: WQZ3G9PF0H) (ATROPA BELLADONNA - UNII:WQZ3G9PF0H)	ATROPA BELLADONNA	12 [hp_X] in 1 mL
ACTIVATED CHARCOAL (UNII: 2P3VMU3H10) (ACTIVATED CHARCOAL - UNII:2P3VMU3H10)	ACTIVATED CHARCOAL	12 [hp_X] in 1 mL
CINCHONA OFFICINALIS BARK (UNII: S003A158SB) (CINCHONA OFFICINALIS BARK - UNII:S003A158SB)	CINCHONA OFFICINALIS BARK	12 [hp_X] in 1 mL
CONIUM MACULATUM FLOWERING TOP (UNII: Q28R5GF371) (CONIUM MACULATUM FLOWERING TOP - UNII:Q28R5GF371)	CONIUM MACULATUM FLOWERING TOP	12 [hp_X] in 1 mL
MERCURIC CHLORIDE (UNII: 53GH7MZT1R) (MERCURIC CATION - UNII:ED30FJ8Y42)	MERCURIC CHLORIDE	12 [hp_X] in 1 mL
PHOSPHORUS (UNII: 27YLU75U4W) (PHOSPHORUS - UNII:27YLU75U4W)	PHOSPHORUS	12 [hp_X] in 1 mL
SULFUR (UNII: 70FD1KFU70) (SULFUR - UNII:70FD1KFU70)	SULFUR	12 [hp_X] in 1 mL
TOBACCO LEAF (UNII: 6YR2608RSU) (TOBACCO LEAF - UNII:6YR2608RSU)	TOBACCO LEAF	12 [hp_X] in 1 mL
NITRIC ACID (UNII: 411VRN1TV4) (NITRIC ACID - UNII:411VRN1TV4)	NITRIC ACID	12 [hp_X] in 1 mL
AMANITA MUSCARIA FRUITING BODY (UNII: DIF093I037) (AMANITA MUSCARIA FRUITING BODY - UNII:DIF093I037)	AMANITA MUSCARIA FRUITING BODY	30 [hp_C] in 1 mL
LACHESIS MUTA VENOM (UNII: VSW71SS07I) (LACHESIS MUTA VENOM - UNII:VSW71SS07I)	LACHESIS MUTA VENOM	30 [hp_C] in 1 mL
PHYSOSTIGMA VENENOSUM SEED (UNII: CJV9E9II0A) (PHYSOSTIGMA VENENOSUM SEED - UNII:CJV9E9II0A)	PHYSOSTIGMA VENENOSUM SEED	30 [hp_C] in 1 mL
TUBOCURARINE CHLORIDE (UNII: 900961Z8VR) (TUBOCURARINE - UNII:W9YXS298BM)	TUBOCURARINE CHLORIDE	30 [hp_C] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
GLYCERIN (UNII: PDC6A3C0OX)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43857-0613-1	30 mL in 1 PACKAGE; Type 0: Not a Combination Product	09/02/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		09/02/2021	

Labeler - BioActive Nutritional, Inc. (624980496)**Registrant** - Apotheca Company (844330915)**Establishment**

Name	Address	ID/FEI	Business Operations
Apotheca Company		844330915	manufacture(43857-0613) , api manufacture(43857-0613) , label(43857-0613) , pack(43857-0613)

Revised: 6/2023

BioActive Nutritional, Inc.