

STOOL SOFTENER- docusate sodium capsule, liquid filled Walgreens

Drug Facts

Active ingredient (in each softgel)

Docusate sodium 100 mg

Purpose

Stool softener laxative

Uses

- for relief of occasional constipation (irregularity)
- this product generally produces bowel movement in 12 to 72 hours

Warnings

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- a sudden change in bowel habits that lasts over 14 days

Ask a doctor or pharmacist before use

if you are presently taking mineral oil

Stop use and ask a doctor if

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control (1-800-222-1222) Center right away.

Directions

- take softgels with a full glass (8 oz) of water

adults and children 12 years and older	take 1-3 softgels daily or as directed by a doctor. This dose may be taken as a single daily dose or in divided doses.
children 6 to under 12 years of age	take 1 softgel daily or as directed by a doctor
children under 6 years of age	ask a doctor

Other information

- **each softgel contains:**sodium 6 mg
- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

Inactive ingredients

black iron oxide, D&C red #33, FD&C blue #1, FD&C red #40, FD&C yellow #6, gelatin, glycerin, hypromellose, polyethylene glycol, propylene glycol, purified water, sorbitan, sorbitol, titanium dioxide

Questions or comments?

Call **1-877-753-3935** Monday-Friday 7AM-6PM PST

Principal Display Panel

Compare to the active ingredient in Phillips® Stool Softener††

Stool Softener

DOCUSATE SODIUM 100 mg / STOOL SOFTENER LAXATIVE

Cramp Free

- Gentle & dependable relief of occasional constipation
- Stimulant free

SOFTGELS

††This product is not manufactured or distributed by Bayer HealthCare LLC., distributor of Phillips'® Stool Softener.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

DISTRIBUTED BY: WALGREEN CO.

200 WILMOT RD., DEERFIELD, IL 60015

walgreens.com

Product Label

Drug Facts

Active ingredient (in each softgel) **Purpose**
 Docusate sodium 100 mg.....Stool softener laxative

Uses
 ■ for relief of occasional constipation (irregularity)
 ■ this product generally produces bowel movement in 12 to 72 hours

Warnings
Ask a doctor before use if you have
 ■ stomach pain ■ nausea ■ vomiting
 ■ a sudden change in bowel habits that lasts over 14 days

Ask a doctor or pharmacist before use if you are presently taking mineral oil.

Stop use and ask a doctor if
 ■ you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
 ■ you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Drug Facts (continued)

Directions
 ■ take softgels with a full glass (8 oz) of water

adults and children 12 years and older	take 1-3 softgels daily or as directed by a doctor. This dose may be taken as a single daily dose or in divided doses.
children 6 to under 12 years of age	take 1 softgel daily or as directed by a doctor
children under 6 years of age	ask a doctor

Other information
 ■ each softgel contains: sodium 6 mg
 ■ store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

Inactive ingredients black iron oxide, D&C red #33, FD&C blue #1, FD&C red #40, FD&C yellow #6, gelatin, glycerin, hypromellose, polyethylene glycol, propylene glycol, purified water, sorbitol, sorbitol, titanium dioxide

Questions or comments?
 Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

NDC 0363-8540-30



Compare to the active ingredient in Phillips® Stool Softener®



Stool Softener

DOCUSATE SODIUM 100 mg / STOOL SOFTENER LAXATIVE

Cramp Free

- Gentle & dependable relief of occasional constipation
- Stimulant free

30

SOFTGELS



ACTUAL SIZE



PAPER BOX PLASTIC BOTTLE

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

DISTRIBUTED BY: WALGREEN CO.
 200 WILMOT RD., DEERFIELD, IL 60015
 100% SATISFACTION GUARANTEED
 walgreens.com
 ©2021 Walgreen Co.

ITEM 934228 W10024-1121-L



3 11917 18327 5
 PLD-F7188 FC007780

1 BOTTLE INSIDE

WALGREENS Stool Softener Laxative

STOOL SOFTENER			
docusate sodium capsule, liquid filled			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-8540
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	100 mg	
Inactive Ingredients			
Ingredient Name	Strength		
D&C RED NO. 33 (UNII: 9DBA0SBB0L)			
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)			
FD&C RED NO. 40 (UNII: WZB9127XOA)			
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)			
GELATIN (UNII: 2G86QN327L)			

GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SORBITAN (UNII: 6O92ICV9RU)	
SORBITOL (UNII: 506T60A25R)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	

Product Characteristics

Color	red, white	Score	no score
Shape	OVAL	Size	12mm
Flavor		Imprint Code	P10
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-8540-30	1 in 1 BOX	12/27/2019	
1		30 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	12/27/2019	

Labeler - Walgreens (008965063)