

**SHOPKO HEMORRHOIDAL - mineral oil,petrolatum,phenylephrine,s hark liver oil ointment  
UNITED EXCHANGE CORP.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Drug Facts**

Uses

- helps relieve the local itching and discomfort associated with hemorrhoids
- temporarily shrinks hemorrhoidal tissue and relieves burning
- temporarily provides a coating for relief of anorectal discomforts
- temporarily protects the inflamed, irritated anorectal surface to help make bowel movements less painful

Warnings

For external and/or intrarectal use only

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are now taking a prescription drug for high blood pressure or depression

When using this product do not use more than the recommended daily dosage

Stop use and ask a doctor if

- bleeding occurs
- condition gets worse or does not get better within 7 days
- introduction of the applicator into the rectum causes additional pain

If pregnant or breast-feeding, ask a physician before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- children under 12 years of age: ask a doctor
- adults: when practical, cleanse the affected area by patting or blotting with an appropriate cleansing wipe
- gently dry by patting or blotting with a tissue or a soft cloth before applying
- when first opening tube, remove foil seal
- for intrarectal use: remove protective cover from applicator and attach to tube
- lubricate applicator well, then gently insert applicator into the rectum
- thoroughly clean applicator and replace protective cover after each use
- apply externally to the affected area up to 4 times daily, especially at night, in the morning or after each bowel movement
- also apply ointment to external area

Other information

Store at 20° to 25°C (68° to 77°F)

Inactive ingredients

benzoic acid, BHA, BHT, methylparaben, paraffin, propylparaben, thyme oil, glyceryl stearate, glycerin, absorb refined lanoline, purified water

Distributed by

United Exchange Corp.  
17211 Valley View Ave.  
Cerritos, CA 90703  
www.ueccorp.com

Made in Korea

Active ingredients

Mineral oil 14% .....Protectant  
Petrolatum 71.9% .....Protectant  
Phenylephrine HCL 0.25% .....Vasoconstrictor  
Shark liver oil 3.0% .....Protectant

Purpose

**Drug Facts (continued)**

Ask a doctor before use if you have ■ heart disease ■ high blood pressure  
■ thyroid disease ■ diabetes ■ trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are now taking a prescription drug for high blood pressure or depression

When using this product do not use more than the recommended daily dosage

Stop use and ask a doctor if ■ bleeding occurs  
■ condition gets worse or does not get better within 7 days  
■ introduction of the applicator into the rectum causes additional pain

If pregnant or breast-feeding, ask a physician before use. ▶

**Drug Facts (continued)**

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ children under 12 years of age: ask a doctor  
■ adults: when practical, cleanse the affected area by patting or blotting with an appropriate cleansing wipe  
■ gently dry by patting or blotting with a tissue or a soft cloth before applying  
■ when first opening tube, remove foil seal  
■ for intrarectal use: remove protective cover from applicator and attach to tube  
■ lubricate applicator well, then gently insert applicator into the rectum  
■ thoroughly clean applicator and replace protective cover after each use

---

**Drug Facts (continued)**

■ apply externally to the affected area up to 4 times daily, especially at night, in the morning or after each bowel movement  
■ also apply ointment to external area

**Other information** store at 20° to 25° C (68° to 77° F)

**Inactive ingredients** benzoic acid, BHA, BHT, methylparaben, paraffin, propylparaben, thyme oil, glyceryl stearate, glycerin, absorb refined lanoline, purified water

SATISFACTION GUARANTEED BY REFUND OR EXCHANGE

Distributed by  
United Exchange Corp.  
17211 Valley View Ave.  
Cerritos, CA 90703  
www.ueccorp.com  
Made in Korea

\*This product is not manufactured or distributed by Wyeth Consumer Healthcare, owner of the registered trademark Preparation H® Ointment.



4 00201 77788 4

---

**SHOPKO** Tamper Evident: Do not use if tube inner seal is broken or punctured  
\*Compare to the active Ingredients of Preparation H®

# HEMORRHOIDAL OINTMENT

• Prompt Relief • Helps Protect Irritated Areas • Help Relieve Itching and Burning of Inflamed Hemorrhoidal Tissues

NET WT 2 OZ. (56.8g)

---

**Drug Facts**

<b>Active ingredients</b>	<b>Purpose</b>
Mineral oil 14% .....	Protectant
Petrolatum 71.9% .....	Protectant
Phenylephrine HCl 0.25% .....	Vasoconstrictor
Shark liver oil 3.0% .....	Protectant

**Drug Facts (continued)**

**Uses** ■ helps relieve the local itching and discomfort associated with hemorrhoids  
■ temporarily shrinks hemorrhoidal tissue and relieves burning  
■ temporarily provides a coating for relief of anorectal discomforts  
■ temporarily protects the inflamed, irritated anorectal surface to help make bowel movements less painful

**Warnings** For external and/or intrarectal use only

Enter section text here

<b>SHOPKO HEMORRHOIDAL</b>			
mineral oil, petrolatum, phenylephrine, shark liver oil ointment			
Product Information			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:65923-777
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
MINERAL OIL (UNII: T5L8T28FGP) (MINERAL OIL - UNII:T5L8T28FGP)	MINERAL OIL	140 mg in 1 g
PETROLATUM (UNII: 4T6H12BN9U) (PETROLATUM - UNII:4T6H12BN9U)	PETROLATUM	719 mg in 1 g
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	2.5 mg in 1 g
SHARK LIVER OIL (UNII: 4B24275HEU) (SHARK LIVER OIL - UNII:4B24275HEU)	SHARK LIVER OIL	30 mg in 1 g

**Inactive Ingredients**

Ingredient Name	Strength
BENZOIC ACID (UNII: 8SKN0B0MIM)	
BUTYLATED HYDROXYANISOLE (UNII: REK4960K2U)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PARAFFIN (UNII: I9O0E3H2ZE)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
THYME OIL (UNII: 2UK410MY6B)	
WATER (UNII: 059QF0K00R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:65923-777-88	1 in 1 CARTON		
1		57 g in 1 TUBE		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part346	03/21/2011	

**Labeler** - UNITED EXCHANGE CORP. (840130579)**Registrant** - UNITED EXCHANGE CORP. (840130579)**Establishment**

Name	Address	ID/FEI	Business Operations
TAI GUK PHARM. CO., LTD		631101656	manufacture