

WARFARIN SODIUM- warfarin sodium tablet
Cadila Healthcare Limited

WARFARIN SODIUM TABLETS, USP

PACKAGE LABEL-PRINCIPAL DISPLAY PANEL

NDC 65841-052-01 in bottle of 100 tablets

Warfarin Sodium Tablets USP, 1 mg

R_x only

100 tablets

ZyGenerics
NDC 65841-052-01
WARFARIN SODIUM
Tablets, USP
1 mg

HIGHLY POTENT ANTICOAGULANT WARNING: Serious bleeding results from overdosage. Do not use or dispense before reading directions and warnings in accompanying product information.

Lot: Exp: NO VARNISH

PHARMACIST: Dispense the Medication Guide provided separately to each patient.
Rx only
100 TABLETS

Each tablet contains :
Warfarin Sodium, USP crystalline* ... 1 mg
*Present as crystalline sodium warfarin isopropanol clathrate.
Usual Adult Dosage: See package insert for complete prescribing information.
Store at 20° - 25°C (68° - 77°F) [See USP Controlled Room Temperature]. Protect from light.
Dispense in a tight, light-resistant container as defined in the USP. Reseal cap tightly.
KEEP THIS AND ALL THE DRUGS OUT OF THE REACH OF CHILDREN.
Manufactured by:
Cadila Healthcare Ltd. Ahmedabad, India

Rev: 11/12

NDC 65841-053-01 in bottle of 100 tablets

Warfarin Sodium Tablets USP, 2 mg

R_x only

100 tablets

ZyGenerics
NDC 65841-053-01
WARFARIN SODIUM
Tablets, USP
2 mg

HIGHLY POTENT ANTICOAGULANT WARNING: Serious bleeding results from overdosage. Do not use or dispense before reading directions and warnings in accompanying product information.

Lot: Exp: NO VARNISH

PHARMACIST: Dispense the Medication Guide provided separately to each patient.
Rx only
100 TABLETS

Each tablet contains :
Warfarin Sodium, USP crystalline* ... 2 mg
*Present as crystalline sodium warfarin isopropanol clathrate.
Usual Adult Dosage: See package insert for complete prescribing information.
Store at 20° - 25°C (68° - 77°F) [See USP Controlled Room Temperature]. Protect from light.
Dispense in a tight, light-resistant container as defined in the USP. Reseal cap tightly.
KEEP THIS AND ALL THE DRUGS OUT OF THE REACH OF CHILDREN.
Manufactured by:
Cadila Healthcare Ltd. Ahmedabad, India

Rev: 11/12

NDC 65841-064-01 in bottle of 100 tablets

Warfarin Sodium Tablets USP, 2.5 mg

R_x only

100 tablets

ZyGenerics
NDC 65841-064-01
WARFARIN SODIUM
Tablets, USP
2.5 mg

HIGHLY POTENT ANTICOAGULANT WARNING: Serious bleeding results from overs dosage. Do not use or dispense before reading directions and warnings in accompanying product information.

Lot: NO VARNISH
Exp:

PHARMACIST: Dispense the Medication Guide provided separately to each patient.
Rx only
100 TABLETS

Each tablet contains :
Warfarin Sodium, USP crystalline* 2.5 mg
*Present as crystalline sodium warfarin isopropanol clathrate.
Usual Adult Dosage: See package insert for complete prescribing information.
Store at 20° - 25°C (68° - 77°F)[See USP Controlled Room Temperature]. Protect from light.
Dispense in a tight, light-resistant container as defined in the USP. Reseal cap tightly.
KEEP THIS AND ALL THE DRUGS OUT OF THE REACH OF CHILDREN.
Manufactured by:
Cadila Healthcare Ltd. Ahmedabad, India

Rev: 11/12

NDC 65841-054-01 in bottle of 100 tablets

Warfarin Sodium Tablets USP, 3 mg

R_x only

100 tablets

ZyGenerics
NDC 65841-054-01
WARFARIN SODIUM
Tablets, USP
3 mg

HIGHLY POTENT ANTICOAGULANT WARNING: Serious bleeding results from overs dosage. Do not use or dispense before reading directions and warnings in accompanying product information.

Lot: NO VARNISH
Exp:

PHARMACIST: Dispense the Medication Guide provided separately to each patient.
Rx only
100 TABLETS

Each tablet contains :
Warfarin Sodium, USP crystalline* 3 mg
*Present as crystalline sodium warfarin isopropanol clathrate.
Usual Adult Dosage: See package insert for complete prescribing information.
Store at 20° - 25°C (68° - 77°F)[See USP Controlled Room Temperature]. Protect from light.
Dispense in a tight, light-resistant container as defined in the USP. Reseal cap tightly.
KEEP THIS AND ALL THE DRUGS OUT OF THE REACH OF CHILDREN.
Manufactured by:
Cadila Healthcare Ltd. Ahmedabad, India

Rev: 11/12

NDC 65841-055-01 in bottle of 100 tablets

Warfarin Sodium Tablets USP, 4 mg

R_x only

100 tablets

ZyGenerics
NDC 65841-055-01
WARFARIN SODIUM
Tablets, USP
4 mg

HIGHLY POTENT ANTICOAGULANT WARNING: Serious bleeding results from overs dosage. Do not use or dispense before reading directions and warnings in accompanying product information.

Lot: NO VARNISH
Exp:

PHARMACIST: Dispense the Medication Guide provided separately to each patient.
Rx only
100 TABLETS

Each tablet contains :
Warfarin Sodium, USP crystalline* 4 mg
*Present as crystalline sodium warfarin isopropanol clathrate.
Usual Adult Dosage: See package insert for complete prescribing information.
Store at 20° - 25°C (68° - 77°F)[See USP Controlled Room Temperature]. Protect from light.
Dispense in a tight, light-resistant container as defined in the USP. Reseal cap tightly.
KEEP THIS AND ALL THE DRUGS OUT OF THE REACH OF CHILDREN.
Manufactured by:
Cadila Healthcare Ltd. Ahmedabad, India

Rev: 11/12

NDC 65841-056-01 in bottle of 100 tablets

Warfarin Sodium Tablets USP, 5 mg

R_x only

100 tablets

ZyGenerics
NDC 65841-056-01
WARFARIN SODIUM
Tablets, USP
5 mg

HIGHLY POTENT ANTICOAGULANT
WARNING: Serious bleeding results from overdosage. Do not use or dispense before reading directions and warnings in accompanying product information.

PHARMACIST: Dispense the Medication Guide provided separately to each patient.

Lot: NO VARNISH
Exp:

Rx only
100 TABLETS

Each tablet contains :
Warfarin Sodium, USP crystalline* 5 mg

*Present as crystalline sodium warfarin isopropanol clathrate.

Usual Adult Dosage: See package insert for complete prescribing information.

Store at 20° - 25°C (68° - 77°F)[See USP Controlled Room Temperature]. Protect from light

Dispense in a tight, light-resistant container as defined in the USP. Reseal cap tightly.

KEEP THIS AND ALL THE DRUGS OUT OF THE REACH OF CHILDREN.

Manufactured by:
Cadila Healthcare Ltd. Ahmedabad, India

Rev: 11/12

NDC 65841-057-01 in bottle of 100 tablets

Warfarin Sodium Tablets USP, 6 mg

R_x only

100 tablets

ZyGenerics
NDC 65841-057-01
WARFARIN SODIUM
Tablets, USP
6 mg

HIGHLY POTENT ANTICOAGULANT
WARNING: Serious bleeding results from overdosage. Do not use or dispense before reading directions and warnings in accompanying product information.

PHARMACIST: Dispense the Medication Guide provided separately to each patient.

Lot: NO VARNISH
Exp:

Rx only
100 TABLETS

Each tablet contains :
Warfarin Sodium, USP crystalline* 6 mg

*Present as crystalline sodium warfarin isopropanol clathrate.

Usual Adult Dosage: See package insert for complete prescribing information.

Store at 20° - 25°C (68° - 77°F)[See USP Controlled Room Temperature]. Protect from light

Dispense in a tight, light-resistant container as defined in the USP. Reseal cap tightly.

KEEP THIS AND ALL THE DRUGS OUT OF THE REACH OF CHILDREN.

Manufactured by:
Cadila Healthcare Ltd. Ahmedabad, India

Rev: 11/12

NDC 65841-058-01 in bottle of 100 tablets

Warfarin Sodium Tablets USP, 7.5 mg

R_x only

100 tablets

ZyGenerics
NDC 65841-058-01
WARFARIN SODIUM
Tablets, USP
7.5 mg

HIGHLY POTENT ANTICOAGULANT
WARNING: Serious bleeding results from overdosage. Do not use or dispense before reading directions and warnings in accompanying product information.

PHARMACIST: Dispense the Medication Guide provided separately to each patient.

Lot: NO VARNISH
Exp:

Rx only
100 TABLETS

Each tablet contains :
Warfarin Sodium, USP crystalline* 7.5 mg

*Present as crystalline sodium warfarin isopropanol clathrate.

Usual Adult Dosage: See package insert for complete prescribing information.

Store at 20° - 25°C (68° - 77°F)[See USP Controlled Room Temperature]. Protect from light

Dispense in a tight, light-resistant container as defined in the USP. Reseal cap tightly.

KEEP THIS AND ALL THE DRUGS OUT OF THE REACH OF CHILDREN.

Manufactured by:
Cadila Healthcare Ltd. Ahmedabad, India

Rev: 11/12

NDC 65841-059-01 in bottle of 100 tablets

Warfarin Sodium Tablets USP, 10 mg

R_x only

100 tablets

ZyGenerics
NDC 65841-059-01
WARFARIN SODIUM
Tablets, USP
10 mg

HIGHLY POTENT ANTICOAGULANT
WARNING: Serious bleeding results from overdosage. Do not use or dispense before reading directions and warnings in accompanying product information.

PHARMACIST: Dispense the Medication Guide provided separately to each patient.

Lot: NO VARNISH
Exp:

Rx only
100 TABLETS

Each tablet contains :
Warfarin Sodium, USP crystalline* 10 mg
*Present as crystalline sodium warfarin isopropanol clathrate.
Usual Adult Dosage: See package insert for complete prescribing information.
Store at 20° - 25°C (68° - 77°F)[See USP Controlled Room Temperature]. Protect from light.
Dispense in a tight, light-resistant container as defined in the USP. Reseal cap tightly.
KEEP THIS AND ALL THE DRUGS OUT OF THE REACH OF CHILDREN.
Manufactured by:
Cadila Healthcare Ltd. Ahmedabad, India

Rev: 11/12

WARFARIN SODIUM

warfarin sodium tablet

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:65841-052
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
WARFARIN SODIUM (UNII: 6153CWM0CL) (WARFARIN - UNII:5Q7ZVV76EI)	WARFARIN SODIUM	1 mg

Inactive Ingredients

Ingredient Name	Strength
D&C RED NO. 6 BARIUM LAKE (UNII: K4XZD9W99K)	
HYDROXYPROPYL CELLULOSE (1600000 WAMW) (UNII: RFW2ET671P)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
STARCH, CORN (UNII: O8232NY3SJ)	

Product Characteristics

Color	PINK (PINK)	Score	2 pieces
Shape	OVAL (OVAL)	Size	11mm
Flavor		Imprint Code	WAR;1
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:65841-052-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	06/19/2006	
2	NDC:65841-052-10	1000 in 1 BOTTLE; Type 0: Not a Combination Product	06/19/2006	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA040663	06/19/2006	

WARFARIN SODIUM

warfarin sodium tablet

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:65841-053
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
WARFARIN SODIUM (UNII: 6153CWM0CL) (WARFARIN - UNII:5Q7ZVV76EI)	WARFARIN SODIUM	2 mg

Inactive Ingredients

Ingredient Name	Strength
FD&C BLUE NO. 2--ALUMINUM LAKE (UNII: 4AQJ3LG584)	
HYDROXYPROPYL CELLULOSE (1600000 WAMW) (UNII: RFW2ET671P)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
STARCH, CORN (UNII: O8232NY3SJ)	
ALUMINUM OXIDE (UNII: LM26O6933)	

Product Characteristics

Color	PURPLE (LAVENDER)	Score	2 pieces
Shape	OVAL (OVAL)	Size	11mm
Flavor		Imprint Code	WAR;2
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:65841-053-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	06/19/2006	
2	NDC:65841-053-10	1000 in 1 BOTTLE; Type 0: Not a Combination Product	06/19/2006	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA040663	06/19/2006	

WARFARIN SODIUM

warfarin sodium tablet

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:65841-064
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
WARFARIN SODIUM (UNII: 6153CWM0CL) (WARFARIN - UNII:5Q7ZVV76EI)	WARFARIN SODIUM	2.5 mg

Inactive Ingredients

Ingredient Name	Strength
ALUMINUM OXIDE (UNII: LM26O6933)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
FD&C BLUE NO. 1--ALUMINUM LAKE (UNII: J9EQA3S2JM)	
HYDROXYPROPYL CELLULOSE (1600000 WAMW) (UNII: RFW2ET671P)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
STARCH, CORN (UNII: O8232NY3SJ)	

Product Characteristics

Color	GREEN (GREEN)	Score	2 pieces
Shape	OVAL (OVAL)	Size	11mm
Flavor		Imprint Code	WAR;2;1;2
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:65841-064-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	06/19/2006	
2	NDC:65841-064-10	1000 in 1 BOTTLE; Type 0: Not a Combination Product	06/19/2006	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

ANDA	ANDA040663	06/19/2006	
------	------------	------------	--

WARFARIN SODIUM

warfarin sodium tablet

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:65841-054
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
WARFARIN SODIUM (UNII: 6153CWM0CL) (WARFARIN - UNII:5Q7ZVV76ED)	WARFARIN SODIUM	3 mg

Inactive Ingredients

Ingredient Name	Strength
ALUMINUM OXIDE (UNII: LM26O6933)	
FD&C BLUE NO. 2--ALUMINUM LAKE (UNII: 4AQJ3LG584)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
HYDROXYPROPYL CELLULOSE (1600000 WAMW) (UNII: RFW2ET671P)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
STARCH, CORN (UNII: O8232NY3SJ)	

Product Characteristics

Color	BROWN (TAN)	Score	2 pieces
Shape	OVAL (OVAL)	Size	11mm
Flavor		Imprint Code	WAR;3
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:65841-054-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	06/19/2006	
2	NDC:65841-054-10	1000 in 1 BOTTLE; Type 0: Not a Combination Product	06/19/2006	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA040663	06/19/2006	

WARFARIN SODIUM

warfarin sodium tablet

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:65841-055
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
WARFARIN SODIUM (UNII: 6153CWM0CL) (WARFARIN - UNII:5Q7ZVV76EI)	WARFARIN SODIUM	4 mg

Inactive Ingredients

Ingredient Name	Strength
FD&C BLUE NO. 1--ALUMINUM LAKE (UNII: J9EQA3S2JM)	
HYDROXYPROPYL CELLULOSE (1600000 WAMW) (UNII: RFW2ET671P)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
STARCH, CORN (UNII: O8232NY3SJ)	

Product Characteristics

Color	BLUE (BLUE)	Score	2 pieces
Shape	OVAL (OVAL)	Size	11mm
Flavor		Imprint Code	WAR;4
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:65841-055-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	06/19/2006	
2	NDC:65841-055-10	1000 in 1 BOTTLE; Type 0: Not a Combination Product	06/19/2006	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA040663	06/19/2006	

WARFARIN SODIUM

warfarin sodium tablet

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:65841-056
--------------	-------------------------	--------------------	---------------

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
WARFARIN SODIUM (UNII: 6153CWM0CL) (WARFARIN - UNII:5Q7ZVV76ED)	WARFARIN SODIUM	5 mg

Inactive Ingredients

Ingredient Name	Strength
ALUMINUM OXIDE (UNII: LM26O6933)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
HYDROXYPROPYL CELLULOSE (1600000 WAMW) (UNII: RFW2ET671P)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
STARCH, CORN (UNII: O8232NY3SJ)	

Product Characteristics

Color	ORANGE (PEACH)	Score	2 pieces
Shape	OVAL (OVAL)	Size	11mm
Flavor		Imprint Code	WAR;5
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:65841-056-16	90 in 1 BOTTLE; Type 0: Not a Combination Product	06/19/2006	
2	NDC:65841-056-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	06/19/2006	
3	NDC:65841-056-10	1000 in 1 BOTTLE; Type 0: Not a Combination Product	06/19/2006	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA040663	06/19/2006	

WARFARIN SODIUM

warfarin sodium tablet

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:65841-057
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
WARFARIN SODIUM (UNII: 6153CWM0CL) (WARFARIN - UNII:5Q7ZVV76EI)	WARFARIN SODIUM	6 mg

Inactive Ingredients	
Ingredient Name	Strength
FD&C BLUE NO. 1--ALUMINUM LAKE (UNII: J9EQA3S2JM)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
HYDROXYPROPYL CELLULOSE (1600000 WAMW) (UNII: RFW2ET671P)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
STARCH, CORN (UNII: O8232NY3SJ)	
ALUMINUM OXIDE (UNII: LM26O6933)	

Product Characteristics			
Color	GREEN (TEAL)	Score	2 pieces
Shape	OVAL (OVAL)	Size	11mm
Flavor		Imprint Code	WAR;6
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:65841-057-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	06/19/2006	
2	NDC:65841-057-10	1000 in 1 BOTTLE; Type 0: Not a Combination Product	06/19/2006	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA040663	06/19/2006	

WARFARIN SODIUM			
warfarin sodium tablet			
Product Information			
Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:65841-058
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
WARFARIN SODIUM (UNII: 6153CWM0CL) (WARFARIN - UNII:5Q7ZVV76EI)	WARFARIN SODIUM	7.5 mg	

Inactive Ingredients

Ingredient Name	Strength
ALUMINUM OXIDE (UNII: LM26O6933)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
HYDROXYPROPYL CELLULOSE (1600000 WAMW) (UNII: RFW2ET671P)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
STARCH, CORN (UNII: O8232NY3SJ)	

Product Characteristics

Color	YELLOW (YELLOW)	Score	2 pieces
Shape	OVAL (OVAL)	Size	11mm
Flavor		Imprint Code	WAR;7;1;2
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:65841-058-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	06/19/2006	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA040663	06/19/2006	

WARFARIN SODIUM

warfarin sodium tablet

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:65841-059
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
WARFARIN SODIUM (UNII: 6153CWM0CL) (WARFARIN - UNII:5Q7ZVV76EI)	WARFARIN SODIUM	10 mg

Inactive Ingredients

Ingredient Name	Strength
HYDROXYPROPYL CELLULOSE (1600000 WAMW) (UNII: RFW2ET671P)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	

STARCH, CORN (UNII: O8232NY3SJ)

Product Characteristics

Color	WHITE (WHITE TO OFF-WHITE)	Score	2 pieces
Shape	OVAL (OVAL)	Size	11mm
Flavor		Imprint Code	WAR;10
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:65841-059-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	06/19/2006	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA040663	06/19/2006	

Labeler - Cadila Healthcare Limited (918596198)

Registrant - Cadila Healthcare Limited (918596198)

Establishment

Name	Address	ID/FEI	Business Operations
Cadila Healthcare Limited		918596198	ANALYSIS(65841-052, 65841-053, 65841-064, 65841-054, 65841-055, 65841-056, 65841-057, 65841-058, 65841-059) , MANUFACTURE(65841-052, 65841-053, 65841-064, 65841-054, 65841-055, 65841-056, 65841-057, 65841-058, 65841-059)

Revised: 9/2020

Cadila Healthcare Limited