

GOOD NEIGHBOR PHARMACY BACITRACIN ZINC- bacitracin zinc ointment
AmerisourceBergen

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Good Neighbor Pharmacy®
Bacitracin Zinc

Drug Facts

Active ingredient (each gram contains)

Bacitracin Zinc 500 units

Purpose

First aid antibiotic

Uses

first aid to help prevent infection in

- minor cuts
- scrapes
- burns

Warnings

For external use only

Do not use

- in the eyes
- over large areas of the body
- if you are allergic to any of the ingredients
- longer than 1 week unless directed by a doctor

Ask a doctor before use

- on deep or puncture wounds, animal bites, or serious burns

Stop use and ask a doctor if

- condition persists or gets worse
- a rash or other allergic reaction develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- clean the affected area and dry thoroughly
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Other information

- To open: unscrew cap, pull tab to remove foil seal
- store at room temperature
- see carton or tube crimp for lot number and expiration date

Inactive ingredients

mineral oil, white petrolatum

Questions?

Call **1-866-923-4914**

Distributed By
AmerisourceBergen
1300 Morris Drive
Chesterbrook, PA 19087

PRINCIPAL DISPLAY PANEL - 28.4 g Tube Carton

NDC 24385-060-03

Rx
GOOD
NEIGHBOR
PHARMACY®

Bacitracin Zinc Ointment USP

First Aid Antibiotic Ointment

NET WT 1 oz (28.4 g)



GOOD NEIGHBOR PHARMACY BACITRACIN ZINC

bacitracin zinc ointment

Product Information

| | | | | |
|---|---|---|-----------------------------|---------------------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:24385-060 | |
| Route of Administration | TOPICAL | | | |
| | | | | |
| Active Ingredient/Active Moiety | | | | |
| Ingredient Name | | Basis of Strength | Strength | |
| Bacitracin Zinc (UNII: 89Y4M234ES) (Bacitracin - UNII:58H6RWO52I) | | Bacitracin | 500 [iU] in 1 g | |
| | | | | |
| Inactive Ingredients | | | | |
| Ingredient Name | | | Strength | |
| mineral oil (UNII: T5L8T28FGP) | | | | |
| petrolatum (UNII: 4T6H12BN9U) | | | | |
| | | | | |
| Packaging | | | | |
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:24385-060-03 | 1 in 1 CARTON | 05/11/2006 | |
| 1 | | 28.4 g in 1 TUBE; Type 0: Not a Combination Product | | |
| | | | | |
| Marketing Information | | | | |
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | |
| OTC MONOGRAPH FINAL | part333B | 05/11/2006 | | |

Labeler - AmerisourceBergen (007914906)

Registrant - Taro Pharmaceuticals U.S.A., Inc. (145186370)

| Establishment | | | |
|---------------------------|---------|-----------|------------------------|
| Name | Address | ID/FEI | Business Operations |
| Taro Pharmaceuticals Inc. | | 206263295 | MANUFACTURE(24385-060) |