

**MOTION SICKNESS RELIEF ORIGINAL FORMULA- dimenhydrinate tablet  
Care One (American Sales Company)**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Dimenhydrinate 50 mg**

**Drug Facts**

**Active Ingredient (in each tablet)**

Dimenhydrinate 50 mg

**Purpose**

Antiemetic

**Uses**

for prevention and treatment of nausea, vomiting, or dizziness associated with motion sickness.

**Warnings**

**Do not use**

for children under 2 years of age, unless directed by a doctor

**Ask a doctor before use if you have**

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland

**Ask a doctor or pharmacist before use if you are**

taking sedatives or tranquilizers.

**When using this product**

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery

**If pregnant or breast-feeding,**

ask a health care professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- to prevent motion sickness, the first dose should be taken ½ to 1 hour before starting activity

---

adults and children 12 years and over	1 to 2 tablets every 4- 6 hours; not to exceed 8 tablets in 24 hours or as directed by a doctor
children 6 to under 12 years	take 1/2 to 1 tablet every 6-8 hours; not to exceed 3 tablets in 24 hours or as directed by a doctor
children 2 to under 6 years	take 1/4 to 1/2 tablet every 6 to 8 hours; not to exceed 1- 1/2 tablets in 24 hours or as directed by a doctor.

---

**Other information**

- each tablet contains: **calcium 30 mg**
- store at room temperature 20<sup>o</sup>- 25<sup>o</sup>C (68<sup>o</sup> - 77<sup>o</sup> F)

**Inactive ingredients**

Croscarmellose Sodium, Dicalcium Phosphate, Magnesium Stearate, Microcrystalline Cellulose.

**Questions or comments?**

Call 1-877-753-3935 Monday- Friday 9AM- 5PM EST

**PRINCIPAL DISPLAY PANEL**

Compare to Active Ingredient in Dramamine® \*

Original Formula

**Motion Sickness Relief**

Dimenhydrinate tablets/ Antiemetic

**Fast acting tablets**

For children and adults

**TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.**

\*This product is not manufactured or distributed by Prestige Brands, Inc., owner of the registered trademark Dramamine® Original Formula

**Distributed by: FOODHOLD U.S.A LLC**

**LANDOVER, MD 20785**

**1-877-846-9949**

© 2014 Ahold Licensing, Sarl

Quality guaranteed or your money back

**Product Label**

# FAST ACTING RELIEF OF MOTION SICKNESS

**CAREONE®**  
ORIGINAL FORMULA  
**MOTION SICKNESS RELIEF**

Compare to the Active  
Ingredient in  
Dramamine®\*

NDC 41520-630-12

**CAREONE®**

ORIGINAL FORMULA

**MOTION SICKNESS  
RELIEF**

Dimenhydrinate  
Tablets/Antiemetic



**FAST ACTING TABLETS**

For Children and Adults

**12 TABLETS**  
**(50mg EACH)**

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Lot No.:  
Exp. Date:


DISTRIBUTED BY  
FOODHOLD U.S.A., LLC  
LANDOVER, MD 20785  
1-877-846-9949  
© 2014 Ahold Licensing, Sarl  
Quality guaranteed or your money back.

PLD-B FC001838



\*This product is not manufactured or distributed by Prestige Brands, Inc., owner of the registered trademark Dramamine® Original Formula.

<b>Warnings</b>	
Do not use for children under 2 years of age unless directed by a doctor.	
Ask a doctor before use if you have	
■ a breathing problem such as emphysema or chronic bronchitis ■ glaucoma	
■ difficulty in urination due to an enlargement of the prostate gland	
Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.	
When using this product	
■ marked drowsiness may occur ■ avoid alcoholic drinks	
■ alcohol, sedatives, and tranquilizers may increase drowsiness	
■ use caution when driving a motor vehicle or operating machinery	
If pregnant or breast-feeding, ask a health professional before use.	
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> ■ to prevent motion sickness, the first dose should be taken 1/2 to 1 hour before starting activity	
adults and children 12 years and over	1 to 2 tablets every 4-6 hours; not to exceed 8 tablets in 24 hours, or as directed by a doctor
children 6 to under 12 years	1/2 to 1 tablet every 6-8 hours; not to exceed 3 tablets in 24 hours, or as directed by a doctor
children 2 to under 6 years	1/4 to 1/2 tablet every 6-8 hours; not to exceed 1-1/2 tablets in 24 hours, or as directed by a doctor
<b>Other information</b> ■ each tablet contains: calcium 30 mg ■ store at room temperature 20°-25°C (68°-77°F)	
<b>Inactive ingredients</b> croscarmellose sodium, dicalcium phosphate, dicalcium phosphate, magnesium stearate, microcrystalline cellulose	
<b>Questions or comments?</b> Call 1-877-753-3935 Monday-Friday 9AM-5PM EST	



Dimenhydrinate 50 mg tablets

## MOTION SICKNESS RELIEF ORIGINAL FORMULA

dimenhydrinate tablet

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41520-630
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIMENHYDRINATE (UNII: JB937PER5C) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIMENHYDRINATE	50 mg

### Inactive Ingredients

Ingredient Name	Strength
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
CALCIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: L11K75P92J)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	

### Product Characteristics

Color	WHITE	Score	2 pieces
Shape	ROUND	Size	9mm
Flavor		Imprint Code	1006;1006
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41520-630-12	1 in 1 CARTON		
1		12 in 1 BLISTER PACK		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part336	07/15/2010	

**Labeler** - Care One (American Sales Company) (809183973)

**Registrant** - P and L Development of New York Corporation (800014821)

Revised: 12/2012

Care One (American Sales Company)