LEVAMED SOLUBLE PIG WORMER- levamis ole hydrochloride powder Bimeda, Inc.
LevaMed <sup>TM</sup>
(levamisole hydrochloride)
Soluble Pig Wormer
FOR USE IN DRINKING WATER
Anthelmintic
This bottle contains 18.15 grams of levamisole hydrochloride activity which will treat the following:
200 - 25 lb pigs
100 - 50 lb pigs
50 - 100 lb pigs
25 - 200 lb pigs
NOT FOR USE IN HUMANS. KEEP OUT OF REACH OF CHILDREN.
Restricted Drug (California) - Use Only as Directed
Approved by FDA under ANADA # 200-313
<b>RECOMMENDATIONS:</b> LevaMed <sup>TM</sup> (levamisole hydrochloride) Soluble Pig Wormer is a broad-spectrum anthelmintic and is effective against the following nematode infections in swine.
LARGE ROUNDWORMS: (Ascaris suum)
NODULAR WORMS: (Oesophagostomum spp.)
LUNGWORMS: (Metastrongylus spp.)
INTESTINAL THREADWORMS: (Strongyloides ransomi)
<b>IDIRECTIONS FOT PREPARING SOLUBLE PIG WORMER SOLUTION:</b>
When you are ready to worm your pigs, add water to the powder in this bottle up to the 500 ml mark. Agitate to mix thoroughly before using. If any solution is left over, it may be stored at up to 25°C for up to 3 months in this tightly capped bottle; agitate well before using.
DATE WATER WAS ADDED TO THIS BOTTLE
Month Day Year
DIRECTIONS FOR USE:
Withholding water from pigs prior to treatment is not necessary for optimum anthelmintic efficacy and is not recommended during hot weather. Add 10 ml (2 teaspoonfuls) of the solution from this bottle to 1 gallon of water; mix thoroughly. Allow one gallon of medicated water for each 100 pounds body weight of pigs to be treated. No other source of water should be offered. As soon as pigs have consumed all the medicated water, resume use of regular water.

consumed all the medicated water, resume use of regular water.

**OTHER WARNINGS:** Parasite resistance may develop to any dewormer. All dewormers require accurate dosing for best results. Following the use of any dewormer, effectiveness of treatment should be monitored. A decrease of effectiveness over time may indicate the development of resistance to the dewormer administered. The parasite management plan should be adjusted accordingly based on regular monitoring.

**NOTE:** Careful estimates of pig weights are essential for proper performance of this product.

Pigs maintained under conditions of constant worm exposure may require retreatment within 4-5 weeks after the first treatment due to reinfection.

#### **CAUTION:**


Consult your veterinarian before administering LevaMed<sup>TM</sup> to sick swine. **Consult your veterinarian for assistance in the diagnosis, treatment, and control of parasitism**.

Salivation or muzzle foam may be observed. This reaction is occasionally seen and will disappear in a short time after medication.

If pigs are infected with mature lungworms, coughing and vomiting may be observed soon after medicated water is consumed. This reaction is due to the expulsion of worms from the lungs and will be over in several hours. Follow recommended dosage carefully to assure removal of worms and avoid an overdose of LevaMed<sup>TM</sup> solution.

**RESIDUE WARNING:** Do not administer within 72 hours of slaughter for food.

STORAGE: Store at 20°C - 25°C (68°F to 77°F), excursions permitted between 15°C - 30°C (59°F and 86°F).



### LEVAMED SOLUBLE PIG WORMER

levamisole hydrochloride powder

Product Information					
Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:61133-0280		
Route of Administration	ORAL				

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
LEVAMISOLE HYDROCHLORIDE (UNII: DL9055K809) (LEVAMISOLE - UNII:2880D3468G)	LEVAMISOLE	20.17 g in 20.17 g

### **Packaging**

# Item Code	Package Description	Marketi	ing Start Date	Marketing End Date	
1 NDC:61133-0280-1	20.17 g in 1 BOTTLE, PLASTIC				
Mr. J. d'. a T.C.					
Marketing Information					
Marketing Category	Application Number or Monograph	Citation	Marketing Start Da	ite Marketing End Date	
Marketing Category ANADA	<b>Application Number or Monograph</b> ANADA200313		Marketing Start Da 05/13/2015	nte Marketing End Date	

# **Labeler** - Bimeda, Inc. (060492923)

## Registrant - Bimeda, Inc. (060492923)

Establishment			
Name	Address	ID/FEI	Business Operations
Bimeda, Inc.		060492923	manufacture

Establishment					
Name	Address	ID/FEI	Business Operations		
YangZhou Pharmaceutical Co Ltd		544854599	api manufacture		

Revised: 10/2020 Bimeda, Inc.